



GEMINI

ZERO CLEARANCE DIRECT VENT SEE THROUGH GAS FIREPLACE



WALL SURROUND

FLATT

BLACK

PEWTER

STYLING



SPLIT OAK LOG SET





Model	MDVL31N	MDVL39N [†]	MDVL31LP
	MDVR31N	MDVR39N [†]	MDVR31LP
Fuel	Natural	Natural	Propane
Input Max.	30,000 BTU	39,000 BTU	30,000 BTU
Glass Type	Tempered	Ceramic	Tempered
Certification	Decorative	Decorative	Decorative
Bedroom Approved	*Yes	*Yes	*Yes
FE (P.4.1-02)	57.7%	56.6%	54.7%

^{*}Must be installed with listed thermostat in Canada. Check local jurisdiction in USA. Louvered model only.

STANDARD FEATURES*

- > Millivolt or IPI valve system allows operation during a power failure with Hi/low heat and flame adjustment
- > A triple burner for use with our contemporary rock collection or log set.
- > Safety Screen Barrier*

OPTIONAL FEATURES

Designer Clean View Circulating Kit – No Louvers Required.

(Available as See Through only, see manual for framing instructions – Model MDV31 only)

Grills – Black, Classic Series – Antique Brass, Chrome and Polish Brass

Surrounds - (Louvered, See Through only) - Black, Antique, Polish Brass, Chrome

Fan Kit – Heat activated with variable speed control

Brick Refractory Liners – End Panel, Side Panel

Thermostat** – Wall Mount Millivolt Thermostat or Programmable Thermostat

Remote Control - On/Off, Thermostat**,

Thermostat**/Modulating or Thermostat**/Modulating Fan

Wall Surrounds Flatt – with Black or Pewter finishes (For use with Z36CVCK only)

Wall Surrounds Flatt Accents

- > Keystone Brushed Chrome or Black
- > Designer Band Accents 4 x Black (sml), 2 x Chrome (Irg)
- > Designer Corner Accents 4 x Black

Log Set or Contemporary Rock Collection






Contemporary Rock Collection, MQRSP7 Rock Support Platform and Z36CVCK Designer Clean View Circulating Kit (x2).

Top Flue Model	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framing
LOUVERS						
Corner	36 ¹ /8"	37"	381/6"	41 ⁵ /8"	2111/16"	271/4"
Pennisula	36 ¹ /8"	37"	381/6"	41 ⁵ /8"	2111/16"	205/8"
See Thru	36 ¹ /8"	37"	411/16"	411/8"	2111/16"	205/8"
CLEAN VIEW CIRCULATING KIT (CVCK)						
See Thru	415/8"	421/2"	381/8"	461/8"	26 ⁵ /8"	25 ⁵ /8"
See Thru	41 ⁵ /8"	421/2"	381/8"	46 ¹ /8"	26 ⁵ /8"	25 ⁵ /8

Consult Manual for proper framing instructions in order to meet clearances to combustibles.

MQSW Wall Mount Surround Dimensions (inches)



All gas fireplaces manufactured as of January 1, 2015 will include a Safety Screen Barrier.

^{**} Thermostats are not permitted on Decorative Appliances (ANSI Z21.50) in the USA





Printed in Canada | **B061 – 07/15** ()

