

NAPOLEON



GAS BURNING INSERTS
napoleonfireplaces.com



Incredible levels of luxury and functionality.

Roxbury™ 30 - GDI-30	4 - 5
Roxbury™ 3600 - GI3600	6 - 7
Inspiration™ ZC - GDIZC	8 - 9
Infrared 3 - IR3-1	10 - 11
Infrared 3G - IR3G	12 - 13
Infrared X3 & X4 - XIR3, XIR4	14 - 15
Napoleon's Outstanding Features	16
Detailed Specifications & Line Drawings	17 - 19



The Inspiration™ ZC shown with brushed copper faceplate and 6" 4-sided flashing, see page 8 for more information



FIND YOUR HAPPY (fire)PLACE.

Throughout the ages, people have gathered around fires to share in life's greatest joys.

There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years to come, every Napoleon fireplace is backed by the President's Limited Lifetime Warranty.



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.

Roxbury™ 30

An Elegant Heater For Any Lifestyle

The Roxbury™ 30 easily transforms your existing masonry or prefabricated fireplace into an efficient heating source, eliminating drafts and ultimately saving you money. Napoleon's exclusive PHAZER® logs, charcoal embers, heat activated variable speed blower system, realistic YELLOW DANCING FLAMES® and elegant designer options turn your room into a tranquil getaway. The state-of-the-art pan burner system guarantees a wide range of heat output with adjustable flame/heat control giving you the heat you need with a traditional masonry look and feel.

GDI30

Up to 24,500 BTU's

Flame/Heat Adjustment

28" w x 22" h

Natural gas or propane

For more detailed specifications on this unit, see page 17

Safety Barrier Options



Curved Safety Barrier



Flat Safety Barrier
*Must order a faceplate to complete unit

Options & Accessories



Louvres
Four Color Options



Cast Iron Surrounds
Two Colour Options



F45 & F60 Remote Controls
On/off or Modulating



Andirons
Painted Black



Painted Black Faceplate



Brushed Copper Faceplate



Brushed Nickel Faceplate



Bevelled Flashing kit - 6"



Deluxe Flashing kit - 6"



Deluxe Flashing kit - 9"



Arched Cast Iron Surround





Roxbury 30 shown with River Rock media kit, MIRRO-FLAME Panels, brushed copper faceplate and bevelled flashing kit



Decorative Sandstone
Brick Panels



MIRRO-FLAME
Porcelain Reflective
Radiant Panels



Complete with
Safety Barrier



River Rock Media Kit



Roxbury™ 3600

Economical & Versatile

Here's the secret to a warmer, cozier home! Retrofit your drafty old fireplace with this beautiful Napoleon® gas insert. The Roxbury™ 3600 is especially designed to fit smaller wood burning, zero clearance fireplaces and comes complete with a heat activated variable speed blower system. Create the exact designer touch you have been looking for with optional choices including faceplates, flashing kits and cast iron surrounds in various styles and finishes.

GI3600

Up to 24,000 BTU's - Natural Vent Only

Flame/Heat Adjustment

25" w x 17 1/4" h

Natural gas or propane

For more detailed specifications on this unit, see page 17

Safety Barrier Option



Curved Safety Barrier



Flat Safety Barrier

*Must order a faceplate to complete unit

Options & Accessories



Louvres
Four Color Options



Cast Iron Surrounds
Two Colour Options*



F45 & F60 Remote Controls
On/off or Modulating



Andirons
Painted Black



Painted Black Faceplate



Brushed Copper Faceplate



Brushed Nickel Faceplate



Basic Flashing kits available in 6" and 9"



Deluxe Flashing kits available in 6" and 9"



Bevelled Flashing kit - 6"



Arched Cast Iron Surround





Roxbury[™] 3600 shown with brushed nickel faceplate and sandstone brick panels



Decorative Sandstone
Brick Panels



MIRRO-FLAME[™]
Porcelain Reflective
Radiant Panels



Complete with
Safety Barrier



Inspiration™ ZC

Smallest Fireplace Opening, Large Viewing Area

The multi-level advanced burner technology of the Inspiration™ ZC produces beautiful, realistic YELLOW DANCING FLAMES® and the exclusive PHAZER® log set and charcoal ember bed are so realistic, they will be mistaken for a real wood fire. This award winning gas insert is designed to fit the smallest fireplace openings but offers a large, 400 square inch ceramic glass viewing area. The Inspiration™ ZC comes complete with a heat activated variable speed blower system making it the perfect gas insert for any room in your home.

GDIZC

Up to 24,000 BTU's

25" w x 14 ½" h

Natural gas or propane

For more detailed specifications on this unit, see page 18

Options & Accessories



Cast Iron Surrounds
Two Colour Options*



F45 & F60 Remote Controls
On/off or Modulating



Andirons
Painted Black



Painted Black Faceplate



Brushed Copper Faceplate



Brushed Nickel Faceplate



3-Sided Aluminum Extrusion



Contemporary Trim Kit




4-Sided Aluminum Extrusion



3-Sided Backerplate



4-Sided Backerplate





Inspiration™ ZC shown with brushed copper faceplate, four-sided aluminum extrusion and MIRRO-FLAME Porcelain Reflective Radiant Panels



Decorative Sandstone
Brick Panels



MIRRO-FLAME
Porcelain Reflective
Radiant Panels



Complete with
Safety Barrier



Infrared™ 3

Style, Comfort and Efficiency

Napoleon's Infrared™ 3 is a direct vent gas insert which offers many standard features including Napoleon's IRONWOOD™ log set that fills your firebox with beautiful YELLOW DANCING FLAMES®. The Infrared™ 3 features Napoleon's advanced infrared technology and automatic flame modulation are perfect for smaller living spaces. The Infrared™ 3 is great for home owners who want the cost saving benefits of Zone Heating (heating the room you use most) plus the benefit of replacing an old drafty masonry fireplace with an efficient heating source.

IR3-1

Up to 24,000 BTU's

Flame/Heat Adjustment

29 5/8" w x 21" h

Natural gas or propane

For more detailed specifications on these units, see page 18

Options & Accessories



Blower Kit



Modulating Remote Control
(standard)



One Piece Surround - 6" or 9"



Five Piece Surround - 6" or 9"



Contemporary Rectangular Front
Satin Chrome Plated Finish



Contemporary Rectangular Front
Porcelain Black Finish



Zen Modern Door - Painted Black Finish



Zen Modern Door - Wrought Iron Finish



Cast Iron Surround Kit



Premium Scalloped Artisan Steel Door





Infrared® 3 shown with zen modern door kit in wrought iron finish and Newport Deluxe brick panels



Newport® Deluxe
Brick Panels



Old England Grey
Brick Panels



MIRRO-FLAME®
Porcelain Reflective
Radiant Panels



Complete with
Safety Barrier



River Rock Media Kit



Infrared™ 3G

Economical Modern Elegance

The Infrared™ 3G is the perfect solution for an economical heating source complemented with the modern elegance of a sparkling Topaz CRYSTALINE™ ember bed. The Infrared™ 3G features Napoleon's exclusive NIGHT LIGHT™ and comes standard with a modulating remote control and MIRRO-FLAME™ Porcelain Reflective Radiant Panels. Optional decorative accessories are also available to match any room in your home. Heating smarter and saving energy doesn't mean that you have to compromise great design.

IR3G

Up to 24,000 BTU's


Flame/Heat Adjustment

29 5/8"w x 21"h

Natural gas or propane

For more detailed specifications on this unit, see page 19

Options & Accessories



Alternate Glass Media Kits & Glass Enhancement Kits
Six Colors Available



Blower Kit



Modulating Remote Control
(standard)



One Piece Surround - 6" or 9"



Five Piece Surround - 6" or 9"



Contemporary Rectangular Front
Satin Chrome Plated Finish



Contemporary Rectangular Front
Porcelain Black Finish



Zen Modern Door - Painted Black Finish



Zen Modern Door - Wrought Iron Finish



Cast Iron Surround Kit



Premium Scalloped Artisan Steel Door





Infrared® 3G shown with standard MIRRO-FLAME® panels, one piece painted black 6" surround and satin chrome plated contemporary rectangular front



MIRRO-FLAME®
Porcelain Reflective
Radiant Panels



Complete with
Safety Barrier



Infrared X3 & X4

Stunning Triple Flame Pattern

The Infrared X3 and X4 feature Napoleon's advanced infrared technology and flame modulation. These deluxe direct vent gas inserts offer a modulating dual burner system that results in a firebox filled with a stunning triple flame pattern. The Infrared X3 and X4 feature cost saving benefits of Zone Heating plus the benefit of replacing an old drafty masonry fireplace with efficient, warm, glowing YELLOW DANCING FLAMES®. A multitude of designer options are available to create the exact statement you have been looking for.

XIR3	XIR4-1
Up to 31,000 BTU's	Up to 40,000 BTU's
Flame/Heat Adjustment	Flame/Heat Adjustment
29 5/8"w x 21"h as shown	34 3/4"w x 24 1/2"h as shown
Natural gas or propane	Natural gas or propane

For more detailed specifications on these units, see page 19

Options & Accessories



Blower Kit



Proflame Remote Control
(standard)



One Piece Surround - 6" and 9"
*6" only available for XIR3



Five Piece Surround - 6" and 9"
*6" only available for XIR3



Contemporary Rectangular Front
Satin Chrome Plated Finish



Contemporary Rectangular Front
Porcelain Black Finish



Zen Modern Door - Painted Black Finish



Zen Modern Door - Wrought Iron Finish



Cast Iron Surround Kit
*Only available for XIR3



Premium Scalloped Artisan Steel Door





Infrared® X4 shown with one piece painted black surround, Newport® Deluxe brick panels and satin chrome Contemporary Rectangular Front



Newport® Deluxe
Brick Panels



Old England Grey
Brick Panels



MIRRO-FLAME®
Porcelain Reflective
Radiant Panels



Complete with
Safety Barrier




River Rock Media Kit



Outstanding Features

of Napoleon's Advanced Technology



Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.

Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD[®] gas control system.

Minimum 30% savings on heating costs with Zone Heating

Zone Heating means you are heating the rooms that you use the most with an alternate heat source, like a Napoleon[®] gas insert. Zone Heating is the obvious solution for families concerned about rising fuel costs.

Outstanding Craftsmanship

Fine details are designed in every aspect of Napoleon[®] products... individually handcrafted with pride of excellence.

Safety Screens




Napoleon, leaders in design & technology have developed safety screens with aesthetically pleasing designs for every gas appliance to ensure ultimate safety and peace of mind for your family.



Roxbury™ 30

Shown on pages 4 & 5

*Fronts/Surrounds may change unit dimensions






Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Glass Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GDI30	15 - 24,500	19 - 24,500	Top	21 3/4"	22"	30 1/16"	28"	17 7/8"	18"	Ceramic	13 5/16"	27 7/8"	371	64.5%	60.02%	85%	Standard	Yes	No

Certified under Canadian and American National Standards.

Roxbury™ 3600

Shown on pages 6 & 7

*Fronts/Surrounds may change unit dimensions



Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Glass Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GI3600	16 - 24,000	17 - 22,000	Top	17 1/4"	17 1/2"	25"	25 1/2"	17 1/2"	16 1/2"	Ceramic	11 3/4"	29 3/4"	350	62.3%	-	76%	Standard	No	No


Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Inspiration™ ZC

Shown on pages 8 & 9

*Fronts/Surrounds may change unit dimensions




Model	BTU's (Input)		Venting	Height			Front Width		Depth		Glass Type	Glass Size		Glass Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual (Three-Sided)	Actual (Four-Sided)	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
GDZC	14 - 24,000	15 - 24,000	Top	20 3/4"	24 1/8"	14 1/2"	36"	25"	15 1/2"	11"	Ceramic	15 5/8"	28 1/8"	439	65.5%	65%	85%	Standard	Yes	No

Certified under Canadian and American National Standards.

Infrared 3

Shown on pages 10 & 11

*Fronts/Surrounds may change unit dimensions



Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Glass Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
IR3-1	18 - 24,000	18 - 24,000	Top	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2" *	Ceramic	17"	25 9/16"	364	64%	66.3%	77%	Optional	Yes	Yes

* Must add 4" (102mm) for optional blower


Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Infrared 3G

Shown on pages 12 & 13

*Fronts/Surrounds may change unit dimensions



Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Glass Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
IR3G	15 - 24,000	17 - 24,000	Top	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2" *	Ceramic	17"	25 9/16"	364	64.2%	63.9%	80%	Optional	Yes	Yes


* Must add 4" (102mm) for optional blower

Certified under Canadian and American National Standards.

Infrared X3 & X4

Shown on pages 14 & 15

*Fronts/Surrounds may change unit dimensions



Model	BTU's (Input)		Venting	Height		Front Width		Depth		Glass Type	Glass Size		Glass Area (sq. in.)	Efficiencies			Blower	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening		Height	Width		EnerGuide	AFUE	Steady State			
XIR3	15 - 31,000	16 - 31,000	Top	21"	21 1/2"	29 5/8"	29"	13 1/4"	13 1/2" *	Ceramic	17"	25 9/16"	364	67%	68.4%	80%	Optional	Yes	Yes
XIR4-1	16 - 40,000	15 - 40,000	Top	24 1/2"	25"	34 3/4"	34 1/4"	16 5/8"	17"	Ceramic	20 5/8"	31"	560	68.9%	72.4%	83%	Standard	Yes	Yes

* Must add 4" (102mm) for optional blower

Certified under Canadian and American National Standards.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.



NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031
napoleonfireplaces.com

Authorized Dealer



Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible material. Check all local and national building codes. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel inc.