

www.regency-fire.com









CONTEMPORARY GAS FIREPLACES

### WHY CHOOSE REGENCY?

### FIRE TRANSFORMED TO ART

My vision was to elevate the role of a fireplace beyond heating function to a highly stylized art form congruent with today's modern homes. I focused on clean lines crafted from unique materials and finishes. These elegant frames wrap artfully around a fire that dances evocatively from a fire bed blanketed in vibrant crystals or natural stones. Prepare to impress.

### REGENCY QUALITY...BEAUTY THAT HEATS

For over 35 years Regency has carefully researched trends to develop fireplaces that fit your life. A perfect combination of function and beauty; each Regency is a high efficiency heater with a beautiful view. Cut your heating bills by turning your furnace way down and enjoy high efficiency, controllable heat in the living areas you spend time in. And, enjoy peace of mind knowing all Regency products operate during power outages.

### LIFETIME GUARANTEE

I am so confident in the quality workmanship, fine materials and durable heavy-duty construction invested in each and every Regency, I offer a Limited Lifetime Warranty. I know that you will be as proud of your Regency Contemporary Collection Fireplace as I am – I guarantee it.

Robert Little

Founder & CEO

Robert Little





### **TABLE OF CONTENTS**

Contemporary Gas Fireplace Collection Regency Ultimate U1500E 04 Regency Ultimate U900E 06 **Regency Horizon HZ54E** 80 **Regency Horizon HZ40E** 10 **Regency Horizon HZ30E** 12 **Regency Horizon HZ42STE** 14 **Regency Horizon HZ965E** 16 **Regency Horizon HZ33CE** 18 20 Design Options Accessories 22 Specifications 24 Design Inspiration 29







## **REGENCY ULTIMATE™** | U1500E Large Contemporary Gas Fireplace

### THE ULTIMATE SERIES

Enjoy a wide landscape view of our most realistic log and glowing ember-bed with the U1500E Ultimate gas fireplace.

The Ultimate series features a seamless design, coastal driftwood logs set upon a glowing linear ember-bed, and beautiful wide angle flames enhanced by reflective black enamel side panels.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	43,000	42,000
Turn down to (BTU)	29,000	33,500
EnerGuide Rating (Canada only)	66.11%	69.02%
Efficiency (steady state)	73.70%	74.64%

DIMENSIONS	
Viewing Area	611 sq. in.
Width (Clean finish)	48"
Height (Clean finish)	16-3/16"

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.



- · Natural gas
- · Safety screen
- · Glowing linear ember bed
- · Ceramic burner & driftwood log set
- · Black enamel reflective side panels
- · Electronic ignition
- · 3-speed fan
- Proflame II Remote control system
- · Direct vent
- · Limited lifetime warranty

- · Contemporary door frame & black surround
- · Premium glass surround in black
- · Clean edge finish option (no faceplate required)
- Optional finishing trim for clean edge finish (W: 50-3/4" x H: 19")
- · Steel framing kit (recommended)
- AstroCap® venting
- · HeatWave™ power duct kit & HeatRelease™ kit
- · Propane conversion kit





# **REGENCY ULTIMATE™** U900E Medium Contemporary Gas Fireplace

### **ULTIMATE FLAME PACKAGE**

The Regency Ultimate linear gas fireplace showcases our bestin-class flame and log package. Perfect for modern spaces and open concept living areas, clean burning heat is distributed throughout your home.

### **EXPANSIVE HEAT**

Colder climates benefit from the combination of intense radiant heat and extensive convective heat delivered by the U900E's built in blower. The black enamel reflective panels accentuate the fire to create perfect ambiance.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	34,000	31,500
Turn down to (BTU)	23,500	25,000
EnerGuide Rating (Canada only)	66.98%	68.15%
Efficiency (steady state)	73.3%	73.77%

DIMENSIONS		
Viewing Area	455 sq. in.	
Width (Clean finish)	39-5/8"	
Height (Clean finish)	17-5/8"	

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.



- · Natural gas or propane
- · Safety screen
- · Glowing linear ember bed
- · Ceramic burner & driftwood log set
- · Black enamel reflective side panels
- · Electronic ignition
- · 3-speed fan
- $\cdot$  Proflame II Remote control system
- · Direct vent
- · Heat exchanger
- · Limited lifetime warranty

- · Contemporary door frame & black surround
- · Premium glass surround in black
- · Clean edge finish option (no faceplate required)
- Optional finishing trim for clean edge finish
   (W: 40-1/8" x H: 18-1/4")
- · Steel framing kit (recommended)
- · AstroCap® venting
- $\boldsymbol{\cdot}$  Heat distribution kit to distribute heat to other rooms





### **REGENCY HORIZON®** | HZ54E Large Contemporary Gas Fireplace

### **DRAMATIC FLAMES**

The Regency Horizon® HZ54E offers a wide angle view of our unique and dramatic flame; perfect for contemporary homes and open concept living spaces.

### STUNNING CONTEMPORARY STYLE

Inner reflective panels amplify the appearance of this stunning fire. Contemporary styling is paired with practical function, delivering consistent, controllable heat – even during power outages.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	41,500	37,000
Turn down to (BTU)	29,000	30,000
EnerGuide Rating (Canada only)	64.87%	68.31%
Efficiency (steady state)	70%	75%

DIMENSIONS	
Viewing Area	615 sq. in.
Width (Metal Faceplate)	56-11/16"
Height (Metal Faceplate)	25-1/8"

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.



- · Natural gas or propane
- · Safety screen
- 39" burner covered with crystals (purchased separately)
- · Electronic ignition with SureFire™ switch
- · Proflame remote control
- · Direct vent
- · Limited lifetime warranty

- Contemporary frame & faceplate in black or brushed stainless steel
- · Verona glass surrounds in 2 colors
- · Black enamel inner reflective panels
- · Ceramic spa stones, volcanic stones
- · Crystals in various colors
- · Firebeads in various colors
- · Natural river pebbles
- · Driftwood log set
- · Wall thermostat
- AstroCap® venting
- · Variable speed blower
- HeatWave<sup>™</sup> power duct kit & HeatRelease<sup>™</sup> kit
- · Steel stud framing kit (recommended)





## **REGENCY HORIZON®** | HZ40E Medium Contemporary Gas Fireplace

### DRAMATIC FLAME WITH PERFECT HEAT

Feature a stunning firescape in your space with the Regency Horizon HZ40E, a mid-sized contemporary gas fireplace that offers a dramatic flame and ample heat.

### TRANSFORM YOUR SPACE

Rev up the atmosphere with glass crystals in a choice of colors, or create a tranquil escape using spa stones or driftwood logs. Transform any room into an experience with the Regency Horizon HZ40E.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	26,000	25,500
Turn down to (BTU)	18,000	21,000
EnerGuide Rating (Canada only)	65.19%	66.70%
Efficiency (steady state)	70%	71%

DIMENSIONS	
Viewing Area	464 sq. in.
Width (Clean finish)	38-1/4"
Height (Clean finish)	16-7/8"

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.







- · Natural gas or propane
- · Safety screen
- 30" burner covered with crystals (purchased separately)
- · Electronic ignition with SureFire™ switch
- · Proflame remote control
- · Direct vent
- · Limited lifetime warranty

- · Clean edge install
- · Contemporary faceplate in 2 colors (in 2 styles)
- · Verona glass surrounds in 2 colors
- · Black enamel inner reflective panels
- · Ceramic spa stones, volcanic stones
- · Crystals in various colors
- · Firebeads in various colors
- · Natural river pebbles
- · Driftwood log set
- · Wall thermostat
- · Variable speed blower
- AstroCap® venting system
- · HeatWave™ power duct kit and HeatRelease™ kit
- · Steel stud framing kit (recommended)





# **REGENCY HORIZON®** | HZ30E Small Contemporary Gas Fireplace

### **FRAMELESS STYLE**

The smaller profile of the Regency Horizon HZ30E features a wide view design set in a seamless frame. With minimal impact on floor space, the HZ30E offers modern styling with options that can be easily integrated into any room, providing great looks with just the right amount of warmth and comfort.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	14,000	13,000
Turn down to (BTU)*		
EnerGuide Rating (Canada only)	69.69%	69.72%
Efficiency (steady state)	70%	70%

DIMENSIONS		
Viewing Area	251 sq. in.	
Width (Clean finish)	27-5/8"	
Height (Clean finish)	14-1/16"	

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.


\*Not Applicable for this unit.



- · Natural gas or propane
- · Safety screen
- 20" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire  $\!\!^{\mathsf{TM}}$  switch
- · Proflame remote control
- · Direct vent
- · Limited lifetime warranty

- · Clean edge install
- · Contemporary faceplate in 2 colors (in 2 styles)
- · Verona glass surrounds in 2 colors
- · Black enamel inner reflective panels
- · Driftwood log set
- · Crystals in various colors
- · Firebeads in various colors
- · Volcanic Stones, Ceramic Spa Stones
- · Natural river pebbles
- · Wall thermostat
- · Variable speed blower
- · AstroCap® venting system
- · Steel stud framing kit (recommended)





## **REGENCY HORIZON®** | HZ42STE Contemporary See-Through Gas Fireplace

### TWO ROOMS, ONE FIRE

Create two fire views from separate rooms with the Regency Horizon HZ42STE see-through gas fireplace. This dual-sided fireplace offers a cost-effective way to divide a space while maintaining an open feel. Different wall finishes create an even more dramatic experience, delivering the ultimate two-fireplace look.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	26,000	24,500
Turn down to (BTU)	17,500	19,500
EnerGuide Rating (Canada only)	66.96%	68.71%
Efficiency (steady state)	70%	72%

DIMENSIONS	
Viewing Area	928 sq. in.
Width (Metal Faceplate)	48-3/4"
Height (Metal Faceplate)	23-5/8"

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.



- · Natural gas or propane
- · Safety screens
- 30" burner covered with crystals (purchased separately)
- · Proflame remote control
- · Electronic ignition with SureFire™ switch
- · Direct vent
- · Limited lifetime warranty

- · Clean edge install
- · Contemporary faceplate in various colors
- · Verona glass surrounds in 2 colors
- · Black enamel inner reflective panels
- · Natural river pebbles
- · Ceramic spa stones
- · Crystals in various colors
- · Firebeads in various colors
- · Driftwood log set
- · Wall thermostat
- · AstroCap® Venting
- · Steel stud framing kit (recommended)





## **REGENCY HORIZON®** | HZ965E Large Contemporary Gas Fireplace

### **BIG STYLE**

Create a glowing centerpiece in your home with the Regency Horizon HZ965E gas fireplace. Styled for contemporary environments, this large fireplace features an inset design that allows finish materials to be installed to the edges for a clean design aesthetic.

### **BOLD FLAMES**

With one of the largest viewing areas in the Regency collection, the HZ965E offers an impressive view of the flames through heat radiating ceramic glass. A wide range of accessories and finish options make this fireplace an excellent choice for large, modern living spaces.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	48,000	48,000
Turn down to (BTU)	16,000	17,000
EnerGuide Rating (Canada only)	63.11%	63.46%
Efficiency (steady state)	79%	79%


DIMENSIONS	
Viewing Area	965 sq. in.
Width (Clean Finish)	36-13/16"
Height (Clean Finish)	33-1/4"

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.



- · Natural gas
- · Safety screen
- · Clean face front with ceramic glass
- Linear fire bed covered with glass crystals (purchased separately)
- Split flow burner to allow for variable heat control
- · Black enamel inner reflective panels
- · Electronic ignition with SureFire™ switch
- · Proflame remote control
- · Direct vent
- · Limited lifetime warranty

- · Crystals in various colors
- · Firebeads in various colors
- · Volcanic stones or ceramic spa stones
- · Wall thermostat
- · Propane conversion kit
- · Vertical or horizontal vent terminations
- · Heat distribution kit
- · Power vent Kit
- AstroCap® venting system





## **REGENCY HORIZON®** | HZ33CE Medium Contemporary Gas Fireplace

### **COMBINING FIRE & ART**

Creating the right look for your space has never been easier with the Regency Horizon HZ33CE gas fireplace. This medium sized fireplace offers a wide range of finishing options to suit any décor.

### **CREATE YOUR FIRE**

Choose a frameless clean face look or one of Regency's contemporary surrounds. Finish your firebed with glass crystals in a choice of colors, then add ceramic spa stones, volcanic stones or driftwood logs to achieve the look you want.

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	17,000	15,000
Turn down to (BTU)	12,000	12,500
EnerGuide Rating (Canada only)	69.69%	69.72%
Efficiency (steady state)	70%	70%

DIMENSIONS	
Viewing Area	251 sq. in.
Width (Clean finish)	27-5/8"
Height (Clean finish)	14-1/16"

For additional surround dimensions see page 26. For detailed specifications please see pages 20-25.



- · Natural gas or propane
- · Safety screen
- 20" burner covered with crystals (purchased separately)
- · Electronic ignition with SureFire™ switch
- · Proflame remote control
- · Direct vent
- · Limited lifetime warranty

- · Clean edge install
- · Contemporary faceplate in 2 colors (in 2 styles)
- · Verona glass surrounds in 2 colors
- Black enamel inner reflective panels
- · Driftwood log set
- · Crystals in various colors
- · Firebeads in various colors
- · Volcanic Stones, Ceramic Spa Stones
- · Natural river pebbles
- · Wall thermostat
- · Variable speed blower
- · AstroCap® venting system



### **INTEGRATED FIREPLACE SOLUTIONS**







### **DESIGN OPTIONS**

### **CLEAN FACE OPTION**











U1500E/U900E

HZ30E

HZ40E

HZ33CE

HZ965E

### **METAL SURROUNDS**



Inner and outer frame U1500E/U900E



Inner and outer frame HZ30E/HZ40E/HZ54E



Verona Metal Faceplate HZ30E/HZ40E/HZ42STE



Verona Metal Surround HZ33CE

### **GLASS SURROUNDS**



Verona Glass Surround U1500E/U900E



Verona Glass Surround HZ54E



Verona Glass Surround HZ30E/HZ40E/HZ42STE



Verona Glass Surround HZ33CE

### **FIREBED OPTIONS**


#### **CRYSTALS & FIREBEADS**



Crystals - Black



Crystals - Copper



Crystals - Starfire



Firebeads - Black



Firebeads - Caramel Luster



Firebeads - Glacier Ice



Firebeads - Sangria Luster

### **STONES & LOGS**



Volcanic Stones - Gray



Volcanic Stones - Tan



Ceramic Spa Stones



Driftwood Ceramic Log Set

### **INNER PANELS**



Reflective Black Enamel Panels

### **ACCENT PEBBLES**



Natural River Pebbles

### **FINISHING OPTIONS**

### METAL SURROUNDS



Black



Stainless Steel

### **GLASS SURROUNDS**



Pure Black



Chocolate Brown

ACCESSORIES - AT A GLANCE			U1500E	U900E	HZ54E	HZ40E	HZ30E	HZ42STE	HZ965E	HZ33CE
Clean face design op	Clean face design option		✓	✓	-	✓	✓	✓	✓	✓
	Face lates 0 Variana Communida	Black	*	*	*	*	*	*		*
Metallic Surrounds	Faceplates & Verona Surrounds	Brushed stainless steel	•		*	*	*	*		*
	Finishing Trim	Black	*	*		•	•	•		
Class Commenced	Venera Class Common de	Pure Black	*	*	*	*	*	*		*
Glass Surrounds	Verona Glass Surrounds	Chocolate Brown	•		*	*	*	*		*
Safety Screen			✓	✓	✓	✓	✓	✓	✓	✓
		Crystals - various colors			*	*	*	*	*	*
		Firebeads - various colors			*	*	*	*	*	*
	Regency Horizon firebed	Ceramic spa stones			*	*	*	*	*	*
nterior options		Volcanic stones			*	*	*	*	*	*
	Driftwood ceramic logs		<b>✓</b>	<b>✓</b>	*	*	*	*		*
	Accent pebbles (for firebox floor)	Natural river pebbles			*	*	*	*	*	*
	Inner panels	Black enamel	✓	✓	*	*	*	*	✓	*
		Proflame GTMF	✓	✓	✓	✓	✓	✓		✓
	Remote controls	Proflame GTMFS					•		✓	
Controls	Wall mounted On/Off switch		✓	✓	✓	✓	✓	✓	✓	✓
	Thermostat		•		*	*	*	*	*	*
/ariable speed blowe	r		✓	✓	*	*	*			*
	Direct Vent		✓	✓	✓	✓	✓	✓	✓	✓
to all an	AstroCap® Venting System		*	*	*	*	*	*	*	*
/enting	HeatWave power duct kit or Heat	distribution kit	*	*	*	*	•		*	
	HeatRelease kit				*	*			*	
P conversion kit			*						*	*

Not available Standard Optional

#### REGENCY REMOTE AND THERMOSTAT COMFORT CONTROL



Proflame GTMF Remote Control




Programmable Thermostat

Create optimal comfort with ease and convenience at the touch of a button with the Regency Comfort Control System. Our user friendly programmable controls can be set, adjusted and programmed for your fireplace to come on at the temperature you want, when you want it. Regency control systems are available with a variety of features to suit your home heating needs.

FFATURE	RECEDITION	PROFLAME REMO	PROFLAME REMOTE		
FEATURE	DESCRIPTION	GTMF	GTMFS	THERMOSTAT	
On/Off		✓	✓	✓	
Child lock		✓	✓	•	
LCD Backlit Screen		✓	✓	✓	
Clock			•	✓	
Temperature display	oF / oC	✓	✓	✓	
TI	one setting (all days)	✓	✓	✓	
Thermostat	5-day day weekday & 2-day weekend	•	•	✓	
Smart thermostat*		✓	✓		
Flame adjustment	(6 levels)	✓	<b>✓</b>	•	
Split flow burner control	(back burner on/off)		<b>✓</b>	•	
Fan control**	(6 levels)	✓	✓	•	
Accent light (On/Off)***		✓	✓		

<sup>\*</sup> Smart Thermostat - Rather than a thermostat that simply turns your fireplace on and off, the Smart Control function allows you to set your desired room temperature. As the room reaches your personal setting, the flame intensity and heat gradually decrease – keeping the ambience of your Regency fire on with less heat output and the option to turn it off at any time.

#### MAXIMIZING COMFORT AND EFFICIENCY



Regency Fireplaces deliver controllable heating solutions by combining the latest in radiant/convection heat technology and innovative features.

- Adjustable flame/heat control
- · Heat radiating ceramic glass for maximum radiant heat performance
- SureFire Electronic Ignition switch with battery backup features fuel saving intermittent pilot ignition that conserves energy when not in use.
- Power's Out, Heat's On. All Regency gas fireplaces operate without electricity. Enjoy peace of mind all winter long.

### **DESIGN VERSATILITY**



AstroCap (painted to match home)

You can enjoy the convenience of a gas fireplace anywhere in your home with a Regency **Direct Vent**Fireplace. Regency Direct Vent Fireplaces maintain indoor air quality by drawing fresh combustion air from outside through our specialized venting system into a sealed firebox and sending the used air back outdoors.

Direct Vent Technology allows you to add a fireplace to rooms with no existing chimney. Simply vent your fireplace through an outside wall and finish it with the patented Regency **AstroCap Flex Venting System.** 

<sup>\*\*</sup> For models that have a blower.


<sup>\*\*\*</sup> For models that have an optional accent light.


## **SPECIFICATIONS**

DIMENSIONS	U1500E	U900E
Flue size	5" x 8"	4" x 6-5/8"
А	53-1/2"	39-3/8"
В	45-1/4"	35"
С	13-1/2"	13-1/16"
D	23-15/16"	23-5/16"
E	22-1/16"	21-13/16"
F	29-1/16"	28-9/16"
G	32-5/8"	31-5/16"
Н	6-3/16"	6-5/16"












DIMENSIONS	HZ54E	HZ40E	HZ30E
Flue size	5" x 8"	4"x6-5/8"	4"x6-5/8"
Α	59"	49-5/16"	30-9/16"
В	52-5/8"	45-5/8"	28-11/16"
С	31-5/8"	33-3/16"	27-1/16"
D	48-3/4"	39-3/16"	27-5/8"
E	35-1/4"	31"	25-3/4"
F	20-1/2"	18-5/16"	13-1/8"
G	22-3/8"	16-7/8"	14-9/16"
Н	5-11/16"	10"	6-3/8"
1	3-1/8"	3-1/4"	3-1/8"


### **REGENCY HORIZON® HZ54E**









### REGENCY HORIZON® HZ40E/HZ30E










DIMENSIONS	HZ42STE
Flue size	4" x 6-5/8"
A	53-3/4"
В	42-7/8"
С	32-1/8"
D	34-1/2"
E	39-11/16"
F	31-1/4"
G	14-15/16"
Н	16-13/16"
1	8-5/16"
J	3"
K	21"

### **REGENCY HORIZON® HZ42STE**










#### DIMENSIONS HZ965E HZ33CE Flue size 5" x 8" 4" x 6-5/8" 36-13/16" 23" Α В 18-3/4" 34-9/16" С 5-1/4" 29-1/4" D 44-5/8" 29-7/16" Ε 43" 26-1/16" 33-1/4" 16" G 52-5/16" 21-3/8" Н 39-11/16" 3" 41-3/16" 2-1/2"


### **REGENCY HORIZON® HZ965E**





REGENCY HORIZON® HZ33CE












### **FRAMING**

FRA	MING	U1500E	U900E	HZ54E	HZ40E	HZ30E
Α		47"	42-1/4"	46-5/8"	42"	33-5/16"
В		55"	45"	60"	49-7/8"	31-3/16"
_	horizontal vent	24-1/4"	22-3/4"	23-3/4"	21-3/16"	15"
С	vertical vent	24-1/4"	22-3/4"	23-3/4"	25-3/16	21-1/4"
_	flex	41-3/8"	39"	51"	43-7/8"	32-7/8"
D	rigid	41-3/8"	39"	51"	43-7/8"	35-1/2"
Ε		65-3/4"	51-1/2"	69"	61"	43-5/16"
F		93"	72-1/2"	97-9/16"	86-1/4"	61-1/4"


If using optional steel stud kit refer to manual for details

### REGENCY ULTIMATE U1500E/U900E & REGENCY HORIZON® HZ54E/HZ40E/HZ30E






## REGENCY ULTIMATE U1500E/U900E & REGENCY HORIZON® HZ30E




### REGENCY HORIZON®HZ54E



Note: Three horizontal steel studs must be installed after the unit is in position and the venting, gas and electrical is installed. The horizontal studs allow the non-combustible wall board to be attached and supported.

#### **REGENCY HORIZON® HZ40E**





#### FRAMING HZ42STE 20" (508mm) Framing Depth\* \*\*minus 2X the finished material thickness В Framing Height 42" (1067mm) 54" (1372mm) Horizontal / C Framing Width 58" (1473mm) Vertical Vent Min. Height to 42" (1067mm) Combustibles

\*Framing depth measurement is noted with nailing strips (top & sides) set as far forward on the firebox as possible. The nailing strips can be adjusted (on both sides) to allow for varying thicknesses in noncombustible material and wall finishes.

\*\*Finished material thickness includes: non combustible
material, tile slate, etc. (example framing = 20" - if 2" thick
finishing material is used (on both sides) = 16"

#### **REGENCY HORIZON® HZ42STE**







Steel studs - for easy installation of non-combustible material after Part I is complete. Install after unit in place with gas connection, electrical and venting completed.


#### **REGENCY HORIZON® HZ965E/HZ33CE**

FRAI	MING	HZ965E	HZ33CE
Α		52-5/16"	31-3/4"
В		44-3/4"	35"
С	vertical rise	24"	22-3/4"
	horizontal rigid	24"	19-3/4"
	horizontal flex	24"	16"
D	rigid**	80"	36"
	flex**	80"	32"
E		64"	38-15/16"
F		90-15/16"	55-1/2"
G		0"	0"*

<sup>\*</sup> when not using surround (might differ when using surrounds)
\*\* minimum height from the base of the unit








Note: If this is an outside corner, the minumum distance between the vent and the outside corner is 6" (15cm) with AstroCap termination cap or 12" (30cm) with Rigid Vent termination cap. (For example Dura-Vent)


### **CLEARANCES**

CLEARANCES	U1500E	U900E	HZ54E	HZ40E	HZ30E	HZ42STE
A* (Min.)	25"	20"	20"	17"	13-1/4"	17"
В	6"	8"	4"	8"	8"	7" Horizontal 9" Vertical
С	46-1/4"	48"	40-7/8"	22"	39"	22"
D** (Max.)	12"	12"	13"	13"	12"	12"
E	60"	84"	83"	84"	60"	84"
F	36"	36"	36"	36"	36"	36"
G	24-1/4"	24"	28-7/8"	27"	21"	25-1/4"



### **NON-COMBUSTIBLE REQUIREMENTS**


	U1500E	U900E	HZ54E	HZ40E	HZ30E
Α	56-1/2"	46-1/2"	60-1/2"	51-5/16"	32-11/16"
В	23-7/8"	20"	19-7/8"	20"	13-1/8"
С	18-1/16"	17-3/4"	22-1/2"	13-13/16"	14-13/16"
D	49-7/8"	39-7/8"	52-7/8"	39-7/8"	29-1/8"
E	3-1/4"	3-7/16"	3-7/8"	5-11/16"	1-7/8"
F	42-1/8"	37-3/4"	42-3/8"	33-13/16"	27-15/16"
G	6-3/16"	6-1/8"	5-1/2"	10"	6-1/4"




### **REGENCY HORIZON® HZ965E**

	HZ965E	HZ33CE
А	1"	0"
В	10"	9"
С	N/A	30"
D	46"	84"
E	12"	36"
F	min. 18-1/2"	12"
G	14"	15-3/4"

<sup>\*</sup> For complete instructions please see manual





**REGENCY HORIZON® HZ33CE** 

<sup>\*</sup> Minimum at 1" deep \*\* HZ30E - Minimum at 21-1/4" above HZ42STE - Minimum at 21-1/2" above HZ54E - Minimum at 30" above

### **SURROUND DIMENSIONS**

SURROUND DIMENSION	A	В	С	D	
	Finishing trim	50-3/4"	19"	n/a	n/a
U1500E	Inner and outer frame	53-1/2"	21-3/4"	n/a	n/a
	Verona glass with inner frame	57-1/2"	25-3/4"	n/a	n/a
	Finishing trim	40-1/8"	13-1/4"	39"	17-3/16"
U900E	Inner and outer frame	43"	21-1/4"	35"	13"
	Verona glass	46-7/8"	25-3/8"	38-7/8"	17-1/4"
1175 / 5	Verona 54 - glass/metal	58-11/16"	2-1/8"	45-3/16"	13-5/8"
HZ54E	Inner and outer frame	56-11/16"	25-1/8"	49-3/16"	17-5/8"
HZ42STE/ HZ40E	Verona 40 - glass*/ metal	44"	20-7/8"	36"	12-7/8"
*Available for HZ40E only	Inner and outer frame*	43-1/16"	20-9/16"	35-1/2"	12-1/2"
HZ33CE	Verona 33 - glass/metal	42-5/16"	36-3/4"	29-1/2"	21-1/2"
U7205	Verona 30 - glass/metal	30"	18-1/2"	25"	10-1/2"
HZ30E	Inner and outer frame	32-3/8"	18-1/16"	27-7/8"	10-1/8"

METAL — GLASS — GLASS

FINISHING TRIM
Available for models:
U1500E, U900E

INNER & OUTER FRAME Available for models: HZ30E, HZ40E, HZ54E, U1500E & U900E VERONA

Available for models:


HZ30E, HZ33CE, HZ40E & HZ42STE\*


\*HZ42STE available in Metal only


VERONA


Available for models:

HZ54E, U1500E & U900E









### **DESIGN INSPIRATION**



### **DESIGN INSPIRATION**

HZ33CE shown with Verona Glass surround in black, black enamel reflective panels, black crystals and volcanic stones.





### FIREPLACE PLANNING MADE SIMPLE

Your Regency® matches your home and lifestyle perfectly. How do we know that? Because you designed it yourself!

### www.regency-fire.com



### CLICK!

Take a photo of your desired room location.



### **DESIGN**

Go to www.regency-fire.com and design your perfect fireplace with the Fireplace Design Center.



### **VISUALIZE**

Upload your room photo and see how the fireplace will look in your own home.



### **VISIT A REGENCY DEALER**

Show your plan to one of our sales associates for expert advice. Your authorized Regency dealer will advise you on all the technical aspects and install your Regency.



### **NO CHIMNEY? NO PROBLEM!**

Direct vent technology means you no longer need an expensive, elaborate chimney. Simply vent your fireplace through an outside wall and finish it with an AstroCap™.



**ENJOY!** 



### www.regency-fire.com

©2017 FPI Fireplace Products International Ltd. Regency®, Regency Ultimate™, Regency Horizon®, SureFire™, HeatWave™, HeatRelease™, AstroCap®, are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved.

Printed in Canada (08/17)

Part no. 944-286

your Regency dealer