

GAS FIREPLACES  
INSERTS



www.regency-fire.com



GAS FIREPLACES  
INSERTS

# WHY CHOOSE REGENCY?

## BEAUTIFUL HOME HEATING SOLUTIONS

Regency Fireplace Products was founded over 35 years ago with a mission to produce the finest fireplace products available anywhere. Regency has a heating solution for every room of your home.

## REGENCY QUALITY

The Regency name means quality in every way. Our products are created and built in a world class manufacturing facility focused on getting every detail just right. Represented across North America by a professional retail network, you can rely on knowledgeable dealers and installers who understand how to make our products run safely and perform optimally.

## EXCEPTIONAL FIRE

The essence of each and every Regency fireplace is our unique flame. Dancing flames and glowing embers, realistic logs, or Horizon burners with glistening firebeads or crystals; your Regency fire will be spectacular.

## CUSTOM STYLING

By researching current trends and styles, we have created tasteful options and accessories that allow you to tailor the look of our fireplace to your home. Sleek and simple or grand and glamorous... the choice is yours.

## CUT HOME HEATING BILLS IN HALF!

Turn down your furnace and zone heat just the rooms you spend time in. This high efficiency heat will lower your home heating bills. The entire Regency Gas Fireplace Insert line produces consistent, controllable warmth, even during power outages.

## LIFETIME WARRANTY

I am so confident in the quality workmanship, the finest materials and durable heavy-duty construction invested in each of our products, that I offer a Limited Lifetime Warranty. The Regency warranty is the best in the industry. I am absolutely sure that you will be as proud of your Regency Gas Fireplace Insert as I am – I guarantee it.



Robert Little  
**Founder & CEO**



# TABLE OF CONTENTS

<i>Liberty® Radiant Gas Inserts</i>	
<i>Regency Horizon® Radiant Gas Inserts</i>	
<b>LRI3E</b>	<b>04</b>
<b>HRI3E</b>	<b>06</b>
<b>LRI4E</b>	<b>08</b>
<b>HRI4E</b>	<b>10</b>
<b>LRI6E</b>	<b>12</b>
<b>HRI6E</b>	<b>14</b>

<i>Energy and Liberty Gas Inserts</i>	
<b>E33</b>	<b>16</b>
<b>E21 &amp; U31</b>	<b>18</b>
<b>L234</b>	<b>20</b>

<i>Backing Plates, Faceplates &amp; Inlays</i>	<b>22</b>
<i>Accessories</i>	<b>25</b>
<i>Technical Specs</i>	<b>28</b>





*LR13E shown with Vignette faceplate in Black and Old Town Red interior panels.*

## LIBERTY® RADIANT COMPACT GAS INSERT | LR13E



*LR13E shown with small backing plate and Vignette faceplate in Platinum*



*LR13E shown with regular backing plate and Vignette faceplate in Tuscan Sunset*



*LR13E shown with 4-sided regular backing plate and Vignette faceplate in Black Chrome*

### COMPACT AND EFFICIENT

Regency is proud to present the newest addition to the Liberty® gas insert family, now available in a smaller size to fit a larger array of spaces. Enjoy timeless artisan crafted logs with the combined power of radiant & convective heat. Vignette designer faceplates provide you with the choice to create a modern transitional look or a traditional look with Georgian & Tudor styles.

SPECIFICATIONS (NATURAL GAS)*	LR13E
Input (BTU)	21,000
Turn down to (BTU)	10,500
EnerGuide Rating (Canada only)	63.33%
Efficiency (steady state)	70.95%
MINIMUM FIREPLACE OPENING	
Width (front)	28-1/2"
Width (rear)	21-5/8"
Height	19-1/2"
Depth	14-1/2"

*\*For propane (LP) specs please see page 21.*



*LR13E shown with 4-sided regular backing plate and Vignette faceplate in Platinum.*



*LR13E shown with regular backing plate, Vignette faceplate in Black, Craftsman inlay in Black Chrome*



*LR13E shown with regular backing plate, Vignette faceplate in Black, Door inlay in Tuscan Sunset*



*LR13E shown with regular backing plate, Vignette Georgian faceplate in Black*

## STANDARD FEATURES

- Natural gas
- Safety screen with Ceramic safety glass
- High definition 7 piece log set with ceramic burner & glowing ember bed
- Maxitrol control system with 50% turndown & 5-day pilot shut off
- Remote control with programmable timer setting, daytime & nighttime modes, fan operation & flame modulation
- Variable speed blower for max heat distribution
- 30° angled flue for versatile installation
- Direct vent
- Limited lifetime warranty

## OPTIONS

- Vignette faceplates in various designs and colors
- Vignette inlays in various designs & colors
- Interior panels in Old Town Red, Rustic Brown or Volcanic Black
- Reflective Black Enamel Interior panels
- Small, Regular, Oversized and Custom backing plates
- Hearth trim kit and Mantel Deflector
- Regency flex liners
- Propane conversion kit



HRI3E shown with Vignette faceplate in Black, Black Crystals with Volcanic Stones and Black Reflective Enamel panels.

## REGENCY HORIZON® RADIANT COMPACT GAS INSERT | HRI3E



HRI3E shown with small backing plate, Vignette faceplate in Black Chrome with Starfire Crystals



HRI3E shown with regular backing plate, Vignette faceplate in Tuscan Sunset with Black Crystals and optional Volcanic Stones



HRI3E shown with 4-sided regular backing plate, Vignette faceplate in Black Chrome with Black Crystals

### COMPACT AND CUSTOMIZABLE

Designed for contemporary spaces, the HRI3E is the newest addition to the Regency Horizon® family of gas inserts. The HRI3E gas insert delivers heat efficiently and with captivating style. Choose the look you want with a fine selection of accent options. Colored glass crystals or firebeads combine elegantly with spa stones or driftwood logs.

SPECIFICATIONS (NATURAL GAS)*	HRI3E
Input (BTU)	21,000
Turn down to (BTU)	10,500
EnerGuide Rating (Canada only)	63.1%
Efficiency (steady state)	70.37%
MINIMUM FIREPLACE OPENING	
Width (front)	28-1/2"
Width (rear)	21-5/8"
Height	19-1/2"
Depth	14-1/2"

\*For propane (LP) specs please see page 21.



*HRI3E shown with regular backing plate, Vignette faceplate in Platinum with Black Crystals and optional Driftwood log set.*



*HRI3E shown with regular backing plate, Vignette faceplate in Black, Craftsman inlay in Black Chrome with Black Crystals and optional Driftwood log set*



*HRI3E shown with regular backing plate, Vignette faceplate in Black, Door inlay in Tuscan Sunset with Black Crystals and optional Volcanic Stones*



*HRI3E shown with regular backing plate, Vignette Tudor faceplate in Black with Black Crystals and optional Volcanic Stones*

## STANDARD FEATURES

- Natural gas
- Safety screen with Ceramic safety glass
- Regency Horizon® contemporary linear fire bed with black steel interior panels
- Maxitrol control system with 50% turndown & 5-day pilot shut off
- Remote control with programmable timer setting, daytime & nighttime modes, fan operation & flame modulation
- Variable speed blower for max heat distribution
- 30° angled flue for versatile installation
- Direct vent
- Limited lifetime warranty

## OPTIONS

- Vignette faceplates in various designs and colors
- Vignette inlays in various designs & colors
- Firebeads & Crystals in various colors
- Driftwood log set, Volcanic Stones, Spa Stones or River Pebbles
- Reflective Black Enamel Interior panels
- Small, Regular, Oversized and Custom backing plates
- Hearth trim kit and Mantel Deflector
- Regency flex liners
- Propane conversion kit



LRI4E shown with regular backing plate, Vignette faceplate in Black, Door Inlay in Black and Rustic Brown Brick Panels.

## LIBERTY® RADIANT MEDIUM GAS INSERT | LRI4E



LRI4E shown with small backing plate and Vignette faceplate in Platinum



LRI4E shown with regular backing plate and Vignette faceplate in Tuscan Sunset



LRI4E shown with 4-sided regular backing plate and Vignette faceplate in Black

### PERFORMANCE AND STYLE

The Liberty® Radiant LRI4E gas insert exemplifies Regency's renowned commitment to quality. A source of both radiant and convective heat, the LRI4E delivers high efficiency heat safely and reliably throughout your home. Turn on the integrated circulating fan to intensify the warming effect. This statement fireplace can be customized with Regency's fine selection of accent trim options.

SPECIFICATIONS (NATURAL GAS)*	LRI4E
Input (BTU)	31,000
Turn down to (BTU)	22,000
EnerGuide Rating (Canada only)	71.90%
Efficiency (steady state)	84%

MINIMUM FIREPLACE OPENING	
Width (front)	30"
Width (rear)	22"
Height	20"
Depth (without spacer)	18"
Depth (with spacer)	15-3/4"

\*For propane (LP) specs please see page 21.



*LRI4E shown with regular backing plate and Vignette faceplate in Black Chrome.*



*LRI4E shown with regular backing plate, Vignette faceplate in Black, Craftsman inlay in Black Chrome*



*LRI4E shown with regular backing plate, Vignette faceplate in Black and Door inlay in Tuscan Sunset*



*LRI4E shown with regular backing plate and Vignette Georgian faceplate in Black*

## STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic safety glass
- High definition log set
- Ceramic burner with glowing ember bed
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Variable speed blower for max heat distribution
- 6-tube heat exchanger for max efficiencies
- 30° angled flue for versatile installation
- Direct vent
- Limited lifetime warranty

## OPTIONS

- Vignette faceplates in various designs and colors
- Vignette inlays in various designs & colors
- Faceplate spacer for shallow fireplace installations
- Interior panels in Old Town Red, Rustic Brown or Volcanic Black
- Reflective Black Enamel Interior Panels
- Small, Regular, Oversized and Custom backing plates
- Mantel deflector for reduced clearances
- Hearth trim kits for raised hearth installations
- Wall thermostat
- Regency flex liners
- Propane conversion kit



HRI4E shown with 4-sided regular backing plate, Vignette faceplate in Black, Craftsman inlay in Black Chrome with Black Crystals and optional Volcanic Stones.

## REGENCY HORIZON® MEDIUM GAS INSERT | HRI4E



HRI4E shown with small backing plate and Vignette faceplate in black with Black Crystals and optional Driftwood log set



HRI4E shown with regular backing plate and Vignette faceplate in Platinum with White Crystals



HRI4E shown with 4-sided regular backing plate and Vignette faceplate in Black

### MODERN AND ELEGANT

Add comfort and update the look of your home with a Regency Horizon® Radiant medium sized gas insert. Radiant inserts deliver heat efficiently and can be customized with captivating firebed options. Simply choose the style you want: combine colored glass crystals or firebeads with spa stones for natural elegance or select driftwood logs for coastal look.

SPECIFICATIONS (NATURAL GAS)*	HRI4E
Input (BTU)	31,000
Turn down to (BTU)	21,500
EnerGuide Rating (Canada only)	66.10%
Efficiency (steady state)	84%

MINIMUM FIREPLACE OPENING	
Width (front)	30"
Width (rear)	22"
Height	20"
Depth (without spacer)	18"
Depth (with spacer)	15-1/2"

\*For propane (LP) specs please see page 21.



HRI4E shown with regular backing plate, Vignette faceplate in Platinum and Black Crystals.



HRI4E shown with regular backing plate, Vignette faceplate in Black, Craftsman inlay in Black Chrome with Black Crystals and optional Volcanic Stones



HRI4E shown with regular backing plate, Vignette faceplate in Black and Door inlay in Tuscan Sunset with Black Crystals



HRI4E shown with regular backing plate and Vignette Tudor faceplate in Iron Grey with Black Crystals

## STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic safety glass
- Ceramic burner with glowing ember bed
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Variable speed blower for max heat distribution
- 6-tube heat exchanger for max efficiencies
- 30° angled flue for versatile installation
- Direct vent
- Limited lifetime warranty

## OPTIONS

- Vignette faceplates in various designs and colors
- Vignette inlays in various designs & colors
- Faceplate spacer for shallow fireplace installations
- Crystals or Firebeads in various colors
- Volcanic Stones, Spa Stones, or accent River Pebbles
- Driftwood log set
- Reflective Black Enamel Interior Panels
- Small, Regular, Oversized and Custom backing plates
- Mantel deflector for reduced clearances
- Hearth trim kits for raised hearth installations
- Wall thermostat
- Regency flex liners
- Propane conversion kit



LR16E shown with regular backing plate, Vignette faceplate in Tuscan Sunset and Rustic Brown Brick panels.

## LIBERTY® RADIANT LARGE GAS INSERT | LR16E



LR16E shown with small backing plate and Vignette faceplate in Tuscan Sunset



LR16E shown with regular backing plate and Vignette faceplate in Black



LR16E shown with 4-sided regular backing plate and Vignette faceplate in Platinum

### RADIANT CONVECTIVE HEAT

This large, high efficiency heater provides intense radiant heat instantly. Enjoy strong heat in the area directly in front of your fireplace or turn on the included heat circulating blower to distribute comforting warmth into the far corners of your room. The Regency Liberty® LR16E large gas insert is a stylish, reliable source of warmth and ambience, even during a power outage.

SPECIFICATIONS (NATURAL GAS)*	LR16E
Input (BTU)	38,000
Turn down to (BTU)	25,000
EnerGuide Rating (Canada only)	73.72%
Efficiency (steady state)	84%

MINIMUM FIREPLACE OPENING	
Width (front)	34"
Width (rear)	25"
Height	24"
Depth (without spacer)	19-1/2"
Depth (with spacer)	16-3/4"

\*For propane (LP) specs please see page 21.



*LR16E shown with small backing plate, Vignette Georgian faceplate in Iron Grey.*



*LR16E shown with regular backing plate, Vignette faceplate in Black, Door inlay in Black Chrome*



*LR16E shown with regular backing plate, Vignette Tudor faceplate in Iron Grey*



*LR16E shown with regular backing plate, Vignette faceplate in Black, Door inlay in Tuscan Sunset*

## STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic safety glass
- High definition log set
- Ceramic burner with glowing ember bed
- Black steel interior panels
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Variable speed blower for max heat distribution
- 6-tube heat exchanger for max efficiencies
- 30° angled flue for versatile installation
- Direct vent
- Limited lifetime warranty

## OPTIONS

- Vignette faceplates in various designs and colors
- Vignette inlays in various designs & colors
- Faceplate spacer for shallow fireplace installations
- Interior panels in Old Town Red, Rustic Brown or Volcanic Black
- Reflective Black Enamel Interior Panels
- Small, Regular, Oversized and Custom backing plates
- Mantel deflector for reduced clearances
- Hearth trim kits for raised hearth installations
- Wall thermostat
- Regency flex liners
- Propane conversion kit



HRI6E shown with small backing plate and Vignette faceplate in Tuscan Sunset.

## REGENCY HORIZON® LARGE GAS INSERT | HRI6E



HRI6E shown with small backing plate, Vignette faceplate in Platinum with Black Crystals and optional Volcanic Stones



HRI6E shown with regular backing plate, Vignette faceplate in Black Chrome with Black Crystals and optional Driftwood log set



HRI6E shown with 4-sided regular backing plate, Vignette faceplate in Black Chrome with Black Crystals

### SLEEK AND CONTEMPORARY

The Regency Horizon® Radiant Series introduces a sleek, contemporary large gas insert designed to transform your existing fireplace. Choose from a fine selection of modern Vignette faceplates and firebed options to create a unique look. Backed by the industry's best warranty, the HRI6E provides reliable, high efficiency heat with exceptional styling.

SPECIFICATIONS (NATURAL GAS)*	HRI6E
Input (BTU)	38,000
Turn down to (BTU)	25,000
EnerGuide Rating (Canada only)	73.72%
Efficiency (steady state)	84%

MINIMUM FIREPLACE OPENING	
Width (front)	34"
Width (rear)	25"
Height	24"
Depth (without spacer)	19-1/2"
Depth (with spacer)	16-3/4"

\*For propane (LP) specs please see page 21.



*HRI6E shown with regular backing plate, Vignette faceplate in Black Chrome, Black Crystals with Volcanic Stones and Black Reflective Enamel panels.*



*HRI6E shown with regular backing plate, Vignette faceplate in Black, Door inlay in Black Chrome with Starfire Crystals*



*HRI6E shown with regular backing plate, Vignette faceplate in Black, Craftsman inlay in Black Chrome with Black Crystals*



*HRI6E shown with regular backing plate, Vignette Tudor faceplate in Black with Black Crystals and optional Volcanic Stones*

## STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic safety glass
- Ceramic burner with glowing ember bed
- Black steel interior panels
- Electronic ignition with SureFire™ switch
- Proflame remote control
- Variable speed blower for max heat distribution
- 6-tube heat exchanger for max efficiencies
- 30° angled flue for versatile installation
- Direct vent
- Limited lifetime warranty

## OPTIONS

- Vignette faceplates in various designs and colors
- Vignette inlays in various designs & colors
- Faceplate spacer for shallow fireplace installations
- Crystals or Firebeads in various colors
- Volcanic Stones, Spa Stones, or accent River Pebbles
- Driftwood log set
- Reflective Black Enamel Interior Panels
- Small, Regular, Oversized and Custom backing plates
- Mantel deflector for reduced clearances
- Hearth trim kits for raised hearth installations
- Wall thermostat
- Regency flex liners
- Propane conversion kit



E33 shown with Low Profile faceplate and Brick panels.

## ENERGY LARGE GAS INSERT | E33

### AN ATTRACTIVE HEAT SOURCE

With 38,000 BTU of comforting, controllable heat and a full, yellow fire, this insert is guaranteed to warm your room quickly and consistently. This direct vent gas insert is perfect for airtight homes or basements because the sealed firebox doesn't use internal air. All Regency gas inserts can be enjoyed from the comfort of your sofa with the Proflame remote control or wall thermostat.

SPECIFICATIONS (NATURAL GAS)*	E33
Input (BTU)	38,000
Turn down to (BTU)	20,000
EnerGuide Rating (Canada only)	60.79%
Efficiency (steady state)	84%

MINIMUM FIREPLACE OPENING	
Width (front)	32-1/4"
Width (rear)	25"
Height	24-3/16"
Depth (without spacer)	18"
Depth (with spacer)	16-3/4"

\*For propane (LP) specs please see page 21.



*E33 shown with Vignette faceplate in Black, Door inlay in Tuscan Sunset and Brick panels.*



*E33 shown with low profile Vignette faceplate in Black*



*E33 shown with Vignette faceplate in Black and Door inlay in Black Chrome*



*E33 shown with Vignette faceplate in Black and Door inlay in Black*

## STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic safety glass
- Proflame remote control
- Log set with glowing embers
- Flame height adjustment control
- Variable speed blower
- 30° angled flue for versatile installations
- Standing pilot system
- Direct spark ignition
- Limited lifetime warranty

## OPTIONS

- Faceplates in Low Profile or Vignette design
- Vignette door inlay in various colors
- Custom backing plate
- Brick panels
- Wall thermostat
- Installation spacer
- Regency flex liners
- Propane conversion kit



U31 shown with Low Profile faceplate and Brick panels.

## ENERGY MEDIUM GAS INSERT | U31

### CUSTOMIZE TO SUIT YOUR STYLE

These Regency inserts are a complete fireplace system that can turn your existing wood fireplace into a high efficiency, clean burning gas heater. Enjoy peace of mind even during power outages; all Regency gas inserts can operate without electricity.

SPECIFICATIONS (NATURAL GAS)*	U31	E21
Input (BTU)	30,000	23,500
Turn down to (BTU)	20,600	11,750
EnerGuide Rating (Canada only)	52.90%	50.60%
Efficiency (steady state)	76%	77%

MINIMUM FIREPLACE OPENING		
Width (front)	26-1/2"	26-1/2"
Width (rear)	22-1/2"	18"
Height	21"	17-3/4"
Depth (without spacer)	--	--
Depth (with spacer)	15"	10-1/3"

\*For propane (LP) specs please see page 21.



*E21 shown with Low Profile faceplate and Brick panels.*

## ENERGY SMALL GAS INSERT | E21

### STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic safety glass
- Proflame remote control
- Log set with glowing embers
- Flame height adjustment control
- Variable speed blower
- Standing pilot system
- Direct spark ignition
- B Vent
- Installation spacer
- Limited lifetime warranty

### OPTIONS

- Low profile faceplates
- Custom backing plate
- Contour faceplate (U31)
- Adjustable hearth riser (E21)
- Black louvers (U31)
- Brick panels
- Basic or programmable wall thermostat
- 4" to 3" flue collar (E21)
- Regency flex liners
- Propane conversion kit



L234 shown with Low Profile faceplate and Brick panels.

## LIBERTY® SMALL GAS INSERT | L234

### COMPACT SIZE FOR TIGHTER OPENINGS

Designed to fit smaller openings in existing masonry fireplaces and inefficient steel fireplaces, this small gas insert delivers efficient heat with stylish good looks. Highly realistic logs make this quality, small gas insert an excellent choice for small to medium size spaces.

SPECIFICATIONS (NATURAL GAS)*	L234
Input (BTU)	23,500
Turn down to (BTU)	12,500
EnerGuide Rating (Canada only)	63.30%
Efficiency (steady state)	74%

MINIMUM FIREPLACE OPENING	
Width (front)	25"
Width (rear)	16"
Height	17"
Depth	14"

\*For propane (LP) specs please see page 21.



*L234 shown with Low Profile faceplate and Brick panels.*


## STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic safety glass
- Proflame remote control
- Log set with glowing embers
- 30° angled flue for versatile installation
- Variable speed blower
- Installation spacer
- Flame height adjustment control
- Standing pilot system
- Direct spark ignition
- Direct vent
- Limited lifetime warranty

## OPTIONS

- Low profile faceplate
- Custom backing plate
- Adjustable hearth riser
- Brick panels
- Basic or programmable thermostat
- 3" to 2" air intake reducer
- Regency flex liners
- Propane conversion kit


# BACKING PLATES, FACEPLATES & INLAYS




## BACKING PLATE OPTIONS\*




Small Backing Plate



Regular Backing Plate



4-sided Regular Backing Plate




Oversized Backing Plate

\*Custom sizes also available


## FACEPLATE OPTIONS




Vignette Faceplate




Vignette Faceplate (4-sided)




Georgian Rustic Vignette Faceplate



Tudor Rustic Vignette Faceplate




Low Profile Faceplate



Low Profile Faceplate (4-sided)

## FACEPLATE & INLAY FINISHES



Black




Black Chrome



Tuscan Sunset



Platinum  
(Not available for inlays)



Iron Grey  
(Only available for  
Georgian & Tudor  
Vignette Faceplates)

## INLAY OPTIONS



Vignette Door Inlay\*\*



Vignette Craftsman Inlay\*\*

\*\*LR13E/HRI3E Inlay designs are not exactly as shown

# OPTIONS

## FACEPLATE OPTIONS

Vignette faceplate shown with regular backing plate



Vignette faceplate shown with 4-sided regular backing plate



Georgian Rustic Vignette faceplate



Tudor Rustic Vignette faceplate



## INLAY OPTIONS

Vignette Door inlay



Vignette Craftsman inlay



# FINISHING OPTIONS


## CRYSTALS & FIREBEADS



*Crystals - Black*



*Crystals - Copper*



*Crystals - Starfire*



*Firebeads - Black*



*Firebeads - Caramel Luster*



*Firebeads - Glacier Ice*



*Firebeads - Sangria Luster*

## STONES & LOGS



*Volcanic Stones - Gray*



*Volcanic Stones - Tan*



*Ceramic Spa Stones*



*Natural River Pebbles*



*Driftwood Ceramic Log Set*

## INNER PANELS



*Reflective Black Enamel Panels*



*Standard - Rustic Brown*



*Standard - Old Town Red*



*Standard - Volcanic Black*

# ACCESSORIES

ACCESSORIES - AT A GLANCE			LRI3E	HRI3E	LRI4E	HRI4E	LRI6E	HRI6E	E33	U31	L234	E21		
Horizon firebed	Crystals in various colors		•	★	•	★	•	★	•	•	•	•		
	Firebeads in various colors		•	★	•	★	•	★	•	•	•	•		
	Ceramic spa stones		•	★	•	★	•	★	•	•	•	•		
	Volcanic stones		•	★	•	★	•	★	•	•	•	•		
	Driftwood log set (natural gas only on HRI4E & HRI6E)		•	★	•	★	•	★	•	•	•	•		
Backing Plates	Small		★	★	★	★	★	★	•	•	•	•		
	Regular		★	★	★	★	★	★	•	•	•	•		
	4 sided Regular		★	★	★	★	★	★	•	•	•	•		
	Oversized		★	★	★	★	★	★	•	•	•	•		
Vignette Faceplates	Vignette	Black	★	★	★	★	★	★	•	•	•	•		
		Black Chrome	★	★	★	★	★	★	•	•	•	•		
		Platinum	★	★	★	★	★	★	•	•	•	•		
		Tuscan Sunset	★	★	★	★	★	★	•	•	•	•		
	Vignette - 4 sided	Black		•	•	•	•	•	•	★	•	•	•	
		Rustic Vignette	Georgian	Black	★	★	★	★	★	★	•	•	•	•
			Iron Grey	★	★	★	★	★	★	•	•	•	•	
		Tudor	Black	★	★	★	★	★	★	•	•	•	•	
Iron Grey	★		★	★	★	★	★	•	•	•	•			
Vignette inlays	Door inlay	Black	★	★	★	★	★	★	★	•	•	•		
		Black Chrome	★	★	★	★	★	★	★	•	•	•		
		Tuscan Sunset	★	★	★	★	★	★	★	•	•	•		
	Craftsman inlay	Black	★	★	★	★	★	★	•	•	•	•		
		Black Chrome	★	★	★	★	★	★	•	•	•	•		
		Tuscan Sunset	★	★	★	★	★	★	•	•	•	•		
Low profile Faceplates	Low profile - 3 sided	Black	•	•	•	•	•	•	★	★	★	★		
	Low profile - 3 sided - oversize	Black	•	•	•	•	•	•	★	•	•	•		
	Low profile - 3 sided - custom	Black	•	•	•	•	•	•	★	★	★	★		
Contour faceplate		Black	•	•	•	•	•	•	•	★	•	•		
Louvers		Black	•	•	•	•	•	•	•	★	•	•		
Inner Panels	Bricks	Rustic Brown	★	•	★	•	★	•	★	★	★	★		
		Old Town Red	★	•	★	•	★	•	★	★	★	★		
		Volcanic Black	★	•	★	•	★	•	•	•	•	•		
	Steel	Black	•	✓	★	★	✓	✓	✓	✓	✓	✓		
	Reflective	Black enamel	★	★	★	★	★	★	•	•	•	•		
Safety Screen			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Spacer			•	•	★	★	★	★	★	-	•	•		
Hearth Trim (for sizes see page 19)			★	★	★	★	★	★	★	★	★	★		
Variable speed blower			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Wall Thermostat			•	•	★	★	★	★	★	★	★	★		
Remote Control	Proflame GT		•	•	•	•	•	•	•	✓	•	•		
	Proflame GTM		•	•	•	•	•	•	✓	•	✓	✓		
	Proflame GTMF		•	•	✓	✓	✓	✓	•	•	•	•		
	Maxitrol		✓	✓	•	•	•	•	•	•	•	•		
Turn down flame modulator			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Direct Vent			✓	✓	✓	✓	✓	✓	✓	•	✓	-		
B-Vent			•	•	•	•	•	•	•	✓	•	✓		
Surefire Electronic Ignition			•	•	✓	✓	✓	✓	•	•	•	•		
Propane conversion kit			★	★	★	★	★	★	★	★	★	★		

- Not available
- ✓ Standard
- ★ Optional

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up to date information.

## MAXIMIZING COMFORT AND EFFICIENCY

Regency Fireplace Inserts deliver controllable heat solutions that combine the latest in radiant & convection heat technology with innovative features:

- ☑ Adjustable flame/heat control with Proflame or Maxitrol Remote Control
- ☑ Heat radiating ceramic glass for maximum radiant heat
- ☑ Safety screen
- ☑ Variable speed blower to distribute heat into the farthest corners of your room
- ☑ **SureFire Electronic Ignition** switch with battery backup features a fuel saving intermittent pilot ignition to conserve energy when not in use.
- ☑ **Power's Out, Heat's On.** Never worry about being cold during a power outage again! All Regency gas fireplaces operate without electricity. Enjoy peace of mind all winter long.

## REMOTE CONTROL - INCLUDED



Proflame Remote Control



Maxitrol Remote Control

Create optimal comfort with ease and convenience at the touch of a button with a Regency Remote Control. Our user friendly programmable controls can be set, adjusted and programmed for your fireplace to turn on at the temperature you want, when you want it.


FEATURE	DESCRIPTION	PROFLAME REMOTES			MAXITROL
		GT	GTM	GTMF	
On/Off		✓	✓	✓	✓
Child lock		✓	✓	✓	·
LCD Backlit Screen		✓	✓	✓	·
Temperature display	°F / °C	✓	✓	✓	✓
Thermostat	one setting (all days)	✓	✓	✓	✓
Smart thermostat*		✓	✓	✓	·
Flame adjustment	(6 levels)	·	✓	✓	✓
Fan control	(6 levels)	·	·	✓	✓

*\*Smart Thermostat - Rather than a thermostat that simply turns your fireplace on and off, the Smart Control function allows you to set your desired room temperature. As the room reaches your personal setting, the flame intensity and heat will gradually decrease - keeping the ambiance of your Regency fire on with less heat output, and the option to turn it off at any time.*

## SAFETY SCREEN - INCLUDED

Regency has integrated a custom designed safety screen into each faceplate design that meets or exceeds current North American safety legislation.


*\*Low profile faceplate shown*



## DIRECT VENT TECHNOLOGY

A Regency® gas insert is a specially engineered, sealed fireplace that slips into your existing masonry or pre-fab fireplace to create a high efficiency heating system with a beautiful fire. The airtight firebox means that you will keep all of the comforting heat generated from your Regency inside your home. Even when your fireplace is turned off, you will not lose heat up the chimney.


All the air used by the fireplace for combustion comes from outside the home and is vented outside to maintain indoor air quality.



## SUREFIRE™ ELECTRONIC IGNITION

The SureFire system offers an electronic ignition system that saves you money by ensuring the pilot light is only turned on when the fireplace needs to be ignited. This Electronic Ignition System converts to Standing Pilot at the flick of a switch, making it ideal during the winter season if you live in a colder climate.

## SPREAD THE WARMTH



Blower

### EXTREME EFFICIENCY

The precision engineered heat exchanger systems dramatically increase the overall heating efficiency of these Regency gas inserts. The cold air from your room passes through the pre-heated heat exchanger system which is then re-distributed back into your room as comforting warm air (also known as convection heat).

### INTENSE RADIANT HEAT

Not only do these gas inserts include the latest innovations in fireplace technology and efficiencies, they also generate a large amount of radiant heat from the flames and glow of the fire package. The heat from the fire radiates through the ceramic glass and transfers that warmth to you, providing the perfect combination of radiant and convective heat distribution.

### VARIABLE SPEED BLOWER TO MAXIMIZE EFFICIENCY


Regency blowers are a standard feature with all gas inserts. A blower will let you enjoy the warmth of your fireplace from any corner of your living space. Our quiet blowers increase the efficiency of your fireplace by pushing the heat produced by your fireplace forward, distributing it further and evenly into your room.

# SPECIFICATIONS & DIMENSIONS

## SPECIFICATIONS (PROPANE)

SPECIFICATIONS (PROPANE)	HRI6E	LRI6E	HRI4E	LRI4E	HRI3E	LRI3E	E33	U31	E21	L234
Input (BTU)	38,000	38,000	31,000	31,000	21,000	21,000	35,500	27,200	22,500	21,500
Turn down to (BTU)	30,000	30,000	26,000	26,000	10,500	10,500	19,000	19,200	11,250	11,000
EnerGuide Rating (Canada only)	75.69%	75.69%	70.10%	75.30%	65.11%	66.28%	61.52%	48.07%	53.48%	64.50%
Efficiency (steady state)	84%	84%	84%	84%	72.1%	73.24%	84%	77%	78%	74%


## DIMENSIONS



DIMENSIONS	A	B	A1	B1	C	D	F	G
HRI6E	33-15/16"	23-7/8"	28-3/16"	18-5/16"	19-3/8"	12-7/8"	-	24-1/2"
LRI6E	33-15/16"	23-7/8"	28-3/16"	18-5/16"	19-3/8"	12-7/8"	-	24-1/2"
HRI4E	30"	20"	24-3/16"	14-3/4"	15-3/4"	14-7/16"	-	21-11/16"
LRI4E	30"	20"	24-3/16"	14-3/4"	15-3/4"	14-7/16"	-	21-11/16"
HRI3E	28"	19"	22-11/16"	14-1/4"	14"	10-3/8"	-	21-1/4"
LRI3E	28"	19"	22-11/16"	14-1/4"	14"	10-3/8"	-	21-1/4"
E33	32-1/4"	23-3/4"	30-3/8"	14-7/8"	16-1/4"	11-1/16"	-	24-1/2"
U31	27-7/8"	20-1/4"	24-1/2"	12-5/8"	15"	10-1/8"	5/8"	22-1/2"
E21	26"	17-1/2"	24-1/2"	10-7/8"	13-1/4"	10-3/4"	1"	17-1/2"
L234	24-3/4"	16-7/8"	17-3/4"	12-1/2"	13"	11-3/4"	-	14-3/4"

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up-to-date information.

# SPECIFICATIONS



MINIMUM FIREPLACE OPENINGS		A	B	C	D	E	F	G
HRI6E	Vignette faceplate	12-1/2"	24"	19-1/2"	25"	34"	37"	4-3/4"
	Vignette faceplate & spacer	10"	24"	16-3/4"	25"	34"	35-3/8"	2-1/4"
LRI6E	Vignette faceplate	12-1/2"	24"	19-1/2"	25"	34"	37"	4-3/4"
	Vignette faceplate & spacer	10"	24"	16-3/4"	25"	34"	35-3/8"	2-1/4"
HRI4E	Vignette faceplate	10"	20"	18"	22"	30"	35-5/8"	4-3/8"
	Vignette faceplate & spacer	12-1/4"	20"	15-3/4"	22"	30"	31-1/4"	2-1/8"
LRI4E	Vignette faceplate	10"	20"	18"	22"	30"	35-5/8"	4-3/8"
	Vignette faceplate & spacer	12-1/4"	20"	15-3/4"	22"	30"	31-1/4"	2-1/8"
HRI3E	Vignette faceplate	8-5/8"	19-1/2"	14-1/2"	21-5/8"	28-1/2"	31-1/8"	4"
LRI3E	Vignette faceplate	8-5/8"	19-1/2"	14-1/2"	21-5/8"	28-1/2"	31-1/8"	4"
E33	Low profile faceplate	9-1/4"	25-1/2"	18"	25"	32-1/4"	32-1/4"	N/A
	Low profile faceplate & spacer	8"	24-3/16"	16-3/4"	25"	32-1/4"	32-1/4"	N/A
U31	Low profile faceplate	8-1/8"	22"	14"	22-1/2"	26-1/2"	26-1/2"	N/A
E21	low profile faceplate	9-1/2"	18-5/8"	17"	18"	23-3/8"	23-3/4"	3/4"
L234	low profile faceplate	N/A	17"	14"	16"	25"	25"	N/A

A - Max. lintel bar depth  
G - Front depth prior to taper

BACKING PLATE	HRI6E		LRI6E		HRI4E		LRI4E		HRI3E		LRI3E	
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT
Small	41"	27-3/4"	41"	27-3/4"	37-1/8"	23-5/8"	37-1/8"	23-5/8"	31-1/4"	23-11/32"	31-1/4"	23-11/32"
Regular (3-sided)	47-3/8"	30-1/2"	47-3/8"	30-1/2"	41-5/8"	26"	41-5/8"	26"	35-3/4"	25-5/8"	35-3/4"	25-5/8"
Regular (4-sided)	47-3/8"	34-1/8"	47-3/8"	34-1/8"	41-5/8"	29-1/4"	41-9/16"	29-1/4"	35-3/4"	28-5/8"	35-3/4"	28-5/8"
Oversized	48-3/8"	33"	48-3/8"	33"	44"	30"	44"	30"	38-3/16"	29-5/8"	38-3/16"	29-5/8"
Custom backing plate	custom order only											

NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up-to-date information.

# SPECIFICATIONS


FACEPLATES	HRI6E		LRI6E		HRI4E		LRI4E		HRI3E		LRI3E	
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT
Vignette and Rustic Vignette	40-1/16"	26-13/16"	40-1/16"	26-13/16"	35-1/16"	22-11/16"	35-1/16"	22-11/16"	29-1/4"	22-1/8"	29-1/4"	22-1/8"
Vignette Spacer	39-15/16"	26-3/4"	39-15/16"	26-3/4"	34-13/16"	22-5/8"	34-13/16"	22-5/8"	--	--	--	--
Hearth Trim - sizes	Please see manual for details											

FACEPLATES	E33		U31		E21		L234		
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
Vignette (3-sided)	46-1/2"	28-3/4"	--	--	--	--	--	--	
Vignette (4-sided)	46-1/2"	30-7/8"	--	--	--	--	--	--	
Custom faceplate (3-sided Vignette only)	custom order only		--	--	--	--	--	--	
Spacer (3-sided Vignette only)	45"	28"	--	--	--	--	--	--	
Low profile (3-sided)	front plate	42-7/16"	26-3/4"	36"	22-1/8"	36"	20-1/4"	29-1/8"	21"
	rear plate	46-1/2"	28-11/16"	--	23-15/16"	40-3/16"	22-7/8"	32-7/8"	22-7/8"
Low profile (3-sided oversize)	front plate	42-7/16"	26-3/4"	--	--	36"	20-1/4"	--	--
	rear plate	49-9/16"	33-1/8"	--	--	44-1/8"	24-3/4"	--	--
Low profile (3-sided) custom	rear plate	custom order only							
Low profile (4-sided) custom	rear plate	custom order only							
Hearth Trim - sizes	Please see manual for details								

MINIMUM CLEARANCE TO COMBUSTIBLES		HRI6E	LRI6E	HRI4E	LRI4E	HRI3E	LRI3E	E33	U31	E21	L234
A	Side Wall	12"	12"	6"	6"	6"	6"	8"	10"	9"	8"
B	Ceiling	60"	60"	60"	60"	60"	60"	72"	66-1/2"	53-1/2"	73"
C	Mantel Height (min.)	40"	40"	35"	35"	38"	38"	40"	32-1/2"	31-1/2"	38"
	(with optional deflector)	36"	36"	32"	32"	28"	28"	N/A	N/A	N/A	N/A
D	Mantel Depth (min.)	2"	2"	1"	1"	1"	1"	3-1/2"	3-1/2"	3-1/2"	1"
	(with optional deflector)	1"	1"	1"	1"	1"	1"	N/A	N/A	N/A	N/A
E	Alcove Width	56"	56"	54"	54"	54"	54"	76"	48"	48"	60"
F	Max. Alcove Depth	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"

NON-COMBUSTIBLE HEARTH REQUIREMENT											
G	Hearth Height	1-3/8"	1-3/8"	1/2"	1/2"	0"	0"	1-1/4"	0"	0"	1-1/2"
H	Hearth Width	44"	44"	40"	40"	36"	36"	45-1/2"	0"	0"	28"
I	Hearth Depth	14"	14"	14"	14"	12"	12"	13"	0"	0"	12"

Note: Before installing please refer to the product manual.



NOTE: All product specifications are subject to change without notice. Before installing refer to the relevant product manual for full and up-to-date information.

# DESIGN INSPIRATION



*LRI6E shown with regular backing plate, Vignette faceplate in Black, Craftsman inlay in Tuscan Sunset.*





*LRI4E shown with regular backing plate and Vignette Tudor faceplate in Iron Grey.*

# FIREPLACE SELECTION WORKSHEET

We want you to enjoy your beautiful Regency fireplace for years to come. To help you figure out which product is just right for your home, fill in the following worksheet. Once complete, visit your nearest Regency dealer. Your professional Regency dealer will assess your needs - including local building codes - and install your Regency.

1. BASIC PRODUCT FUNCTION QUESTIONS	
a. I would like my unit to provide me with:	<input type="checkbox"/> Supplemental heating <input type="checkbox"/> Priority heating
b. The room/rooms I would like to heat are:	sq. ft.

2. FIREPLACE PRODUCT TYPE AND MEASUREMENTS	
a. I am:	<input type="checkbox"/> Installing a new fireplace <input type="checkbox"/> Installing into an existing fireplace
b. Fill in the following measurements:	Ceiling Height:
	Location in the room:
c. What is the:	Flooring material:
	Wall material:
	Ceiling material:
d. Fireplace opening dimensions:	Width (front):
	Width (back):
	Height:
	Depth:



[www.regency-fire.com](http://www.regency-fire.com)

© 2017 FPI Fireplace Products International Ltd. Regency®, Liberty®, Regency Horizon® and Surefire® are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved.  
 Printed in Canada (08/17)  
 Part no. 944-072

your Regency dealer