

What is the RetroFire ?

The RetroFire is a radiant heat gas fireplace insert with a unique size and shape that fits into more existing fireplaces than any other.

RetroFire is the fireplace that fits.

Is the RetroFire right for you?

RetroFire is essentially a high efficiency gas log set, built for your safety and performance. You'll notice the difference in radiant warmth, efficiency and air quality, and you'll feel more comfortable.



Enjoy your fireplace again.
Refresh your old woodburning masonry fireplace
without entering into a costly
renovation.



Out with the old - not quite! The RetroFire means you can preserve architectural details that you prefer to keep, such as masonry or stone.



Fits where others can't.
Small, yet powerful, RetroFire fits into small or uniquely shaped openings—like arches and boathouse design—with its modest size and accommodating shape.



Traditional Logs



Driftwood

Get fired up!

RetroFire firebed has been tried and tested across the Valor line so you can enjoy a sure-fire flame and the comfort of radiant heat every time you turn the fire on.

Nothing to vent about.

No other fireplace insert has the flexibility of **RetroFire**. With three different vent options, **RetroFire** makes it easier than ever to fit into small chimneys.

Your authorized Valor dealer will be able to offer you exactly what you need to make your **RetroFire** come to life.

Find out more at valorfireplaces.com/retrofire or speak to your dealer.

Choose your logs:

Driftwood New



MF28DWK

O Traditional Log Improved



MF28LSK

2 Customize with optional frets:

O Ventana Black fret

Choose this standard look

for a clean finish.



1225VFB

O Contemporary Vintage Iron fret



RA24CV


O Traditonal Black fret




RA24TB

3 Your dealer can help you select venting:

O Co-axial New 5" Co-axial Flex vent




Natural Gas RF24JDN-CA Propane RF24JDP-CA Colinear New with AutoFire 2x3" Flex vent




Natural Gas RF24JDN-CL Propane RF24JDP-CL

Dimensions




Window Size




Minimum Cavity Dimensions

Co-axial Direct vent shown.



	D-Vent		
Α	15%"		
В	19¾"		
С	211/4"		
D*	14" to screen		
E**	15¾" with fret		



	D-Vent	B-Vent
Width	27"	29"
Height	20"	19½"
Height to smoke curtain	18"	18"
Depth	14"	14"
Depth w/fret	15¾"	15"

ALWAYS REFER TO THE MANUAL FOR COMPLETE INSTALLATION INSTRUCTIONS. valorfireplaces.com/manuals

Efficiency Ratings

Туре	Fuel	High Input	Low Output	Max Output*	EnerGuide % Rating*	Model
D-Vent coaxial	NG	20,000	6,500	14,322	70	RF24JDN-CA
	LP	18,000	12,500	13,248	67	RF24JDP-CA
D-Vent colinear	NG	20,000	6,500	14,294	64	RF24JDN-CL
	LP	18,000	12,500	12,118	58	RF24JDP-CL

*EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-15 test method

△ WARNING

This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.













Designed and manufactured by Miles Industries Ltd. Copyright Miles Industries Ltd. 2022

Note: Natural gas, in its original state, contains Benzene.