

# YOUR INDOOR KITCHEN WILL WONDER WHERE YOU'VE BEEN. DON'T WORRY, WE WON'T TELL.

You view perfect grill marks as a badge of honor.

You think cutting into a steak to check doneness is sacrilege.

You know when and why to use rub vs. marinade vs. sauce.

That's why you are ready for a Napoleon grill. Napoleon takes the art of grilling to a higher level.

Every feature, every material is engineered to give ultimate performance — so you can create unforgettable meals.

And just like you, we're not some rookie behind the grill. Napoleon is a family-owned company with over 20 passionate years of grill-making experience.

Every great meal starts with the best ingredients. Start yours with the best grill out there: Napoleon



#### **Table of Contents:**

| Prestige PRO® BIPRO825RBI   | 4       |
|-----------------------------|---------|
| Prestige PRO® BIPRO665RB    | 5       |
| Prestige PRO® BIPRO500RB    | 6       |
| Prestige® BIP500RB          | 7       |
| LEX BILEX730RBI / BILEX605F | RBI 8   |
| LEX BILEX485                | 9       |
| Oasis Modular Islands       | 10 -11  |
| Oasis & Built In Components | 12 -13  |
| Grilling Accessories        | 14 -15  |
| Cooking Methods             | 15      |
| Charcoal on a Gas Grill     | 16      |
| Infrared Cooking            | 17      |
| Installation                | 18   20 |
| Built-in Heads              | 19      |
| Specifications              | 21      |




We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 38 years and counting.

#### PRESTIGE PRO™

BIPR0825RBI with rear infrared burner, infrared **SIZZLE ZONE** bottom burners and smoker tray

106,000 BTU's 9 burners Cooking Area: 1245 in<sup>2</sup> (8140 cm<sup>2</sup>)

Cart model available



Doors and drawers are optional. Island not included





Infrared SIZZLE ZONE Bottom Burners with Warming Tube Burner













# NEW **PATENT PENDING SAFETYGLOW**

Blue NIGHT LIGHT in off position and Red SafetyGlow when a burner is in use.

**CONTROL KNOBS** 

Entertain with peace of mind knowing that you will never accidentally leave the gas on.

#### INFRARED TECHNOLOGY

The intense heat of Napoleon's infrared technology instantly locks in the juices for an amazing taste sensation! Over 11,000 flame ports produce up to 1800°F for optimum searing. See page 17 for more details.



#### PRESTIGE PRO

**BIPR0665RB** with rear infrared burner, and integrated smoker tray

86,000 BTU's 7 burners

Cooking Area: 1000 in<sup>2</sup> (6510 cm<sup>2</sup>)

Cart model available



#### **CHARCOAL FLAVOR FROM YOUR GAS GRILL**

Napoleon's optional charcoal tray is designed to let you add the fun & flavor of charcoal any time, on your gas grill. Simply replace sear plates with the charcoal tray, add charcoal and light with your gas burner. For more details see page 16.

#### **PRESTIGE PRO**™

#### **BIPR0500RB** with rear infrared burner

66,000 BTU's 5 burners Cooking Area: 760 in² (4880 cm²) Cart model available




Doors and drawers are optional. Island not included.



















#### **HEAVY DUTY STAINLESS STEEL COOKING SYSTEM**

The even, consistent heat from high and hot to low and slow. WAVE cooking grids for those trademark Napoleon sear lines, self cleaning sear plates for reduced flare-ups and durable burners for controlled, even heat.



# PRESTIGE® BIP500RB with rear infrared burner

WAVE Cooking Grids

66,000 BTU's 5 burners Cooking Area: 760 in² (4880 cm²) Cart model available



#### **DUAL-LEVEL STAINLESS STEEL SEAR PLATES**

Rotisserie Burner

Dual-Level, individual stainless steel sear plates allow consistent, even heat and continuous grease run off. (Standard on BIPRO825RBI, BIPRO665RB, BIPRO500RB & BIP500RB)

Steel Sear Plates



#### **LEX SERIES** BILEX730RBI, BILEX605RBI with rear infrared burner and infrared **SIZZLE ZONE** bottom burner Double walled Two grill sizes stainless steel lid to choose from Stainless steel WAVE 禁作祭 cooking grids LEX605RBI Infrared bottom \* LEX730RBI and rear burners Engaging i-GLOW backlit control erfolios knobs for late night entertaining

Flat Stainless Steel Triple Drawer Kit

N370-0360

Flat Stainless Steel Door Kit N370-0361-1

Doors and drawers are optional. Island not included

**JETFIRE** Ignition



N370-0361-1

Flat Stainless Steel Door Kit









LEX730RBI 95,500 BTU's

6 burners

LEX605RBI

5 burners

79,500 BTU's

Cooking Area: 1025 in<sup>2</sup> (6530 cm<sup>2</sup>)

Cooking Area: 850 in<sup>2</sup> (5440 cm<sup>2</sup>)

38"

3

Cart Models Available

Cart Models Available

Infrared SIZZLE ZONE Bottom Burner

# **CERAMIC REAR INFRARED ROTISSERIE BURNER**

Ceramic rear rotisserie burner heat waves seal and lock in the juices quickly for superior tenderness. Restaurant style results and perfect self-basting roasts every time. (Heavy duty rotisserie kit with counter balance, stainless steel rotisserie bracket and forks available for most models).



blueberries, raspberries, or blackberries Raspberry Jam

Sauvignon Blanc

**Black Pepper** 

coarsely ground

½ cup

1/4 cup

to taste

125 mL

60 mL

# SERVES: \*\*\* PREP TIME: 1 HOUR **GRILLING TIME: 10 TO 12 MINUTES** 1. Soak your cedar plank for a minimum of 1 hour in cold water. 2. Place the Brie wheels spaced evenly on the presoaked

- plank. Place all berries into a mixing bowl, pour in white wine and jam and toss gently to combine. Season with coarsely ground black pepper to taste.
- 3. Preheat grill to medium heat.
- 4. Spoon the berry mixture evenly over the top of the two wheels of cheese
- 5. Place the plank onto the preheated grill and close the lid. Plank bake Brie for 10 to 12 minutes, or until sides are bulging and golden brown.
  - Remove plank from grill and serve with slices of fresh baguette or crackers and plenty of napkins.

#### **LEX SERIES CLASSIC BILEX485** with 4 burners


48,000 BTU's 4 burners Cooking Area: 675 in<sup>2</sup> (4350 cm<sup>2</sup>) Cart Models Available



Doors and drawers are optional. Island not included











#### **ACCU-PROBE™ TEMPERATURE GAUGE**

Safely and instantly read the internal temperature of your grill with the lid closed. This thermometer has a wide temperature measurement range from 0° to 370°C (0° to 700°F) and includes the ideal smoking and searing range.



# OASIS™ MODULAR ISLANDS

#### **ENDLESS CONFIGURATION POSSIBILITIES**



#### LATE NIGHT ENTERTAINING

Being the biggest fans of BBQ, Napoleon feels you should always be able to enjoy your favorite grilled meal and we have developed technology that makes every meal better and more easily prepared. You can entertain into the late hours with features such as interior lights and **i-GLOW** and **NIGHT LIGHT** control knobs that illuminate for easy grilling and food preparation. Wishing you many unforgettable meals – grilled to perfection.









#### PERSONALIZE YOUR OUTDOOR LIVING SPACE WITH THE LUXURIOUS OASIS" MODULAR ISLANDS

Choose the modules that fit your lifestyle and your budget. The cabinets can be assembled in virtually any combination to suit your individual needs. All cabinets are 35 ½" tall and 24" deep with 4 leveling feet for easy adjustment on any surface. The **Oasis** Outdoor Modular island series can be assembled against any non-combustible wall of your home or as a standalone island.

#### OASIS" MODULAR ISLAND COMPONENTS



**UNDER GRILL CABINETS** 

IM-UGC485-CN, IM-UGC500-CN, IM-UGC605-CN IM-UGC665-CN, IM-UGC730-CN



TWO DRAWER CABINET IM-2DC-CN



WALL SPACER IM-WSF-CN



**UNDER GRILL CABINET** 

IM-UGC300-CN Fits side burners BISZ300, BISZ300FT, BISB245



WASTE DRAWER WITH PAPER TOWEL HOLDER IM-WDC-CN



**CABINET TRANSITIONS** 

IM-45T-CN = 45° BIPRO665 and BIPRO825 cannot be installed on a 45° transition



**UNDER GRILL CABINET** 

IM-UGC825-CN



THREE DRAWER CABINET

IM-3DC-CN



PROPANE TANK OR UNIVERSAL CABINETS

IM-UTC-CN (Shown), IM-UDC-CN Left or right opening




OUTDOOR RATED STRAINLESS STEEL FRIDGE

NFR0550RSS



**CABINET END PANEL** 

IM-CEP-CN IM-FMP-CN IM-FEP-CN



**ICE BUCKET HOLDER** 

IM-IBA-CN



#### FINDING THE PERFECT STEAK

When buying a large steak, choose one that has a uniform thickness of about 1½". Buy a top quality cut that is well marbled to ensure tenderness. The better the quality of beef, the tastier your steak will be. For a quick sauce, jazz up store-bought BBQ sauce by adding chopped chilies, a little Worcestershire sauce, a splash of vinegar, some chopped fresh onions or garlic, or get creative.

### **BUILT-IN ISLAND DOORS, DRAWERS & BURNERS**



**DELUXE FLAT STAINLESS STEEL DOOR KIT** WITH CURVED STAINLESS STEEL HANDLE N370-0361-1



**FLUSH MOUNT STAINLESS** STEEL DOUBLE DOORS N370-0502, N370-0503-1



**DROP-IN SIDE BURNER** N370-0504-1 (LP), N370-0505 (NG)



**DELUXE STAINLESS STEEL TRIPLE DRAWERS** WITH CURVED STAINLESS STEEL HANDLES N370-0360



**DELUXE STAINLESS STEEL SINGLE DRAWER** WITH CURVED STAINLESS STEEL HANDLE N370-0359



**DOUBLE SIDE BURNER** BISB245FT



INFRARED SIZZLE ZONE" SIDE BURNER BISZ300 with LIFT EASE™ Roll Top Lid



INFRARED SIZZLE ZONE SIDE BURNER BISZ300FT with Stainless Steel Flat Cover

#### INSTANT JETFIRE GNITION

Napoleon's JETFIRE ignition starts each burner individually for reliable start ups - EVERY time.



# **EVERYDAY GRILLING ACCESSORIES**



**Meat Lovers Starter Kit** 90001



**Pizza Lovers Starter Kit** 90002



**Healthy Choice Starter Kit** 90003



**Meat Tenderizer** 55204



**3-in-1 Roasting Rack** 56019



**Professional Five Piece Toolset** 70031



**8 Stainless Steel Skewers** 70015



**Rotisserie Kits** 



**Stainless Steel Grilling Wok** 56026



**Chicken Roaster & Wok** 56024



Flexible Grill Basket 57012



**Cast Iron Charcoal/Smoker Tray** 67731

#### **HERBS & SPICES**

Dried herbs and spices make wonderful aromatics for grilling. Soak them for about 5 minutes, squeeze out the moisture, and sprinkle them either directly on the coals, or even in the water pan if you're cooking over indirect heat. Watch out for seeds, such as mustard and coriander. Heat makes them pop.





10" Baking Stone Set 70000



**Rectangular Baking Stone** 70008



Direct Cooking This method of cooking utilizes all

burners, cooking the food directly above the flame "GRILLING" style,

for searing steaks, other meats or vegetables. Keeping the lid down

reduces the cooking time and cooks through to the center faster than

with the lid up. Anything that is less than two inches in thickness

should be cooked by direct grilling. These are things that generally

cook quickly and benefit from the fast cooking of a hot grill. Front

to back burners were designed for precise heat control, allowing for

**Indirect Cooking** Indirect grilling is similar to baking.

The food is placed above the unlit burner instead of directly over the

flame. This can be achieved by only igniting some of the burners -

light one side on high and cook the food on the other. The food will

cook more evenly as it is not exposed to direct heat from the burners. This is an excellent way to cook tough cuts of meat, like brisket

and ribs, that require long, slow cooking at a low or moderate heat.

Indirect grilling allows you to work over a more moderate temperature (275° to 350°) and makes it easy to introduce a smoker pipe for extra

flavor. For chicken, game, turkey, roasts, ham, vegetables, bread or

combinations, the indirect cooking method gives great results every

time. There is little need to turn the food. You can place the food

Charcoal Cooking Unique to Napoleon! Optional charcoal trays give you the freedom to switch from gas to charcoal with relative ease. With charcoal you can utilize indirect cooking as

independent use of each cooking zone.

directly on the grids or in a cooking pan.



#### THE MOST VERSATILE COOKING STYLES AVAILABLE



Rotisserie Shish Kebab Wheel 64007

**Stainless Steel Rotating Skewer Rack** 



**Wood Chip Starter Kit** 67020





**Super WAVE Grill Brush** 

62013

Visit napoleongrills.com to see Napoleon's complete line of grilling accessories.

well as direct cooking.

Rotisserie Cooking Rotisserie cooking allows the food to self-baste, sealing in the juices while browning the outside surface. Use the rotisserie method of cooking for large cuts of meat like roasts, poultry or legs of lamb. There are so many advantages to rotisserie cooking. Meats are generally juicier, self-basted and slow roasted. You can use the rotisserie method if your grill comes with a rear rotisserie burner, which requires much less attention than any other cooking method. The rotisserie burner is a nice feature because it automatically sets you up for direct, even heating.

**Infrared Bottom Burner Cooking Do you want** to make the perfect steak? The intense 1800° heat instantly sears the meat, locking in the juices. Larger cuts of meat may be moved to the side of the grill to continue cooking.

**Smoking** Place wet wood chips into the smoker tube and place over the left burner, then turn the burner on. Place your meat over the right burner, but do not turn on that burner. You are using the indirect cooking method. Smoke the meat for several hours under a closed lid. To achieve maximum flavor, fresh wood chips may be added several times during the cooking process.





#### TROUBLE-FREE GRILLING

If you take the time to give your grill a thorough check-up in the spring and once more in the fall, you will enjoy years of trouble-free grilling. If you can't fit both check-ups in, choose the springtime, just before the busy summer grilling season starts, to get at least one good check-up.

# COOKING WITH CHARCOAL ON YOUR GAS GRILL

A Napoleon Exclusive! Still want the convenience of gas, but long for that charcoal flavor? No problem! Napoleon's charcoal tray lights easily with your gas burner. No need for lighter fluid!

The optional charcoal tray gives you the freedom to switch from gas to charcoal with relative ease. Simply replace your sear plates with the charcoal tray, fill with charcoal and light using your gas burners. Replace your cooking grids and now you're charcoal grilling!

Before you begin to use your charcoal tray, you will need to determine how much charcoal you are going to need. Approximately one layer for burgers or steaks and two layers for roasts or chicken. Pour enough charcoal into the tray to make the layers needed. Light the gas burner(s) directly under the charcoal tray and burn on high until the charcoal is glowing red and then turn off the gas burner(s). Let coals burn until all coals are white on the surface. With a long handle instrument, spread the coals evenly across the tray.



# **WANT THAT SMOKED GOODNESS?**

Enjoy that delicious smoked meat flavor at home with your own grill and a few pointers from Napoleon. When using gas grills, it's best to put presoaked wood chips in our smoker tube, available at Napoleon grill retailers. This keeps your grill from filling up with ashes and clogging the jets. If you are using a charcoal tray, then you can either put the wood directly on the preheated coals or place them in the wood chip chamber in the tray.

Fill the stainless steel smoker tube with wood chips. Submerge in water for at least half an hour. Place the smoker tube over the left burner and turn it on. Place your meat over the right burner, but do not turn on the burner. You are using the indirect smoking cooking method.

Smoke the meat for several hours under a closed lid. To achieve maximum flavor, add fresh, pre-soaked wood chips several times during the cooking process or use two tubes.

#### **OVEN-LIKE PERFORMANCE**

Your gas grill can also be used as a conventional or convection oven. Bread, buns, cakes and pizzas can be cooked to perfection under the grill lid. For convection cooking, follow the same instructions as for the indirect cooking method. Your grill comes with a tightly sealed lid for heat retention, giving oven-like performance.

## **HOW DOES INFRARED COOKING WORK?**

Since the discovery of fire, man-kind has been striving to improve taste and perfect the grilling experience. Infrared grilling is simply the relationship between the type of food, heat, and time. Infrared cooking uses high-efficiency radiant energy, much like the sun. High-frequency electromagnetic waves from the invisible end of the light spectrum travel from the infrared source to the food. Napoleon infrared grills use ceramic burners with thousands of evenly spaced flame ports to generate infrared radiant energy. The flame energy is absorbed by the ceramic. which then glows and heats up to an incredible 1800°F. This remarkable **SIZZLE ZONE**<sup>™</sup> heat intensity quickly sears your food to lock in moisture and flavor. The results are unmistakable - succulent, flavorful food in a much-reduced grilling time! Napoleon's infrared grilling technology makes serving the perfect meal guick and easy each and every time.

#### Versatile

Grill anything like a professional, from steaks to seafood, fish to vegetables.

#### **Great Retention of Flavor and Moisture**

Infrared provides the heat necessary to lock in the juices with little or no preheating time. Radiant energy is delivered more directly to the food, and warms less air. Therefore, the food cooks very quickly, resulting in a greater retention of food weight. Food cooked in its own juices is more succulent, tender and tasty.

#### **More Efficient**

Infrared heats the object not the air so it cooks twice as fast as traditional burners while using less fuel. Because infrared heats food directly, not the air around it, grilling year round is much easier.

#### The Environmental Choice!

Because the infrared burners are ready to grill in under a minute and grilling time is drastically decreased, cooking your food with Napoleon's advanced infrared technology can reduce your gas consumption by up to 50%.




#### **How To Cook The Perfect Infrared Steak**

Pick a steak that is well marbled, the more marble there is inside, the more flavorful and tender your steak will be. A perfect steak size is about 1 ½ to 2 inches thick and about 12 to 16 ounces each, depending on the cut.

- 1. Lift lid of grill or side burner.
- Ignite infrared burner.
- Warm up for one minute.
- 4. Place thick, juicy steak on grids.
- 5. Wait two three minutes, flip steak with tongs. (You do not want to use a fork and pierce the steak as this will let out the juices the infrared has locked in).
- 6. Wait another two three minutes, turn off the knob.
- 7. You now have a medium rare steak. Bon Appetite.

#### "DONENESS" TEST

Take your left forefinger and touch it to the tip of your left thumb. Don't apply pressure, just use the lightest touch with your finger, touching the base of the meaty part of your thumb. This feeling is similar to the consistency of rare steak. Now compare it by touching the steak. For medium done, use the second finger of your left hand to touch the tip of your left thumb. Well done, use the third finger of the left hand.



# BUILT-IN GRILL HEADS AVAILABLE FOR YOUR CUSTOM OASIS" ISLAND / BUILT-IN ISLAND

Remember to always refer to the owner's manual for complete and accurate installation instructions.



#### BIPR0500RB

Opening dimensions: 30  $\frac{3}{4}$ " w x 20  $\frac{5}{6}$ " d x 8  $\frac{7}{6}$ " h (78 cm w x 52 cm d x 23 cm h)



#### BIPR0665RB

Opening dimensions: 38" w x 20  $\frac{5}{6}$ " d x 8  $\frac{7}{6}$ " h (97 cm w x 52 cm d x 23 cm h)



#### BIPR0825RBI

Opening dimensions: 52 %" w x 20 5%" d x 8 %" h (133 cm w x 52 cm d x 23 cm h)



#### **BIP500RB**

Opening dimensions: 30  $^34$ " w x 20  $^5\%$ " d x 8 %" h (78 cm w x 52 cm d x 23 cm h)



#### BILEX485

Opening dimensions: 29 <sup>3</sup>/<sub>4</sub>" w x 21 <sup>3</sup>/<sub>6</sub>" d x 7 <sup>1</sup>/<sub>2</sub>" h (76 cm w x 54 cm d x 19 cm h)



#### BILEX605RBI

Opening dimensions: 36 ½" w x 21 ¾" d x 7 ½" h (93 cm w x 54 cm d x 19 cm h)




#### **BILEX730RBI**

Opening dimensions: 43 ¼" w x 21 %" d x 7 ½" h (110 cm w x 54 cm d x 19 cm h)

#### **ALL SEASON GRILLING**

The secret to grilling success in any season, is preparation. Always locate your grill away from the wind in a well-ventilated location to ensure consistent heat. Don't let the heat escape by constantly lifting the lid to check; instead use your thermometer. And, don't be afraid to use the warming rack to keep food warm or to finish cooking, if the rest of your food continues to cook on the main burners.

#### INSTALLATION SPECIFICATIONS




The countertop material must be non-combustible if a grill is to be installed into it. They can be ordered in advance by drawing out the floor plan of how the cabinets will be situated and adding up the width measurements, allowing 1-2" of countertop overhang. Most countertop manufacturers are willing to come and take measurements after assembly of the cabinets is complete to ensure a perfect fit. For best results the countertop thickness should be between 3/4" to 1 1/2" thick. The built-in grill head comes with stainless steel brackets and hardware that allow the unit to rest on the countertop above the corresponding island cabinet for that unit. Granite is an excellent choice of countertop materials. Decorative countertops made of ceramic tile set on top of cement tiling board can be selected to match your surrounding backyard furniture color.

\* Countertops must be ordered and supplied locally by the homeowner.

#### **BUILT-IN NATURAL GAS HOOK-UP**

The piping up to the gas grill is the responsibility of the installer and piping should be located as shown in the built-in instructions. Do not use hose to connect the unit. It must be connected with rigid pipe, copper tube or an approved flexible metal connector which complies with Z21.4 /CSA 6.10. The installation must comply with CAN B149.1 Natural Gas and Propane Installation Code in Canada, or to the National Fuel Gas Code, ANSI Z223.1 in the United States. The gas supply pipe must be sufficiently sized to supply the BTU/h specified on the rating plate, based on the length of the piping run. If installing a side burner, a separate line must be branched off to the side burner unit and enter the side burner opening at the specified location.

#### **INSTALLATION SPECIFICATIONS**



Please use manual to properly assemble your built-in grill. Refer to the main manual for operating, cleaning, and maintenance instructions. This grill is designed for non-combustible enclosures only, and must be installed and serviced by a qualified installer to local codes.

Drawings for reference only. Minimum 6" clearance required between grill and other appliance. Specifications subject to change without notice.

\* Additional clearance may be required for openings. See owners manual

#### **BUILT-IN PROPANE GAS HOOK-UP**

The piping up to the gas grill is the responsibility of the installer and piping should be located as shown in the built-in instructions. The installation must comply with CAN B149.1 Natural Gas and Propane installation code in Canada, or to the National Fuel Gas code, ANSI Z223.1 in the United States. The tank can not be stored below the gas grill. Built-in units are supplied with a drip pan which holds only a minimal amount of grease. To prevent grease fires, the pan must be cleaned after each use.





| GRILL SPECIFICATIONS                       | BIPR0825RBI  | BIPR0665RB | BIPR0500RB  | BIP500RB   | BILEX730RBI | BILEX605RBI | BILEX485    |
|--|--------------|------------|-------------|------------|-------------|-------------|-------------|
| LIFT EASE" roll top stainless steel lid    | S            | S          | S           | S          | -           | -           | -           |
| Double walled stainless steel lid          | S            | S          | S           | S          | S           | S           | S           |
| ACCU-PROBE" temperature gauge              | S            | S          | S           | S          | S           | S           | S           |
| Total cooking surface (sq. in.)*           | 1245         | 1000       | 760         | 760        | 1025        | 850         | 675         |
| Electronic ignition                        | \$°          | S°         | S°          | S°         | -           | -           | -           |
| JETFIRE" ignition                          | S            | S          | S           | S          | S           | S           | S           |
| Infrared ceramic bottom burners            | 2            | 0          | 0           | 0          | 1           | 1           | -           |
| Stainless steel bottom burners             | 4            | 5          | 4           | 4          | 4           | 3           | 4           |
| Infrared rear rotisserie burner            | S            | S          | S           | S          | S           | S           | -           |
| Integrated wood chip smoker tray           | S            | S          | -           | -          | -           | -           | -           |
| Stainless steel WAVE cooking grids         | -            | -          | -           | S          | S           | S           | S           |
| Stainless steel 9.5 mm WAVE cooking grids  | S            | S          | S           | -          | -           | -           | -           |
| i-GLOW / NIGHT LIGHT control knobs         | S            | S          | S           | -          | S           | S           | S           |
| SAFETY GLOW                                | S            | S          | -           | -          | -           | -           | -           |
| Interior lights                            | S            | S          | -           | -          | -           | -           | -           |
| EASY SET control knobs                     | S            | S          | S           | S          | S           | S           | S           |
| Removable drip pan                         | S            | S          | S           | S          | S           | S           | S           |
| Warming rack                               | S            | S          | S           | S          | S           | S           | S           |
| President's Limited Lifetime Warranty      | S            | S          | S           | S          | S           | S           | S           |
| DIMENSIONS (opening size for installation) | BIPR0825RBI  | BIPR0665RB | BIPR0500RB  | BIP500RB   | BILEX730RBI | BILEX605RBI | BILEX485    |
| Total width in inches (cm)                 | 52 3/8 (133) | 38 (97)    | 30 ¾ (78)   | 30 ¾ (78)  | 43 ¼ (110)  | 36 ½ (93)   | 29 ¾ (76)   |
| Total depth in inches (cm)                 | 20 % (52)    | 20 % (52)  | 20 5/8 (52) | 20 % (52)  | 21 3/8 (54) | 21 3/8 (54) | 21 3/8 (54) |
| Total height in inches (cm)                | 8 1/8 (23)   | 8 1/8 (23) | 8 1/8 (23)  | 8 1/8 (23) | 7 ½ (19)    | 7 ½ (19)    | 7 ½ (19)    |
|  |              |            |             |            |             |             |             |

| DOORS & ACCESSORIES<br>(opening size for installation) | Part Number  | Width in.<br>(cm) | Depth in.<br>(cm) | Height in.<br>(cm) |
|--|--------------|-------------------|-------------------|--------------------|
| Flat Stainless Steel Door                              | N370-0361-1  | 17 (43)           | -                 | 23 ¼ (59)          |
| Flushed Mount Stainless Steel Double Door              | N370-0502-1  | 28 ¼ (72)         | -                 | 20 ¼ (51)          |
| Flushed Mount Stainless Steel Double Door              | N370-0503-1  | 37 ¾ (96)         | -                 | 20 1/4 (51)        |
| Stainless Steel Single Drawer                          | N370-0359    | 17 ¼ (44)         | 23 (58)           | 6 ¾ (17)           |
| Stainless Steel Triple Drawer                          | N370-0360    | 17 ¼ (44)         | 23 (58)           | 22 ¾ (58)          |
| Infrared SIZZLE ZONE Burner with Roll Top              | BISZ300      | 20 1/8 (51)       | 20 5/8 (52)       | 9 5/8 (23)         |
| Infrared SIZZLE ZONE" with Flat Top                    | BISZ300FT    | 20 1/8 (51)       | 20 % (52)         | 9 % (23)           |
| Double Side Burner                                     | BISB245      | 20 1/8 (51)       | 20 5/8 (52)       | 8 1/8 (23)         |
| Side Burner  | N370-0504/05 | 12 ¾ (32)         | 16 ½ (42)         | 4 ½ (11)           |

OASIS" MODULAR Width in. Depth in. Height in. **Part Number COMPONENTS** (cm) (cm) (cm) Under Grill Cabinet - 825 series IM-UGC825-CN 55 (139) 24 (61) 35 ½ (90) Under Grill Cabinet - 665 series IM-UGC665-CN 40 ½ (103) 24 (61) 35 ½ (90) 35 ½ (90) Under Grill Cabinet - 500 series IM-UGC500-CN 34 3/4 (88) 24 (61) Under Grill Cabinet - 730 series IM-UGC730-CN 47 1/4 (120) 24 (61) 35 ½ (90) Under Grill Cabinet - 605 series IM-UGC605-CN 40 ½ (103) 24 (61) 35 ½ (90) Under Grill Cabinet - 485 series IM-UGC485-CN 34 3/4 (88) 24 (61) 35 ½ (90) Under Grill Cabinet - 300 series IM-UGC300-CN 24 (61) 24 (61) 35 ½ (90) Propane Tank Cabinet - universal door IM-UTC-CN 24 (61) 35 ½ (90) 24 (61) Universal Door Cabinet IM-UDC-CN 24 (61) 24 (61) 35 ½ (90) Outdoor Rated Fridge NFR0550RSS 24 (61) 26 (66) 34 (86) **Three Drawer Cabinet** IM-3DC-CN 35 ½ (90) 24 (61) 24 (61) IM-2DC-CN Two Drawer Cabinet 24 (61) 24 (61) 35 ½ (90) Waste Drawer with Paper Towel Holder IM-WDC-CN 24 (61) 24 (61) 35 ½ (90) Wall Spacer IM-WSF-CN 35 (89) 1 ½ (4) 4 (10) Ice Bucket Holder IM-IBA 19 1/4 (49) 16 (41) 1 1/2 (4)

**Important:** Always refer to manual for individual models. Dimensions shown here are rounded for approximation - Dimensions subject to change. Refer to manual for accurate dimensions. Refer to manual for end panels and transition kits not shown here.



# NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS









214 Bayview Drive, Barrie, Ontario, Canada L4N 4Y8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec H4T 1A3

PHONE: 705-726-4278 FAX: 705-725-2564 napoleongrills.com info@napoleonproducts.com

Approved by Intertek Testing Services to standards in the USA and Canada: ANSI Z21.58 / CSA 1.6 - Outdoor Cooking Gas Appliances. All specifications and designs are subject to change without prior notice due to ongoing product improvements. Consult your owner's manual for complete installation and operating instructions and check all local and national Building Codes and Regulations. Not all features available on all models. Napoleon is a registered trademark of Wolf Steel Ltd. Images and colors may not be exactly as shown.

Authorized Dealer







