


ZCVRB3622

ZERO CLEARANCE **DIRECT VENT** LINEAR GAS FIREPLACE





ZCVRB3622

ZERO CLEARANCE **DIRECT VENT** LINEAR GAS FIREPLACE



Warm up your favourite room with the beauty of a Linear Fireplace.

Model ZCVRB3622N ZCVRB3622NE Fuel Natural

 Input Max.
 17,500

 Input Min.
 12,000

 FE (P.4.1-15)
 61.4 / 65.7%

ZCVRB3622LP ZCVRB3622LPE Propane 17,500 14,000 62.7 / 66.9% The ultimate in Zero Clearance Direct Vent
Fireplaces for new home construction or
renovation, and your best choice for installation
anywhere throughout your home.

STANDARD FEATURES

- Hi/Low Millivolt or IPI valve system will operate during power failures
- Decorative Bronze Glass
- Mobile Home, Bedroom and Bed Sitting Room approved
- Safety Screen Barrier



Safety Screen Barrier

¥ 0 --

OPTIONAL FEATURES

Surround Trim Kit

Black and Stainless Steel (36" w x 22 1/2" h)

Fan Kit

Heat activated with variable speed control

Wall Mount Thermostat

Standard On/Off or Programmable 5 day (weekday) and 2 day (weekend)

Remote Control

On/Off, Thermostat On/Off, Thermostat On/Off modulating

Porcelain Reflective Liner

Universal Light Kit

Two Lamps

Glass Tray

Ember Glass (Bronze)

Multi-colored Cannonballs









Decorative Ember Glass - Bronze

UNIT AND FRAMING SPECIFICATIONS (IN.)

Height	Height	Width	Width	Depth	Depth
Actual	Framing	Actual	Framing	Actual	Framing
371/8"	371/4"	36"	$36^{3/8}$ "	17 7/16"	17 1/2"







2340 Logan Avenue

Winnipeg, Manitoba, Canada R2R 2V3 Phone: (204) 632-1962 Fax: (204) 632-1960

www.kingsmanfireplaces.com

ZCVRB3622

ZERO CLEARANCE **DIRECT VENT** LINEAR GAS FIREPLACE





*Components may have to be ordered separately to create a complete unit. Discuss with your local Kingsman dealer for clarification.
Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation

