

VENT FREE FIREPLACES, STOVES & GAS LOGS

napoleonfireplaces.com



All the features of a direct vent fireplace... without the venting

Torch [®] - GVFT8	4 - 5
Plazmafire [®] - WHVF24	6 - 7
Plazmafire - WHVF31	6 - 7
GVF36	8 - 9
GVF42	10 - 11
Arlington [°] - GVFS20	12 - 13
GVFS60	14 - 15
GVFL18, GVFL24, GVFL30, ZCVF36 & ZCVF42	16 - 17
Napoleon's Outstanding Features	
Options & Accessories	20 - 21
Detailed Specifications	22 - 23



GVFS60 shown in painted metallic black finish with a painted black trivet



FIND YOUR HAPPY (fire)PLACE.

Throughout the ages, people have gathered around fires to share in life's greatest joys.

There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years to come, every Napoleon fireplace is backed by the President's Limited Lifetime Warranty.



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.

Torch[™] - GVFT8 Slim Modern Design

An ultra modern vent free fireplace with a slim design featuring a reflective, prism shaped firebox. Napoleon's Torch[®] features decorative glass embers, heat resistant glass and MIRRO-FLAME[®] Porcelain Reflective Radiant Panels. Ideal for new construction and renovation projects, the Torch[®] can be installed in hallways, entranceways, bathrooms, bedrooms, offices and spas.

Torch" 6,000 BTU's 15"w x 49 ½6"h with mounting cabinet Natural gas or propane

For more detailed specifications on this unit, see page 21

Options & Accessories



Frames/Fronts Six Finish Options*



LED Accent Light Kit Four Lights Included



Adjustable Mounting Cabinets Two Finish Options*

Vent Free units are not approved in Canada and some States.



The Torch[®] shown with brushed stainless steel frame and mounting cabinet





The Torch⁻ shown with brushed stainless steel frame and painted metallic black mounting cabinet



MIRRO-FLAME[®] Porcelain Reflective Radiant Panels (standard with unit)



Plazmafire - WHVF24 & WHVF31

Easy Installation

Ideal for modern and contemporary rooms, the Plazmafire" comes standard with a Topaz CRYSTALINE" ember bed. Napoleon's Plazmafire" features easy installation plus all of the conveniences of a vent free gas fireplace. Virtually endless installation possibilities, it's almost as easy as hanging a picture on the wall. Catalytic tiles come standard and perform as a "filter" reducing and removing combustion by-products. The Plazmafire" 24 comes standard with a curved glass front and the Plazmafire[®] 31 offers optional surrounds making it a great addition and focal point to any room.

Plazmafire[®] 24 Up to 9,000 BTU's 50% flame/heat adjustment 32 ¾"w x 22"h Natural gas or propane

Plazmafire[®] 31 Up to 20,000 BTU's 43 5/16"w x 28"h Natural gas or propane

For more detailed specifications on this unit, see page 21

Options & Accessories



Convex Surround **Brushed Stainless Steel Finish** (for Plazmafire[®] 31 only)



Safety Screen (for Plazmafire[®] 31 only)



Two Color Options* (for Plazmafire 31 only)

6



Rectangular Surrounds

Vent Free units are not approved in Canada and some States.





F45 & F60 Remote Controls On/off with Digital Screen (for Plazmafire[®] 31 only)

LED Light Kit

Two Lights Included

(for Plazmafire[®] 31 only)



*Refer to options & accessories section on pages 19-20 for more details



The Plazmafire²⁴ shown with standard curved glass front





The Plazmafire[®] 31 shown with rectangular surround in painted black finish



Slate Brick Panel (standard with Plazmafire⁻ 31) MIRRO-FLAME" Porcelain Reflective Radiant Panels (standard with Plazmafire" 24)



Alternate Glass Media Kits & Glass Enhancement Kits Blue, Amber, Black, Red and Clear



GVF36 - 36" Fireplace

A Multitude of Different Looks

With a multitude of designer options and a room warming 30,000 BTU's, it's no wonder the GVF36 is one of the best selling vent free fireplaces in North America. Complete with Napoleon's PHAZER[®] logs and advanced burner technology, the GVF36 produces beautiful YELLOW DANCING FLAMES[®]. The GVF36 provides cutting-edge, vent free technology with many designer options to suit your style.

GVF36

Up to 30,000 BTU's 50% flame/heat adjustment 37 %"w x 35 ½"h Natural gas or propane

For more detailed specifications on this unit, see page 22

Options & Accessories



3" Bevelled Trim Kits Two Color Options*



6" Bevelled Trim Kit Textured Painted Black



Vent Free units are not approved in Canada and some States.

Louvers Three Color Options*



Cast Iron Surrounds Painted Black Finish



Ornamental Insets Three Color Options*



F45 8 On/o

F45 & F60 Remote Controls On/off with Digital Screen

Andirons Painted Black Finish







8



GVF36 shown with painted black louvers



Decorative Sandstone Brick Panels MIRRO-FLAME[®] Porcelain Reflective Radiant Panels



GVF42 - 42" Fireplace

Massive Viewing Area

A stunning 42" vent free fireplace that features a multi-level burner with realistic PHAZER[®] logs creating a beautiful display of YELLOW DANCING FLAMES[®] that fill the firebox. With the easy installation of vent free technology and the optional decorative accessories, the GVF42 efficiently transforms a room into a relaxing, warm oasis with a beautiful fireplace as the focal point.

GVF42

Up to 30,000 BTU's 50% flame/heat adjustment 42"w x 38 ½"h Natural gas or propane

For more detailed specifications on this unit, see page 22

Options & Accessories



Louvers



F45 & F60 Remote Controls On/off with Digital Screen



Andirons Painted Black Finish



GVF42 shown with painted black louvers and MIRRO-FLAME Panels





*Refer to options & accessories section on pages 19-20 for more details



GVF42 shown with brushed stainless steel louvers and MIRRO-FLAME' Porcelain Reflective Radiant Panels



Decorative Sandstone Brick Panels MIRRO-FLAME[®] Porcelain Reflective Radiant Panels



Arlington[™] - GVFS20 Good Things Come in Small Packages

The vent free Arlington[®] gas stove, although compact in size, makes a powerful statement in any room. This Early American cast iron design features exquisite detail and styling that is complimentary to a wide variety of rooms. The Arlington[®] features Napoleon's advanced burner system with flame/heat adjustment and a MIRRO-FLAME[®] Porcelain Reflective Radiant Panel.

Arlington

Up to 23,000 BTU's 50% flame/heat adjustment 19 ¼"w x 25 %"h as shown Natural gas or propane

For more detailed specifications on this unit, see page 22

Options & Accessories







F45 & F60 Remote Controls On/off with Digital Screen

*Refer to options & accessories section on pages 19-20 for more details



The Arlington' shown with standard MIRRO-FLAME' Porcelain Reflective Radiant Panels



MIRRO-FLAME⁻ Porcelain Reflective Radiant Panel (standard with unit)



Stove Top Insets (natural stone will have variances in color and pattern) Available in Lorena Slate and Ubatuba Green finishes



GVFS60 - Gas Stove

Solid Performance, Impressive Heating

The GVFS60 is known for its solid performance and impressive heating efficiencies. With its elegant fine detailing and sleek, sophisticated outer casting design, the GVFS60 offers more than just great performance. The GVFS60 is available in porcelain enamel Majolica brown and painted metallic black finishes offering you a choice to match your room décor.

GVFS60

Up to 30,000 BTU's 50% flame/heat adjustment 27"w x 30 1/2"h as shown Natural gas or propane

For more detailed specifications on this unit, see page 23

Options & Accessories



Cast Iron Trivet Painted Black Finish (standard with unit)



Andirons Painted Black Finish



Stove Finishes Two Color Options*



Vent Free units are not approved in Canada and some States.



Solid cast iron, European design in porcelain enamel Majolica brown finish







GVFS60 shown in painted metallic black finish with a painted black trivet



Decorative Sandstone Brick Panels



FIBERGLOW Vent Free Gas Log Sets

Endless Design Possibilities

The exclusive PHAZER[®] logs, crafted from ceramic fibers, together with Napoleon's advanced burner system provide an excellent additional heat source with a real wood fire appearance. Napoleon's vent free gas log sets are available in three sizes, 18", 24" and 30" and come complete with a cast iron grate, painted black andirons and lava rocks/cinders.

FIBERGLOW" - 18" Up to 40,000 BTU's 50% flame/heat adjustment 18"h x 24"w x 14"d Natural gas or propane

FIBERGLOW" - 24" Up to 40,000 BTU's 50% flame/heat adjustment 18" x 28"w x 14"d Natural gas or propane

For more detailed specifications on these units, see page 23

Options & Accessories



18"



Vent Free units are not approved in Canada and some States.

24"



30"



FIBERGLOW" - 30"

Up to 40,000 BTU's

18" x 34"w x 14"d

Natural gas or propane

50% flame/heat adjustment



F45 & F60 Remote Controls On/off with Digital Screen







Zero Clearance Firebox with Fireplace Screen Available in 36" & 42"



Cobblestone Brick Kit (for zero clearance firebox)



*Refer to options & accessories section on pages 19-20 for more details



The FIBERGLOW' 30" log set shown with standard lava rocks and cinders



Outstanding Features

of Napoleon's Advanced Technology



Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.



Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD⁻ gas control system. All models come complete with an Oxygen Depletion Sensor (ODS) for your piece of mind.

No Power? No Problem!

No electricity required to light or operate. Reliable heat even during power failures.

Exclusive PHAZER[®] Logs

Napoleon's exclusive PHAZER° logs create a natural wood fire appearance.

Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.

Decorative Panels



Decorative Sandstone Brick

Louvers

Polished Brass Finish

Painted Black Finish



MIRRO-FLAME Porcelain Reflective Radiant Panels

Brushed Stainless Steel Finish

Slate Brick Panel (standard on WHVF31)

Painted Black Finish

Cast Iron Surrounds



Bevelled Trim Kits



Brushed Stainless Steel Finish Available in 3"



Textured Painted **Black Finish** Available in 3" or 6"



Cobblestone Brick Kit Included with Napoleon's Zero Clearance fireboxes, ZCVF36 & ZCVF42 to add to the real wood fire appearance.





24 Karat Gold Plated Finish

Ornamental Insets



XXXX

Lorena Slate



Brushed Stainless Steel Finish

Stove Finishes



Painted Metallic Porcelain Enamel **Black Finish** Maiolica Brown Finish

Andirons

Designed to stand in front of the logs and give the optimum traditional masonry look and feel. They fit directly in a bay window, bay front kit or rest inside the firebox.



Painted Black Finish



Remote Controls Napoleon's remotes with digital control give you the comfort level you need at the touch of a button.



Lava Rocks / Cinders Designed for placement around the logs to enhance the look and feel of Napoleon's vent free gas log sets.



LED Accent Light Kit Optional accents lights are available for Napoleon's vent free Torch and Plazmafire to enhance your surrounding décor and double as an exclusive NIGHT LIGHT.

Safety Screen

Safety screens are available to protect children, pets and visitors against inadvertent contact with glass. Glass and unit temperature can get very hot.

Options & Accessories to Customize Your Fireplace





Decorative Frame

Decorative Frame

Painted Metallic

Black Finish

Decorative Frame White Finish



Decorative Frame

Decorative Frame

Brushed Stainless

Steel Finish

Decorative Frame Diamond Dust Pewter Finish



Mounting Cabinet Brushed Stainless Steel Finish





and the second second Rectangular Surround Painted Black Finish

Rectangular Surround Diamond Dust Pewter Finish



Convex Surround Brushed Stainless Steel Finish

	GVFT8	WHVF24	WHVF31	GVF36	GVF42	GVFS20	GVFS60	GVFL18	GVFL24	GVFL30
Louvers (antique brass, brushed stainless steel and painted black finishes)	-	-	-	0	0***	-	-	-	-	-
Ornamental Insets (painted black, 24 Karat gold plated and satin chrome finishes)	-	-	-	0	-	-	-	-	-	-
3" Bevelled Trim (brushed stainless steel and textured painted black finishes)	-	-	-	0	-	-	-	0•*	0 • *	0 • *
6" Bevelled Trim (textured painted black finishes)	-	-	-	0	-	-	-	-	-	-
Fronts & Frames (white, red, steel blue, diamond dust pewter, brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-	-
Mounting Cabinets (brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-	-
Stove Top Insets (lorena slate and ubatuba green)	-	-	-	-	-	0	-	-	-	-
Cast Iron Surround Kit (painted black finishes)	-	-	-	0	-	-	-	-	-	-
Rectangular Surrounds (painted black and diamond dust pewter finishes)	-	-	0	-	-	-	-	-	-	-
Convex Surround (brushed stainless steel finish)	-	-	0	-	-	-	-	-	-	-
MIRRO-FLAME" Porcelain Reflective Radiant Panels	S	S	-	0	0	S	-	-	-	-
Decorative Sandstone Brick Panels	-	-	-	0	0	-	0	-	-	-
Traditional Andirons (painted black finish)	-	-	-	0	0	-	0	S*	S*	S*
LED Accent Lights	0	-	0	-	-	-	-	-	-	-
Cobblestone Brick Kit	-	-	-	-	-	-	-	0*	0*	0*
Safety Screen	-	-	0	0	-	-	-	-	-	-
Fireplace Screen	-	-	-	S	S	-	-	S°	S°	S*
Heat Circulating Blower Kit	-	-	-	0	0	0	0	0*	0*	0*
Millivolt Wall Thermostat	-	-	-	0	0	0	0	0	0	0
Electronic Ignition	-	S	S	-	-	-	-	-	-	-
Oxygen Depletion Sensor (ODS)	S	S	S	S	S	S	S	S	S	S
Pre-wired For Wall Switch	-	-	-	S	S	-	-	-	-	-
On/off Remote with Digital Screen	-	-	0	0	0	0	0	0	0	0
*Painted black finish only **Brushed stainless steel finish only ***Painted black & brushed stainless steel on	ly	•lf	Zero Clear	ance fireb	ox is also ii	nstalled				

Thermostats not available on non-heater appliances in the United States



Model	BTU's	(Input)	Height (With Cabinet)	Front Width (With Cabinet)	Depth (With Cabinet)	ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	(min cubitoly	(min cusinor)	(min cashiory		(oroady orano)			connou	
Torch®	6,000	6,000	49 11/16"	13"	7 9/16"	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards.

Plazmafire[®] - WHVF24

Shown on pages 6 & 7



Model	BTU's	(Input)	Hei	ight	Front	Width	De	pth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing		(Sidday Sidio)		KI	conniou	
Plazmafire ⁻ 24	9,000	9,000	22"	N/A*	32 3/8"	N/A*	6 7/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards.

Plazmafire " - Shown on pages 6		Rectangu 28" 	43 ⁵ /16 ¹¹					Convex $ \begin{array}{c} & & \\ & 29 \ ^{1/2^{n}} \\ & & \\ $			3 1/2 GAS ELECTRICAL 1 9/16"			
Model	BTU's	(Input)	Hei	ight	Front	Width	De	pth	ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing		(Sieudy Sidie)		KII	Cermieu	
Plazmafire" 31 - Rectangular	20,000	20,000	28"	N/A*	43 5/16"	N/A*	7 3/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes
Plazmafire ⁻ 31 - Convex	20,000	20,000	29 1/2"	N/A*	48 3/8"	N/A*	9 1/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards.

*Consult your owners's manual for wall bracket installations. Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States. Plazmafire[®] 24 & 31 manufactured in China at Napoleon[®] Guangzhou.

GVF36 - 3 Shown on pag	36" Firepla ges 8 & 9	ce			35 ½* 33			4	GAS INLET SIDE			<u> </u>		
Model	BTU's	(Input)	He	eight	Front	Width	De	epth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing		(Sieury Sirie)		KII	Cernneu	
GVF36	30,000	30,000	35 1/2"	35 3/4"	37 3/8"	37 3/4"	13 1/4"	13 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards.

GVF42 - 42" Shown on pages 1

Model

" Fireplac 10 & 11	e			38 '			5 ½ ²	GAS INLET TRICAL INLET EFT SIDE			20" 22" 2 '/* 1		RA OF
BTU's (Input)	Hei	ght	Front	Width	Dej	pth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
Natural Gas	Propage	Actual	Framina	Actual	Framina	Actual	Framina		(Siduy Silie)	I OII JUICEII	NII NII	Confilieu	

mouch	0103	Import	nc	igin	TION	widin		pin	005	(Steady State)	Pull Screen	Kit	Certified	Licentonic igninon
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing		(siddy sidio)	1 di Scroon		connou	
GVF42	30,000	30,000	38 1/2"	39"	42"	42 1/2"	22"	22 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards.

Arlington[®] - GVFS20 Shown on pages 12 & 13



Model	BTU's	(Input)	Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane					(oronal) orano,				
Arlington	23,000	23,000	25 3/8"	19 1/4"	15 3/4"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards.

22



 								Location			
Model	BTU's	(Input)	Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane					()				
GVFS60	30,000	30,000	30 1/2"	27"	17 7/8"	Standard	99.9 %	Standard	Optional	Yes	No

Certified under American National Standards.

FIBERGLOW[®] Log Sets

Shown on pages 16 & 17



Certified under American National Standards.

Zero Clearance Kits for Vent Free Log Sets

Shown on pages 16 & 17

Model	Minimun	n Size Fireplace	Opening
	Height	Width	Depth
ZCVF36	32 3/4"	42 1/2"	21 1/4"
ZCVF42	35 3/4"	47 1/8"	21 1/4"

Certified under American National Standards.



Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials. Vent Free units are not approved in Canada and some States.

NAPOLEON CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS





24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031 napoleonfireplaces.com



Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Products may not be exactly as shown. Napoleon' is a registered trademark of Wolf Steel Ltd. @ Wolf Steel Ltd. Went free units are not approved in Canada and some States.

Authorized Dealer