

PRODUCT GUIDE

marquisfireplaces.net





FIREPLACES

 Bentley
 1.1

 Bentley 48
 1.7

 Cove
 1.11

 Skyline
 1.15

 Skyline III
 1.19

 Solace
 1.23

 Solara II
 1.27

FREE STANDING STOVES

Vantage 2.1

INSERTS

Capella 26 3.1 Capella 33/43 3.5

MULTI-SIDED FIREPLACES

 Atrium
 4.1

 Bentley ST
 4.5

 Enclave
 4.11

 Gemini
 4.17

 Infinite
 4.21

OUTDOOR LIVING

 Aurora
 5.1

 Bola
 5.5


EXTRAORDINARY STYLE IS NOW WITHIN SIGHT

Make a welcoming statement in your home with the warmth and evolutionary style of the Marquis Collection. From classic and clean to modern and sleek, you'll love the endless possibilities you can create!

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.











BRING THE BIG VIEW INDOORS

With an expansive glass viewing area and clever designer options for customizing the look to suit your personal style, the **Bentley** is generating some serious attention.

Available in two sizes, you can choose from the Decorative-rated fireplace for ambiance and taking the chill out of the room, or the Heated-rated version for additional warmth. With so much style and attention to details, no wonder people are focused on the view indoors.

STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Pan burner with Realistic Flame Pattern
- · Safety Screen Barrier
- Proflame II (PF2) Models include Remote Control: features flame, fan, thermostat, smart thermostat (ZCV39NHE2, ZCV39LPHE2, ZCV42NHE2, ZCV42LPHE2 Models only)



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Fan Kit: Heat activated with variable speed control

Designer Doors: Arch, Straight Black (2 options)

Surrounds: Hearth Mount, Picture Frame, Slim Line Picture Frame

ZCV39 Surrounds

Hearth Mount 4" Wide (Covers 40 5%"W x 35"H)
Picture Frame 4" Wide (Covers 40 5%"W x 37"H)
Picture Frame 15%" Wide (Covers 36 1%"W x 32 1/2"H)

ZCV42 Surrounds

Hearth Mount 4" Wide (Covers 44 $\frac{1}{2}$ "W x 38 $\frac{1}{2}$ "H) Picture Frame 4" Wide (Covers 44 $\frac{1}{2}$ "W x 40 $\frac{1}{2}$ "H) Picture Frame $\frac{1}{2}$ " Wide (Covers 40 $\frac{1}{2}$ "W x 35 $\frac{1}{2}$ "H)

Liners: Porcelain Reflective or Brick

Glass Tray: Contemporary Rocks (2 options), Driftwood Set, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks

Log Sets: 10 Piece Split Oak, 5 Piece Split Oak, 4 Piece Driftwood

Accent Lighting: for use with the Glass Tray (Dealer Installed Item)

Remotes Controls: Millivolt or IPI PF1

Thermostats: Wall Mount or Programmable

ACCESSORY OPTIONS

LINERS



Traditional Brick Liner



Herringbone Brick Liner



Red Herringbone Brick Liner



Stacked Brick Liner



Fluted Liner



Porcelain Reflective Liner

MEDIA OPTIONS (GLASS TRAY REQUIRED)



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt Ember Glass



MQG5B Black Ember Glass



MQG5C Bronze Ember Glass



MQG5W White Ember Glass



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set



RBCB1 Multi-Colored Cannonballs

REMOTE CONTROLS



MQ39D 4-piece Driftwood Log Set (Glass Tray Required)



LOG SETS

MQLOGF9 10-piece Split Oak Log Set



LOGF3 5-piece Split Oak Log Set

(Millivolt or IPI PF1): Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control








DESIGNER DOORS







WALL SURROUND

Black

THERMOSTATS

Wall Mount Thermostat or Programmable Thermostat







Model	Fuel	Gas Control	Input Max.	Input Min.	FE (P.4.1-15)	Glass Size
ZCV39N / ZCV39NE	Natural	Millivolt / IPI	25,000 BTU	16,750 BTU	52.35% / 54.24%	33"W x 28 5/8"H
ZCV39LP / ZCV39LPE	Propane	Millivolt / IPI	25,000 BTU	20,000 BTU	52.35% / 54.24%	33"W x 28 5/8"H
ZCV39NH / NHE ZCV39NHE2	Natural Natural	Millivolt / IPI Millivolt / IPI	28,000 BTU 28,000 BTU	19,000 BTU 19,000 BTU	63.81% / 66.17% 66.17%	33"W x 28 5%"H 33"W x 28 5%"H
ZCV39LPH / LPHE ZCV39LPHE2	Propane Propane	Millivolt / IPI Millivolt / IPI	29,000 BTU 29,000 BTU	23,000 BTU 23,000 BTU	66.82% / 68.65% 68.65%	33"W x 28 5%"H 33"W x 28 5%"H
ZCV42N / ZCV42NE	Natural	Millivolt / IPI	25,000 BTU	16,500 BTU	52.86% / 54.95%	37 1/8"W x 31 3/4"H
ZCV42LP / ZCV42LPE	Propane	Millivolt / IPI	25,000 BTU	19,500 BTU	52.86% / 54.95%	37 1/8"W x 31 3/4"H
ZCV42NH / NHE ZCV42NHE2	Natural Natural	Millivolt / IPI Millivolt / IPI	29,500 BTU 29,500 BTU	20,000 BTU 20,000 BTU	64.53% / 66.48% 66.48%	37 1/8"W x 31 3/4"H 37 1/8"W x 31 3/4"H
ZCV42LPH / LPHE ZCV42LPHE2	Propane Propane	Millivolt / IPI Millivolt / IPI	29,000 BTU 29,000 BTU	23,000 BTU 23,000 BTU	66.65% / 68.77% 68.77%	37 1/8"W x 31 3/4"H 37 1/8"W x 31 3/4"H

Venting

4/7" Flex or 4 x 65/8 Hard Pipe* or Power Vent

*Approved with Kingsman Flex Vent, MG Duravent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting. ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This appliance is approved with Kingsman (PVH58) Horizontal Power Vent Termination.














- 1. ZCV39N, MQLOGF9 Log Set Ten Pieces, ZCV39RLS Refractory Fiber Brick Liner – Stacked Brick, MQ39DD2BL Designer Door - Series 2 - Black.
- 2. ZCV39N, MQLOGF9 Log Set Ten Pieces, ZCV39RLT Refractory Fiber Brick Liner – Traditional Brick, MQ39DD3BL Designer Door - Series 3 - Black
- 3. ZCV39N, LOGF3 Log Set Five Pieces, ZCV39RLH Refractory Fiber Brick Liner – Herringbone Brick, MQ39DD1BL Designer Door - Series 1 - Black.
- 4. ZCV39N, ZCV39GT Glass Tray, MQSTONE Decorative Stones, ZCV39PL Porcelain Reflective Panel Liner.
- 5. ZCV39N, MQLOGF9 Log Set Ten Pieces, ZCV39PL Porcelain Reflective Liner.
- 6. ZCV39N, ZCV39GT Glass Tray, MQROCK3 Contemporary Rock Collection – Multi-Colored, ZCV39PL Porcelain Reflective Panel Liner.

Model	Height Actual	Framin		Front W Actual	'idth Framing	Dep Actu		nming	
ZCV39 ZCV42	37¾" 40¾"	37%" 41"		39¾" 42¾"	39½" 42½"			18½"* 18½"*	
Model	A	В	С	D	E	F	G	Н	
ZCV39 ZCV42	39¾" 42¾"	241/8" 271/4"	295/8" 335/8"	33" 37%'	34½" 37½"	37¾" 40¾"	3" 2½"	29¾" 32½"	







 $\label{linear} \textbf{Unit Illustrated:}\ ZCV42N,\ MQLOGF9\ Log\ Set-Ten\ Pieces,\ MQZCV42RFL\ Black\ Fluted\ Panel\ Liner,\ ZCV42S1BL\ Surround-Hearth\ Mount\ 4"\ Wide.$



Unit Illustrated: Model ZCV39NH Zero Clearance Direct Vent Gas Fireplace Natural Gas, ZCV39GT Glass Tray, MQ39D Log Set – Driftwood Four Piece Set, MQSTONE Decorative Stones, VLBIT6 Log Bits – Small Six Piece Kit, ZCV39PL Porcelain Reflective Panel Liner, ZCV39S1PFBL Surround – Picture Frame 4" Wide.





GO BIG

When the view is this big, it must be the Bentley 48. This big brother of the popular Bentley is getting some serious attention and lots of second looks from home owners wanting to enjoy a statement fireplace. An expansive glass viewing area and beautiful designer options allow you to customize the look to your own style. Take the chill out of the room with this heater-rated fireplace, and bask in some serious warmth.

Wow - we made you look, didn't we?

STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Pan burner with Realistic Flame Pattern
- · Proflame II (PF2) Models include Remote Control – Features flame, fan, thermostat, smart thermostat, accent lighting (MQZCV48NE2, MQZCV48LPE2 Models only)



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Fan Kit: Heat activated with variable speed control

Designer Doors: Arch, Straight Black (2 options)

Surrounds: Hearth Mount 4" Wide (Covers 50 %16" W x 43 3/16" H)

Liners: Porcelain Reflective or Brick

Glass Tray: Contemporary Rocks, Driftwood Set, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs

Log Sets: Driftwood Set or Split Oak Log Set

Accent Lighting: for use with the Glass Tray

Thermostat: Wall Mount Thermostat or Programmable Thermostat

Remote Control (Millivolt or IPI PF1): Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating, fan control and lights







Model MQZCV48N MQZCV48LP MQZCV48NE / NE2 MQZCV48LPE / LPE2 Fuel Natural Propane Natural Propane **Gas Control** Millivolt Millivolt IPI IPI Input Max. 42,500 BTU 42.250 BTU 42,500 BTU 42,250 BTU Input Min. 28,500 BTU 34,000 BTU 28,500 BTU 34,000 BTU 52.24% 54.52% 53.37% 55.71% FE (P.4.1-15)

Glass Size 41 1/2" W x 34 7/16" H Venting 5/8" Flex or Hard Pipe* or Power Vent

*Approved with Kingsman Flex Vent, MG Duravent-Direct Vent Pro Direct Vent System, Amerivent Direct Vent Pipe System, Selkirk Direct-Temp Venting. ICC Excel Direct Vent, BDM Pro-Form Direct Vent and Metal Fab Sure-Seal DV Pipe System. This Appliance is Approved with Kingsman (Pvh58) Horizontal Power Vent Termination.

ACCESSORY OPTIONS




ZCV48RLT Traditional **Brick Liner**



ZCV48RLH Herringbone **Brick Liner**





ZCV48RLS MQZCV48RLF Stacked Fluted **Brick Liner** Liner



ZCV48PL Porcelain Reflective Liner

MEDIA OPTIONS (GLASS TRAY REQUIRED)



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C **Bronze Ember Glass**



MQG5W White **Ember Glass**



MQEMBER Ember Chunks



MQSTONE Decorative **Stones**



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set



RBCB1 Multi-Colored Cannonballs

DESIGNER DOORS







WALL SURROUND

Black

LOG SETS



MQLOGF48D Driftwood Log Set (Glass Tray Required)



MQLOGF48 Split Oak Log Set









Unit Illustrated: LEFT – Model MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48D Driftwood Log Set, MQZCV48GT Glass Tray, MQSTONE10 Decorative Stone – 10 Piece Set, MQZCV48RLF Fluted Brick Liner.

RIGHT – Model MQZCV48NE2 Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGF48D Driftwood Log Set, MQZCV48GT Glass Tray, MQSTONE10 Decorative Stone – 10 Piece Set, MQZCV48RLF Fluted Brick Liner.



GIVE A WARM WELCOME

Grand in style and stature, the **COVE** makes a modern statement in any home. This true clean view gas fireplace comes in two sizes with your choice of herringbone, traditional brick liner or porcelain reflective panel and a traditional log set or contemporary glass burner.

STANDARD FEATURES

- SIT Valve with Hi/Lo Flame and BTU Adjustment
- Accent Lighting
- · Safety Screen Barrier
- Proflame II (PF2) Models include Remote Control – Features flame, fan, thermostat, smart thermostat, accent lighting

SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Choose Gas Control: Choice of Millivolt or IPI electronic ignition system with battery backup

Log Set: Fiber Split Oak

Glass Tray: Contemporary Rocks (Natural or Multi-Colored), or Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White)

Liners: Porcelain Panels or Brick Liners

ACCESSORY OPTIONS

LOG SET OR ROCK SET REQUIRED FOR EACH UNIT:

LOG SET



Fiber Split Oak Log Set

OR ROCK SET (GLASS TRAY REQUIRED)







MQROCK3 Multi-Colored

GLASS MEDIA (GLASS TRAY REQUIRED)



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt Ember Glass



MQG5B Black Ember Glass



MQG5C Bronze Ember Glass



MQG5W White Ember Glass

LINERS



Traditional Brick Liner



Herringbone Brick Liner



Red Herringbone Brick Liner



Porcelain Reflective Liner

THERMOSTATS

Wall Mount or Programmable



REMOTE CONTROL

On/Off, Thermostat, Modulating and Fan/Light Control Module








MQZDV3927N MQZDV3927LP MQZDV4634N MQZDV4634LP Model MQZDV4634LPE2 MQZDV3927NE2 MQZDV3927LPE2 MQZDV4634NE2 Fuel Natural Propane Natural Propane 42,500 BTU 40,500 BTU 59,000 BTU 55,500 BTU Input Max. Input Min. 29,000 BTU 32,000 BTU 40,500 BTU 44,000 BTU FE (P.4.1-15) 60.90% / 62.45% 54.38% / 55.50% 46.95% / 47.91% 37.83% / 38.47% Viewing Area 26 ¾" W x 34 ¼"H 33 %" W x 44"H Venting 5/7" Kingsman Flex or 5/8" with Adapter 7/10" Kingsman Flex Vent


FIREPLACE GENERAL DIMENSIONS


MQZDV3927


4"Min. Clearance to Combustibles Vertical Pipe 3/4" Min. Clearance to Vertical Pipe 3/4" Min. Clearance to Wall Thimble 1/2" Facing Matt

MQZDV4634











CORNER FRAME DIMENSIONS







ENJOY THE VIEW

It's pure sophistication that makes a statement with wide-view appeal and flexibility. Choose from the rocks and driftwood, decorative stones, or ember glass in a choice of colors for a sleek contemporary look.

There is nothing subtle about this **SKYLINE**.

STANDARD FEATURES

- Millivolt or IPI valve system will operate during power failures with Hi/low heat and flame adjustment
- · Safety Screen Barrier



OPTIONAL FEATURES

Designer Clean View Circulating Kit: (MQRB4236 Model Only) No Louvers Required

Surround Trim Edge:

Black or Stainless 36" W x 22 1/2" H (ZCVRB3622 Model Only)

Fan Kit: Heat activated with variable speed control

Universal Light Kit: Two Lamps (Series II models only)

Porcelain Reflective Liners

Driftwood Log Sets: Four Pieces Driftwood with Four Rocks (MQRBD1) or Three Piece Driftwood Log Set (MQRBD4)

Media Options: Contemporary Rocks, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White) or Ember Chunks

Thermostat: Wall Mount Thermostat or Programmable Thermostat

Remote Controls: On/Off, Thermostat, Thermostat Modulating





Model	ZCVRB3622N	ZCVRB3622LP	MQRB4236NT	MQRB4236LPT
	ZCVRB3622NE	ZCVRB3622LPE	MQRB4236NTE	MQRB4236LPTE
Fuel	Natural	Propane	Natural	Propane
Input Max.	17,500	17,500	24,000	24,000
Input Min.	12,000	14,000	18,000	18,000
FE (P.4.1-15)	61.36% / 65.82%	62.72% / 64.55%	54.84% / 57.05%	57.15% / 59.13%

ACCESSORY OPTIONS

DRIFTWOOD SETS



MQRBD1 Four Piece Driftwood Set with 4 Rocks



MQRBD4 Three Piece Driftwood Set

LINER



Porcelain Reflective Liner

SURROUND TRIM EDGE

Black



MEDIA OPTIONS



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt Ember Glass



MQG5B Black Ember Glass



MQG5C Bronze Ember Glass



MQG5W White Ember Glass



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set




MQROCK3 Multi-Colored Rock Set



CLEAN VIEW FRAMING

CORNER FRAMING DIMENSIONS (INCHES)




TOP FLUE MODEL VIEWING AREA Width Height

	widtii	neigiii
ZCVRB3622	29 ¾"	16 1/8"
MQRB4236	33 %"	20 3/8"


ZCVRB4236 MQRB4236

Α	53 1/2"	Α	63 13/16"
В	36 3/8"	В	42 1/16"
С	8 %16"	С	42 1/16"
D	12"	D	10 11/16"
Е	37 %"	Е	45 1/8"
F	26 ¾"	F	13 ¾"
G	_	G	19 1/2"
Н	_	Н	31 %"



TOP FLUE	Hei	ght	Front	Width	Depth		
MODEL	Actual	Framing	Actual	Framing	Actual	Framing	
ZCVRB3622	37 1/8"	37 1/4"	36"	36 %"	17 1/16"	17 1/2"	
MQRB4236	36 ¹³ / ₁₆ "	43"	42 1/16"	42 1/16"	18 ¹⁵ / ₁₆ "	19 1/2"	





ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

ENJOY THE VIEW III

There is nothing subtle about this

SKYLINE III. It's pure sophistication

that makes a statement with wide-view

appeal and flexibility. Choose from the

rocks and driftwood, decorative stones,

or ember glass in a choice of colors for

a sleek contemporary look.

STANDARD FEATURES

- Hi/Low Millivolt or IPI valve system will operate during power failures
- Bronze Glass
- Mobile Home, Bedroom and Bed Sitting Room approved
- Safety Screen Barrier

SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Choose Gas Control: Choice of Millivolt or IPI electronic ignition system with battery backup

Choose Surround Trim Kit: Black or Stainless; Available in two sizes – Frame and Edge

Fan Kit: Heat activated with variable speed control

Universal Light Kit: Two Lamps (accent lighting)

Wall Mount Thermostat: Standard on/off or Programmable 5 day (weekday) and 2 day (weekend)

Driftwood Log Sets: Three Piece Driftwood Set (MQ46D), Four Piece Driftwood with Four Rocks (MQRBD1), Three Piece Driftwood Log Set (MQRBD4) or Five Piece Driftwood Set (MQRBD3)

Media Options: Contemporary Rocks, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs

Liners: porcelain reflective or fluted brick

Remote Controls: Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control

Enclosure Grill: 46 %6" W x 2 1/2" H (unfinished)

ACCESSORY OPTIONS

DRIFTWOOD LOG SETS



Three Piece Driftwood Set



MQRBD1 Four Piece **Driftwood Set** with 4 Rocks




MQRBD3 Five Piece Driftwood Set



MQRBD4 Three Piece Driftwood Set

LINERS




MQVRB46RLF Fluted Liner (Single Side only)

Porcelain Reflective Liner

WALL SURROUND

FRAME & EDGE





MEDIA OPTIONS



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



MQEMBER Ember Chunks



MQSTONE Decorative Stones



RBCB1 Multi-Colored Cannonballs



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set







MQRBD3 Driftwood Log Set (5 Pce.), ZRB46PL Porcelain Liners, V46EG Enclosure Grill.

VRB46N/NF VRB46I P/I PF Model Fuel Natural Propane **Gas Control** Millivolt / IPI Millivolt / IPI 23,250 BTU 23,250 BTU Input Max. Input Min. 15,750 BTU 17,750 BTU 70.95% / 73.94%

FE (P.4.1-15) 67.94% / 70.65% **Glass Size** 40 %" W x 13 %" H

Venting 4/7" Flex Vent Only



VRB46N Zero Clearance Direct Vent Gas Fireplace – Natural Gas, ZRB46S2SS Surround (Frame) Stainless Steel, RBCB1 Cannonballs x 14, ZRB46PL Porcelain Liners.





VRB46N Zero Clearance Direct Vent Gas Fireplace – Natural Gas, ZRB46S1SS Surround (Edge) Stainless Steel, ZRB46PL Porcelain Liners.



VRB46N Zero Clearance Direct Vent Gas Fireplace – Natural Gas, ZRB46S2BL Surround (Frame) Black, MQ46D Three Piece Driftwood Log Set, MQSTONE Decorative Stones, ZRB46PL Porcelain Liners.

PRODUCT DIMENSIONS





MODEL	He	ight	Front	Width	Depth		
MODEL	Actual	Framing	Actual	Framing	Actual	Framing	
VRB46	43 1/2"	43 ¾"	46 1/4"	47"	17 %"	18 1/4"*	
			* dene	ndant of fini	shina mat	erial used	

MQRB4436

A 46 5/8" **B** 11 7/8"

C 38 5%" D 41 5%"

E 35 %16"


F 43 ½"

G 2 3/8"

H 17 7/8"

J 34 ³/₁₆"

WALL SURROUND TRIM KIT



ENCLOSURE GRILL



V46EG

G 47 ¹³/₁₆" **H** 3 ¹³/₁₆" **I** 46 ⁹/₁₆"

J 2 ½"


K 1 %16"

VENTED CHASE OPTION

When installing a TV above the fireplace, Cool Touch Walls, or reduced Mantel Clearances, the chase of the fireplace must be vented. This can be done by either installing a grill on the front of chase or side grills (for a chase that bumps out in to a room) or be open at the top of the chase. (See illustrations and manual for further information).


Minimum enclosure height for a vented chase is 70" from bottom of fireplace, ventilation of a 105 in² of minimum free air opening is required.
Choose between our V46EG Enclosure Grill or Custom Grill (if custom grills are used the louvers cannot slope) or adequate ventilation opening as stated in the manual.
Grill or opening must be within 2" of chase top/ceiling.

NOTE: To vent the fireplace chase, removal of vent shields from the fireplace is required.




















FIND YOUR **SOLACE**

Imagine lively gatherings or times of quiet reflection in front of the beautiful **SOLACE II**.

Available in two sizes, the SOLACE allows you to transform your fireplace into something truly unique.

Choose the SOLACE II decorative rated fireplace for ambiance and taking the chill out of the room or choose the Solace models (heater rated version) for additional warmth.

STANDARD FEATURES

- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Dual burner with Realistic Flame Pattern
- · Safety Screen Barrier



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Designer Clean View Circulating Kit:

No Louvers Required

Louvers:

Grills available in Black

Fan Kit:

Heat activated with variable speed control

Accessories:

Log sets or rock sets required

Liners:

Porcelain Reflective Liner or Brick Liners



ACCESSORY OPTIONS

(LOG SET OR ROCK SET REQUIRED FOR EACH UNIT)

LOG SETS

ROCKS SUPPORT PLATFORM REQUIRED – SOLACE ONLY



LOGF36 Fibre Split Oak (SOLACE)



MQLOGC45 Burnt Oak (SOLACE II)



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set

PL Porcelain Reflective Liner



RLH Herringbone Brick Liner



RRH Red Herringbone Brick Liner



RLT Traditional Brick Liner

REMOTE CONTROLS

On/Off, Thermostat On/Off or Thermostat with Flame Modulating and or Fan Control





THERMOSTATS

Wall Mount Thermostat or Programmable Thermostat







SOLACE

MQHBZDV3636N/NE MQHBZDV3636LP/LPE MQHBZDV4236N/NE MQHBZDV4236LP/LPE HBZDV4736N/NE Model HBZDV4736LP/LPE Flue Top Top Top Top Top Top Fuel Natural Propane Natural Propane Natural Propane 30.500 BTU 36.000 BTU Input Max. 29.000 BTU 30.500 BTU 29.000 BTU 40.000 BTU Input Min. 20,600 BTU 22,200 BTU 20,600 BTU 22,200 BTU 27,000 BTU 30,000 BTU FE (P.4.1-15) 61.98% / 63.92% 67.63% / 69.25% 61.98% / 63.92% 67.63% / 69.25% 60.39% / 61.88% 53.79% / 54.9% Log Set LOGF36 LOGF36 LOGF36 LOGF36 LOGF36 LOGF36


CORNER FRAMING DIMENSIONS (INCHES):

LOUVERED UNITS

SOLACE 11

Model HBZDV3624N/NE HBZDV3624LP/LPE HBZDV4224N/NE HBZDV4224LP/LPE Flue Top Top Top Top Fuel Natural Propane Natural Propane Input Max. 24,000 BTU 22,000 BTU 24,000 BTU 22,000 BTU Input Min. 14,000 BTU 15,000 BTU 14,000 BTU 15,000 BTU FE (P.4.1-15) 50.48% / 52.3% 52.59% / 54.24% 55.69% / 57.81% 57.03% / 59.09% Log Set MQLOGC45 MQLOGC45 MQLOGC45 MQLOGC45

TOD FILLE	Ша	ght	Eront	Width	Depth		
TOP FLUE MODEL	Actual	Framing	Actual	Framing	Actual	Framing	
LOUVERS							
HBZDV36	34 ¹³ / ₁₆ "	35"	36"	36 %"	16 7/16"	17"	
HBZDV42	37"	37 3/8"	41 1/8"	42 3/8"	16 1/16"	17"	
HBZDV47	43 1/16"	43 1/8"	47 1/16"	47 3/8"	19 7/16"	19 1/2"	
CLEAN VIEW	CIRCULATI	NG KIT					
HBZDV36	34 11/16"	41"	38 1/16"	38 7/16"	18 %"	19 ½"	
HBZDV42	36 ¹³ / ₁₆ "	43"	42 1/16"	42 1/16"	18 ¹⁵ / ₁₆ "	19 ½"	
HBZDV47	49"	49 1/8"	48 1/16"	48 3/8"	21 15/16"	22"	



TOP FLUE	MODEL	VIEWING	AREA
-----------------	-------	---------	-------------

	Height	Width						
HBZDV36	29 3/4"	18 5/8"	HB	BZDV36	HE	BZDV42	НВ	ZDV47
HBZDV42	33 %"	20 3/8"	Α	54 ¹³ / ₁₆ "	Α	58 ¹³ / ₁₆ "	Α	65 ¼"
HBZDV47	39 1/2"	26 3/8"	В	36 %"	В	42 3/8"	В	47 3/8"
			С	36"	С	41 1/8"	С	47 1/16"
			D	9 3/16"	D	8 1/4"	D	8 15/16"
			Ε	38 ¾"	Ε	41 5/8"	Ε	46 1/8"
		QHBZDV4236N	F	12 3/8"	F	13 ¾"	F	13 15/16"
Direct Vent Fire Split Oak Log S			G	17 %16"	G	19 ½"	G	19 11/16"
HB42RLT Tradi			Н	27 3/8"	Н	29 1/16"	Н	32 5/8"

CORNER FRAMING DIMENSIONS (INCHES): CLEAN VIEW CIRCULATING KIT (CVK)

HBZDV36		НВ	ZDV42	HBZDV47		
Α	59 %"	Α	63 13/16"	Α	70 3/16"	
В	38 1/16"	В	42 1/16"	В	48 3/8"	
С	38 1/6"	С	42 1/16"	С	48 1/16"	
D	10 11/16"	D	10 11/16"	D	10 %"	
Ε	42 5/16"	Ε	45 1/8"	E	49 5/8"	
F	12 3/8"	F	13 ¾"	F	13 ¹⁵ / ₁₆ "	
G	17 %16"	G	19 1/2"	G	19 11/16"	
Н	29 5/16"	Н	31 1/8"	Н	35 1/16"	



ADD SOME **SIZZLE**

Create a unique look for your fireplace
with the **SOLARA** and its sizzling selection
of custom options and quality styling.
Incredibly versatile, this fireplace is
perfectly at home with a classic mantle
or a contemporary wall surround.

STANDARD FEATURES

- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- Proprietary burner, with realistic burn
- · Mobile Home, Bedroom and Bed Sitting Room approved
- · Safety Screen Barrier



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Designer Clean View Circulating Kit (MQZDV3318 only):No Louvers Required

Surround Flatt (MQZDV3318 only): Black Coverage – 35 5/16" h x 45 13/16" w

Louvers (MQZDV3318 only): Grills available in Black

Surrounds Wide (Louvered Units, MQZDV3318 only): Black Coverage -313/16" h x 36 5/8" w

Surrounds (zcv3622 only): Black Coverage – 34 1/6" h x 39" w

Fan Kit: Heat activated with variable speed control

Accessories: Log sets or rock sets required

Liners: Porcelain Reflective Liner or Metal Brick Liners

Model MQZDV3318N/NE MQZDV3318LP/LPE ZCV3622N/NE ZCV3622LP/LPE Fuel Natural Propane Natural Propane Input Max. 19,000 BTU 18,000 BTU 18,000 BTU 18,000 BTU Input Min. 12,100 BTU 11,900 BTU 13,000 BTU 15,000 BTU **FE (P.4.1-15)** 51.72% / 54.25% 55.49% / 57.91% 60.54% / 63.46% 62.09% / 65.09%

ACCESSORY OPTIONS

(LOG SET OR ROCK SET REQUIRED FOR EACH UNIT)

LOG SETS

MQLOGC22 Split Oak Log Set

MQLOGC23 Driftwood Log Set

ROCKS

MQRSP5 SUPPORT PLATFORM REQUIRED




MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set

LINERS



ZCV3622ML Metal Brick Liner



ZCV3622PRL Porcelain Reflective Liner

WALL SURROUND



FLATT (MQZDV3318 only)

THERMOSTATS

Wall Mount Thermostat or Programmable Thermostat



REMOTE CONTROLS

On/Off, Thermostat, Thermostat/Modulating











1: MQZDV3318N Zero Clearance Direct Vent Natural Gas Fireplace, MQLOGC22 Oak Log Set, VI30GBL Black Grill Kit.



2: MQZDV3318N Zero Clearance Direct Vent Fireplace – Natural Gas, MOROCK2 Contemporary Rock Collection, MQRSPS Rock Support Platform, Z33CVCK Designer Clean View Circulating Kit, MQ33SWFBL Flatt Wall Surround – Black, Z3318PRL Porcelain Reflective Liner.



	UVERED FRAMING MENSIONS (INCHES)	CLEAN VIEW FRAMING DIMENSIONS (INCHES)				
MC	QZDV3318	MC	QZDV3318	ZC	V3622	
Α	43 ¾"	Α	48 %"	Α	53 ½"	
В	33"	В	33 %"	В	36 %"	
С	32 ½"	С	33 %16"	С	8 %16"	
D	5 3/8"	D	7 1/2"	D	12"	
Ε	31"	Ε	34 %16"	Ε	37 %"	
F	8 1/2"	F	8 1/2"	F	24 ¾"	
G	12"	G	12"	G	-	
Н	21 %"	Н	24 1/16"	Н	-	



TOP FLUE	Height		Front Width		Depth	
MODEL	Actual	Framing	Actual	Framing	Actual	Framing
LOUVERS						
MQZDV3318	30 3/8"	31"	32 %"	33"	15 ¾"	15 1/4"
CLEAN VIEW (CIRCULA	TING KI	r (CVCK)		
MQZDV3318	30 %"	33 ¾"	33 %16"	33 %"	18 %16"	17 3/4"
7CV3622	33 1/2"	37 1/4"	36"	36 3/s"	17 7/16"	17 1/2"

Height Width

25 1/2" 14 5/16"

29 3/4" 18 5/8"

TOP FLUE MODEL VIEWING AREA

MQZDV3318

ZCV3622









FREE STANDING DIRECT VENT GAS STOVE

GET THE BEST VANTAGE

Every angle gives you a beautiful view of the flames with the **VANTAGE**.

This contemporary take on a classic woodstove adds warmth with 3-sided glass and sleek charcoal finish with flat black or stainless steel accents. Amp up the impact with your choice of log sets, decorative stones, rocks, and cannonballs

or even ember glass.

STANDARD FEATURES

- Dual burner system, with Realistic Flame Pattern
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Heat radiating ceramic glass
- · Mobile home approved
- Approved for installation in abedroom or bed sitting room
- Proflame II Models include Remote Control Features flame, fan, thermostat, smart thermostat (FDV451NE2, FDV451LPE2, MQFDV453NE2 and MQFDV453LPE2 Models only)

OPTIONAL FEATURES

Fan Kit: Heat activated with variable speed control

Colour Options: Charcoal with your choice of accent colour: Flat Black or Stainless, with matching side panels

Media: Contemporary Rocks, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs

Log Sets: Driftwood or Oak

Liners: Traditional, Herringbone or Black Fluted Refractory Brick Liner, or Porcelain Reflective Liner

Thermostat: Wall Mount Thermostat or Programmable Thermostat

Remote Controls (Millivolt or IPI PF1):

Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control



SAFETY SCREEN BARRIER







Model Fuel **Gas Control** Input Max.

Input Min.

Glass

FE (P.4.1-15)

FDV451LP FDV451LPE2 Propane Millivolt / IPI 31,000 BTU 24,500 BTU 65.89% / 67.72% 72.14% / 74.06% Single


Natural Millivolt / IPI 34,500 BTU 23,750 BTU Three

MQFDV453N MQFDV453LP MQFDV453NE2 MQFDV453LPE2 Propane Millivolt / IPI 31,000 BTU 24,500 BTU 65.89% / 67.72% 72.14% / 74.06% Three



F45LG Optional Log Grate

COLOUR



FDV451N

Natural

FDV451NE2

Millivolt / IPI

34,500 BTU

23,750 BTU

Single









Traditional **Brick Liner**

S SE LOG

OPTIONS

MEDIA



LOGF451 Oak Log Set



MQLOGF452 MQLOGF453 Driftwood Driftwood Log Set Log Set



Herringbone **Brick Liner**



Fluted Liner







Ember Glass

MQG5A MQG5B Cobalt Black



MQG5C Bronze



MQG5W White **Ember Glass**



MQEMBER Ember Chunks




MQSTONE Decorative Stones



MQROCK2 Natural Rock Set

Ember Glass



MQROCK3 Multi-Colored Rock Set



RBCB1 Multi-Colored Cannonballs






FDV451N Free Standing Stove — Natural Gas, F450FBL Door Front
— Charcoal with Black Posts, F451SDSBL Side Doors — Solid Charcoal
Panel with Black Frame, M0G5C Bronze Glass (x3), M0R0CK3 Rock
Set — Multi-Colored, F451RL1 Traditional Brick Liner, F45FK Fan Kit.

FDV451N Free Standing Direct Vent Stove — Natural Gas, F450FBL Door Front — Charcoal with Black Posts, F45fD58L Side Doors — Solid Charcoal Panel with Black Frame, MOGSC Bronze Glass (x3), RBCB1 Cannonballs, F45LG Log Grate, F45FK Fan Kit.

MQFDV453N Free Standing Stove — Natural Gas, F450FBL Door Front — Charcoal with Black Posts, M045350BL Side Doors with Black Frame and Charcoal Panel, MQ65C Bronze Glass (x3), MQ5TONES Decorative Stones, MQ451RLH Herringbone Brick Liner, F45FK Fan Kit.



MQZCV48

A 27 1/8"B 7"C 4"

D 20" **E** 26"

F 1 1/4"
G 4"
H 11 5/16"

I 16 15/16"
J 33 1/2"

K 20 1/8"
L 5 3/8"
M 15"

N 10 5/8"O 19 3/4"

P 20 5/16"

Q %16"

MINIMUM CLEARANCES TO COMBUSTIBLES:


36" from front of unit 15 $\frac{1}{2}$ " from side of unit 2 $\frac{1}{2}$ " from back of unit

ALCOVE INSTALLATION:

48" depth (max.) 71 ½" height (min.) 58" width (min.)



Stainless Steel and Flat Black Vent Lid







DIRECT VENT GAS FIREPLACE INSERT

INSERT YOUR STYLE HERE

Transform your existing wood burning

fireplace into an updated focal point with

the CAPELLA 26 insert. Beautifully crafted,

the Capella features the expansive Clean

View and adapts easily to your style.

STANDARD FEATURES

- Dual Burner with glowing embers and decorative ash bed
- Millivolt valve system allows operation during power failure with adjustable flame control
- · Matchless Piezo Ignition
- · Heat radiating Ceramic Glass
- On/Off Rocker switch
- Heat activated blower with variable speed control
- Proflame II Models include Remote Control Features flame, fan, thermostat, smart thermostat (IDV26NE2, IDV26LPE2 Models only)
- Safety Screen Barrier

OPTIONAL FEATURES

Clean View Kit: Black

Picture Frame Clean View: Black

Surrounds: Black

Surrounds Picture Frame: Black

Media (Glass or Rock Support Platform Required): Contemporary Rocks,
Driftwood Set, Decorative Stones, Decorative Ember Glass (Glacier Ice,

Cobalt Blue, Black, Bronze, White), or Ember Chunks

Log Sets: MQLOGF26 Fibre Split Oak or LOGF27 Fibre Split Oak

Liners: Porcelain Reflective Liner or Brick Refractory Liner (Traditional)

Wall Mount Thermostat: Standard On/Off or Programmable

Remote Control: On/Off, Thermostat, Modulating Thermostat



SAFETY SCREEN BARRIER



CAPELLA 26

Model	Fuel	Gas Control	Input Max.	Input Min.	FE (P.4.1-15)
IDV26N	Natural	Millivolt / IPI	30,000 BTU	21,000 BTU	58.82%
IDV26NE2	Propane	Millivolt / IPI	30,000 BTU	21,000 BTU	60.27%
IDV26LP	Natural	Millivolt / IPI	30,000 BTU	25,000 BTU	58.82%
IDV26LPE2	Propane	Millivolt / IPI	30,000 BTU	25,000 BTU	60.27%

ACCESSORY OPTIONS

LOG SET OR ROCK SUPPORT PLATFORM OR GLASS MEDIA REQUIRED **FOR EACH UNIT**

MEDIA OPTIONS (GLASS TRAY REQUIRED)



Zircon Glacier Ice Glass



Cobalt **Ember Glass**



Black



Ember Glass



Fibre Split Oak



MQEMBER Ember Chunks



MQG5C Bronze **Ember Glass**



MQG5W White



Ember Glass



Decorative Natural Stones Rock Set



Multi-Colored Rock Set

LOG SETS



MQLOGF26



Fibre Split Oak

LINERS



IDV26RL Traditional



IDV26PRL Porcelain **Brick Liner** Reflective Liner

TRIM OPTIONS











MINIMUM FIREPLACE OPENING

MODEL	WIDTH	HEIGHT	DEPTH
IDV26	33 "/28"*	21 3/8"	14 3/8"

*Components In (CV1) 33", Components Out (CV2) 28"

MINIMUM UNIT COVERAGE

IDV26	WIDTH	HEIGHT
I26CV1 (Clean View – CV1)* I26CV2 (Clean View – CV2)*	34 ½" 41 ½"	22" 25 ½"
I26CV3 (Clean View – CV3)*	34"	22"

*Back Frame Dimension of Clean View Kit

CLEAN VIEW AND SURROUND SIZES

Clean View Three Sided 126CV1				
126CV1	IDV26	WIDTH	HEIGHT	DEPTH
126CV2	(Clean View Three Sided)			
126CV3 35 \(\frac{5}{6} \) 22 \(\frac{3}{4} \) 3 \(\frac{1}{2} \) 126CVPF1 35 \(\frac{5}{6} \) 25 \(\frac{7}{6} \) 126CVPF2 44 \(\frac{7}{6} \) 33 \(\frac{1}{2} \) 126S1 42" 27 \(\frac{1}{2} \) 126SU* 47 \(\frac{1}{2} \) 28 \(\frac{5}{6} \) 126SPF1 39 \(\frac{3}{6} \) 29 \(\frac{3}{6} \)	126CV1	35 ⅓"	22 3/4"	1 3/4"
(Clean View Picture Frame) 126CVPF1 35 5%" 25 7%" 126CVPF2 44 7%" 33 ½" (Surrounds – Three Sided) 126S1 42" 27 ½" 126SU* 47 ½" 28 5%" (Surrounds – Picture Frame) 126SPF1 39 3%" 29 3%"	126CV2	44 5/8"	26 5/8"	1 3/4"
26CVPF1 35 5%" 25 7%"	126CV3	35 5/8"	22 3/4"	3 1/2"
126CVPF2	(Clean View Picture Frame)			
(Surrounds – Three Sided) 126S1 42" 27 ½" 126SU* 47 ½" 28 5%" (Surrounds – Picture Frame) 126SPF1 39 3%" 29 3%"	I26CVPF1	35 5⁄8"	25 ⁷ / ₈ "	
126S1 42" 27 ½" 126SU* 47 ½" 28 5%" (Surrounds – Picture Frame) 126SPF1 39 3%" 29 3%"	I26CVPF2	44 1/8"	33 ½"	
126SU* 47 ½" 28 5%" (Surrounds – Picture Frame) 126SPF1 39 3%" 29 3%"	(Surrounds – Three Sided)			
(Surrounds – Picture Frame) 126SPF1 39 3/4" 29 3/4"	126S1	42"	27 1/2"	
126SPF1 39 ³ / ₈ " 29 ³ / ₄ "	I26SU*	47 1/2"	28 5/8"	
	(Surrounds – Picture Frame)			
126SU* 47 ½" 35 5%"	126SPF1	39 ¾"	29 3/4"	
	I26SU*	47 ½"	35 5/8"	

 $^*\mbox{Universal}$ Surround can be cut to size for custom application.

- IDV26N Direct Vent Insert Natural Gas, MQLOGF26 Log Set, I26CVPF2BL Clean View Picture Frame Black, IDV26RL Refractory Brick Liner.
- 2. IDV26N Direct Vent Insert Natural Gas, MQLOGF26 Log Set, I26CV3BL Clean View – Black, and IDV26RL Brick Liner.
- 3. IDV26N Direct Vent Insert Natural Gas, I26CV1BL Clean View Black, MQLOGF26 Log Set, I26S1BL Surround –Black, IDV26RL Refractory Brick Liner.



Unit Illustrated: Model IDV26N Direct Vent Insert – Natural Gas, I26CV2BL Clean View – Black, MQROCK3
Contemporary Rock Collection – Multi-Colored, MQRSP4 Rock Support Platform, IDV26PRL Porcelain Reflective Liner.



DIRECT VENT GAS FIREPLACE INSERT

INSERT YOUR STYLE HERE

Transform your existing wood burning

fireplace into an updated focal point with the

CAPELLA 33/43 insert. Beautifully crafted,

the Capella features the expansive Clean

View and adapts easily to your style.

STANDARD FEATURES

- Dual Burner with glowing embers and decorative ash bed
- Millivolt or IPI (intermittent pilot ignition) valve system allows operation during power failure with adjustable flame control
- Heat activated blower with variable speed control
- Heat radiating Ceramic Glass
- · On/Off Rocker switch
- Proflame II Models include Remote Control Features flame, fan, thermostat, smart thermostat (IDV33NE2, IDV33LPE2, IDV43NE2, IDV43LPE2 Models only)
- · Safety Screen Barrier

OPTIONAL FEATURES

Clean View Kit: Black (I33CV/I43CV1 Pewter and Copper Vein available)

Surrounds for Clean View: Black (I33SR2/I43S4432 Pewter and Copper Vein available)

Surround Picture Frame for Clean View: Black

Louver Kit: Grills (Black)

Surrounds for Louver Kit: Black

Media (Glass or Rock Support Platform Required): Contemporary Rocks, Driftwood Set, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), or Ember Chunks

Log Sets: Fibre Split Oak or Driftwood (Requires the use of MQRSP11)

Liners: Porcelain Reflective Liner or Brick Refractory Liner [Traditional, Herringbone (IDV43 only), or Black Fluted (IDV33 only)]

Designer Door or Frame: Black with Safety Screen (Requires CV5)

Wall Mount Thermostat: Standard On/Off or Programmable

Remote Control (Millivolt or IPI PF1): On/Off, Thermostat, Modulating Thermostat



SAFETY SCREEN BARRIER









CAPELLA 33 / 43

CHOOSE SIZE & FUEL TYPE

Model	Fuel	Input Max.	Input Min.	FE (P.4.1-15)	Flue Sizes	:	Model	Fuel	Input Max.	Input Min.	FE (P.4.1-15)	Flue Sizes
IDV33N	Natural	31,000 BTU	20,900 BTU	50.43%	3/3	:	IDV43N	Natural	34,250 BTU	24,000 BTU	60.18%	4/3"
IDV33NE/NE2	Natural	31,000 BTU	20,900 BTU	51.74%	3/3"	:	IDV43NE/NE2	Natural	34,250 BTU	24,000 BTU	61.7%	4/3"
IDV33LP	Propane	28,500 BTU	23,100 BTU	56.26%	3/3"		IDV43LP	Propane	30,000 BTU	22,840 BTU	60.2%	4/3"
IDV33LPE/LPE2	2 Propane	28,500 BTU	23,100 BTU	58.34%	3/3"	:	IDV43LPE/LPE2	Propane	30,000 BTU	22,840 BTU	61.85%	4/3"

ACCESSORY OPTIONS

LOG SET OR ROCK SUPPORT PLATFORM OR GLASS MEDIA REQUIRED FOR EACH UNIT

MEDIA OPTIONS (GLASS TRAY REQUIRED)



Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**





Driftwood Fibre Split Oak Log Set

MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set

DESIGNER DOORS & FRAMES





Designer Frame Designer Door

TRIM OPTIONS

Black







LINERS

LOG SETS



Log Set

Herringbone **Brick Liner** (IDV43 Only)



Fluted Liner



Traditional **Brick Liner**



Porcelain Reflective Liner



MINIMUM FIREPLACE OPENING

MODEL	Width	Height	Depth	:	MODE
IDV33	26 1/4"	21 3/8"	14 ³ / ₈ "		IDV4

LOUVER KIT AND SURROUND SIZES

IDV33	Width	Height
I33LK (Louver Kit)	34 1/2"	24 3/8"
133S3426 (Surround)	34 1/2"	26 1/2"
133S4028 (Surround)	40"	28 1/8"
133S4430 (Surround)	44"	30 5/8"
I33USR4BL (Surround Universal)	45"	35"

MODEL	Width	Height	Depth
IDV43	30 3/4"	25 5/8"	14 ³ / ₄ "

IDV43 Width	
I43LK (Louver Kit) 39" I43LKS1BL (Surround Universal) 39" I43LKS2BL (Surround Universal) 44" I43US4736BL (Surround Universal) 47"	28 ³ / ₄ " 31 ³ / ₄ " 32 ³ / ₈ " 36"

CLEAN VIEW AND SURROUND SIZES

Minimum Fireplace Opening: 26 3/8"W x 21 3/8"H x 14 3/8"D					
IDV33 INSERT	Width	Height	Depth		
133CV (Clean View)** 133CV3 (Clean View)** 133SR2 (Surround) 133SRP3 (Surround Picture Frame) 133USR4 (Surround Universal)	33 ³ / ₈ " 33 ⁵ / ₈ " 39" 41" 45"	23"/24 ⁵ / ₁₆ " 23 ¹ / ₈ "/24 ⁵ / ₁₆ " 27" 31" 35"	2 ½" 4 ½" 5/8" 5/8"		
133CV5 (Clean View) 133BT1 (Back Trim Surround)* 133USR4 (Surround Universal)	37 1/8" 39" 45"	25 ¼" 26" 35"	2 ⁵ / ₁₆ " 1 ¹ / ₄ " 1/ ₁₆ "		
I33CVPF5 (Clean View Picture Frame)	37 1/8" 41"	25 ¹ / ₄ " 31"	2 ⁵ / ₁₆ " 1 ¹ / ₄ "		

 $^{^{*}}$ Back Trim Surround required if the fireplace opening is smaller than 29 3/8"W x 22 3/8"H x 16 1/8"D.

Note: When Using I33CV5/I33CVPF5 Clean View a Door Frame or Designer Door Frame is Required.

^{**}CV and CV3 have a tapered profile.

Minimum Fireplace Opening: 29 3/8"W x 22 3/8"H x 16 1/8"D					
IDV33 INSERT	Width	Height	Depth		
I33CV5 (Clean View)	37 1/8"	25 1/4"	2 5/16"		
I33SR2 (Surround)	39"	27"	5/8"		
I33USR4 (Surround Universal)	45"	34"	1/16"		
I33CVPF5 (Clean View Picture Frame)	37 1/8"	25 1/4"	2 1/4"		
I33SRP3 (Surround Picture Frame)	41"	31"	5/8"		

Note: When Using I33CV5/I33CVPF5 Clean View a Door Frame or Designer Door Frame is Required.

Minimum Fireplace Opening	j: 30 ³/4"	W x 25 5⁄8"H x	14 ³/4"D
IDV43 INSERT	Width	Height	Depth
I43CV1 (Clean View)**	37 1/2"	27 1/4"/28 3/4"	2 1/2"
I43CV3 (Clean View)**	37 3/4"	27 3/8"/28 3/4"	4 1/8"
143S4432 (Surround)	44"	32"	5/8"
143US4736 (Surround Universal)	47"	36"	¹ / ₁₆ "
I43SPF1 (Surround Picture Frame)	43 1/2	33 3/8"	1/2"
I43CV5 (Clean View)	41 3/16"	29 1/16"	2 5/6"
I43BT4230 (Back Trim Surround)*	42"	30"	11/4"
I43BT4432 (Back Trim Surround)*	44"	32"	11/4"
I43US4736 (Surround Universal)	47"	36"	¹ / ₁₆ "

^{*} Back Trim Surround required if the fireplace opening is smaller than 33 1/2"W x 26 5/8"H x 16 5/8".

Note: When Using I43CV5/I43CVPF5 Clean View a Door Frame or Designer Door Frame is Required.

^{**}CV1 and CV3 have a tapered profile.

Minimum Fireplace Opening: 33½"W x 26 5%"H x 16 5%"D					
IDV43 INSERT	Width	Height	Depth		
I43CV5 (Clean View)	41 3/16"	29 1/16"	2 1/4"		
143S4432 (Surround)	44"	32"	5/8"		
I43US4736 (Surround Universal)	47"	36"	1/ ₁₆ "		

Note: When Using I43CV5 Clean View a Door Frame or Designer Door Frame is Required.




Unit Illustrated: IDV43N Direct Vent Insert – Natural Gas, I43CV1BL
Clean View – Black, MQRSP8 Glass Support Platform, MQSTONE
Decorative Stones, IDV36PRL Porcelain Reflective Liner.



Unit Illustrated: IDV43N Direct Vent Insert – Natural Gas, I43CV1BL
Clean View – Black, MQRSP8 Glass Support Platform, MQG5A Decorative
Ember Glass – Cobalt Blue, IDV36PRL Porcelain Reflective Liner.









ZERO CLEARANCE DIRECT VENT PENINSULA GAS FIREPLACE

HEART OF THE HOME

When the view is this good, you want to be able to see it from every angle. That's why the **ATRIUM** is an ideal 3-sided designer option to divide entertaining areas and create maximum impact and warmth.

Our Peninsula can be customized with your choice of brick liner, driftwood, logs, ember glass or rocks.

STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Safety Screen Barrier



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Media Options (Glass Tray Required): Contemporary Rocks, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs

Accent lighting: for use with glass tray

Log Sets (Log Grate or Glass Tray Required):

Two Driftwood Sets (6 or 8 Piece), Two Oak Sets (7 or 8 Piece)

Liners: Porcelain Reflective or Traditional Brick


Thermostat: Wall Mount Millivolt or Programmable

Remote Controls: Thermostat on/off, Thermostat on/off modulating,

Thermostat on/off modulating and light control

CHOOSE LOG GRATE & LOG SET OR GLASS TRAY & MEDIA (REQUIRED FOR EACH UNIT)

LOG SETS



M42LOG4 8 Piece Oak Log Set



MQ42LOG2 7 Piece Oak Log Set



M42LOG3 6 Piece Oak Driftwood Set



MQ42LOG1 8 Piece Oak Driftwood Set

MEDIA OPTIONS



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt Ember Glass



MQG5B Black Ember Glass



MQG5C Bronze Ember Glass



MQG5W White Ember Glass



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set



RBCB1 Multi-Colored Cannonballs

LINERS



Traditional Brick Liner



Porcelain Reflective Liner

THERMOSTATS

Wall Mount Thermostat or Programmable Thermostat



REMOTE CONTROLS

Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and light control









Unit Illustrated: MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, MQG5ZG Glas Media – Zircon Ice x (5), MP42PL Porcelain Reflective Liner.




Unit Illustrated: MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, MQG5ZG Glass Unit Illustrated: MCVP42NH Peninsula Fireplace – Natural Gas, M42LG Log Grate, MQ42LOG2 Oak Log Set, MP42RIT Traditional Brick Liner.




Unit Illustrated: MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, MQG5C Glass Media – Bronze x (5), MQSTONE Decorative Stones, MP42PL Porcelain Reflective Liner.



Unit Illustrated: MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, MQG5C Glass Media – Bronze x (5), MQROCK2 Rock Set – Contemporary Collection – Natural, MP42PL Porcelain Reflective Liner.







ZERO CLEARANCE DIRECT VENT SEE-THROUGH GAS FIREPLACE

TWO SIDES TO THIS STORY

With an expansive glass viewing area and

clever designer options, we thought the

Bentley was pure designer perfection.

Then we introduced the see-through

BENTLEY ST which means you get the

same view ... twice! Being able to enjoy

the beauty and warmth from both sides

means we've doubled the reasons to love

the Bentley ST.

STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Safety Screen Barrier



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Fan Kit: Heat activated with variable speed control

Designer Doors: Three styles – Arch, Straight Black (2 options)

Surrounds: Hearth Mount, Picture Frame, Slim Line Picture Frame

Hearth Mount 4" Wide (Covers 44 5%" W x 38 1%" H) Picture Frame 4" Wide (Covers 44 5%" W x 40 1%" H) Picture Frame 1 5%" Wide (Covers 40 1%" W x 35 5%" H)

Liners: Porcelain Reflective or Traditional Brick

Glass Tray: Contemporary Rocks (2 options), Driftwood Set, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs

Accent Lighting: for use with the Glass Tray

Log Sets: Two Driftwood Sets (6 or 8 Piece), Two Oak Sets (7 or 8 Piece)


Remotes Controls: Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan/light control

Thermostats: Wall Mount or Programmable

ACCESSORY OPTIONS

CHOOSE LOG GRATE & LOG SET OR GLASS TRAY & MEDIA (REQUIRED FOR EACH UNIT)

LOG SETS



M42LOG4 8 Piece Oak Log Set



MQ42LOG2 7 Piece Oak Log Set



6 Piece **Driftwood Set**



MQ42LOG1 8 Piece **Driftwood Set**

MEDIA OPTIONS (GLASS TRAY REQUIRED)



Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set



RBCB1 Cannonballs



Multi-Colored

REMOTE CONTROLS



LINERS

Traditional **Brick Liner**



Porcelain Reflective Liner


Thermostat on/off, Thermostat on/ off modulating, Thermostat on/off modulating and light control





DESIGNER DOORS







WALL SURROUND

Black

THERMOSTATS

Wall Mount or Programmable









MCVST42NH See-Through Fireplace — Natural Gas, ZCV42S1BL Surround — Hearth Mount 4" Wide, MST42GT Glass Tray, MGG5C Glass Media — Bronze x (5), MQROCK2 Rock Set — Contemporary Collection — Natural, MST42PL Porcelain Liner.



MCVST42NH See-Through Fireplace – Natural Gas, ZCV42S1PFBL Surround Picture Frame 4" Wide, MST42GT Glass Tray, MOG5C Glass Media – Bronze x (5), RBCB1 Cannonballs, MST42PL Porcelain Liner.




MCVST42NH See-Through Fireplace — Natural Gas, ZCV42S2PFBL Surround Picture Frame 15/8" Wide, MST42GT Glass Tray, MQG5ZG Glass Media — Zircon Ice x (2), MST42PL Porcelain Liner.








Model	MCVST42N/NE	MCVST42LP/LPE	MCVST42NH/NHE	MCVST42LPH/LPHE
Fuel	Natural	Propane	Natural	Propane
Gas Control	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI	Millivolt / IPI
Input Max.	30,250 BTU	29,000 BTU	31,000 BTU	29,250 BTU
Input Min.	20,750 BTU	23,000 BTU	21,000 BTU	23,000 BTU
FE (P.4.1-15)	57.56% / 59.55%	58.56% / 55.32%	66.45% / 68.58%	67.88% / 70.36%
Glass Type	Tempered	Tempered	Ceramic	Ceramic





MODEL	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framii
MCVST42	51 1/4"	51 3/8"	43 1/16"	43 1/8"	24 1/4"	23 1/1

MC	QRB4436	D	27 3/16"	Н	3 1/8"	L	24 1/4"
Α	43 1/16"	Ε	2 1/2"	1	3 1/2"	М	24 1/4"
В	37 1/16"	F	32 1/2"	J	7 1/4"	N	51 1/4"
С	33 11/16"	G	2"	K	23 1/8"	0	42 %"

UNITS ILLUSTRATED Top Left: Model MCVST42NH See-Through Fireplace – Natural Gas, MST42GT Glass Tray, MQG5C Glass Media – Bronze x (5), MQSTONE Decorative Stones, MST42PL Porcelain Liner. Left: Model MCVST42NH See-Through Fireplace – Natural Gas, ZCV42S1PFBL Surround Picture Frame 4" Wide, MST42GT Glass Tray, MQG5ZG Glass Media – Zircon Ice x (5), MST42PL Porcelain Liner.



ZERO CLEARANCE DIRECT VENT BAY PENINSULA GAS FIREPLACE

Unit Illustrated: Model MQVLB48NE2 Bay Peninsula Direct Vent Fireplace – Natural Gas, VL48EG Grill Kit for Enclosure, MQG5W Glass Media – White (x2), MQVL48RGB Reflective Glass Liner – Back. (Chase must be vented below and above appliance – consult manual for instructions).

CREATING A **NEW DIMENSION**

Its wraparound view captivates from every angle. Luring you in with its three-dimensional sightlines, the new **ENCLAVE** from Marquis creates a sleek and cleverly designed gathering point for the heart of your home.

Amazingly versatile, this beguiling fireplace
adapts to suit any room with options for
a Single Side, Corner or a Bay Peninsula.
It transforms completely with your choice
of fireplace liner and accessories that range
from driftwood logs and contemporary rocks
to cannonballs and glass.

STANDARD FEATURES

- · Accent Lighting
- Proflame II Models include Remote Control with the following features: flame adjustment, thermostat, smart thermostat and accent lighting control



- Zero Clearances to TVs and Artwork
- Flexible Venting and Design Options
- Invisible Glass Safety Barrier

OPTIONAL FEATURES

Surround: Black or Stainless; Single-Sided Models only

Liner: Porcelain Reflective, Reflective Glass Liner or Fluted Brick Liner

Media Options: Contemporary Rocks, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs


Driftwood Log Sets: Four Piece Driftwood Set with Four Rocks, Three or Five Piece Driftwood Set, Three Piece Large Driftwood Set, or Six Piece Driftwood Log Set

Enclosure Grill: Unfinished

Corner Kit: Available for Bay Peninsula Unit

Side Extension Panels: Black; Single-Sided Models only

Heat Distribution System: Plenum



Black

With the vented chase technology you may now cover the fireplace with combustible materials up to the glass door opening. Follow the instructions in the manual for venting the chase (above and below the appliance is required).



MODEL MQVLB48NE2 MQVLB48LPE2 MQVL48NE2 MQVL48LPE2 SINGE-SIDED Type **BAY PENINSULA BAY PENINSULA** SINGLE-SIDED Fuel Natural Propane Natural Propane IPI PF2 IPI PF2 IPI PF2 IPI PF2 Gas Control Input Max. 35,000 BTU 35,000 BTU 35,000 BTU 35,000 BTU Input Min. 25,000 BTU 27,000 BTU 25,000 BTU 27,000 BTU 5/8" 5/8" Venting 5/8" 5/8" Glass Size 48 ³/₈" W x 17 ⁷/₈" H Ceramic Ceramic Glass Type Ceramic Ceramic FE (P.4.1-15) 54.32% 54.32% 54.32% 54.32%

ACCESSORY OPTIONS

DRIFTWOOD LOG SETS



MQRDB2 3-Piece Driftwood Log Set



MQRBD1 4-Piece **Driftwood Set** with 4 Rocks



MQRBD3 (5-Piece) or MQRBD4 (3-Piece) **Driftwood Set**



MQLOGF48D 6-Piece Driftwood Log Set





Fluted Liner (Single-Sided Models only)

MEDIA OPTIONS



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set





RBCB1 Multi-Colored Cannonballs



Unit Illustrated: Model MOVLB48NE2 Bay Peninsula Direct Vent Fireplace – Natural Gas, VLBCK48 Corner Kit, MOG5C Glass Media – Bronze (x2), MQSTONE Decorative Stones, VL48EG Grill Kit for Enclosure. (Chase must be vented below and above appliance – consult manual for instructions).

PRODUCT DIMENSIONS





K 7 5/16"

L 36 1/4"

M 4 %16"

N 18"


0 15 1/4"

A 18 ¹³/₁₆" **G** 36 5/16"


F 54 15/16"

- C 56 ½" H 15 1/4" **D** 9 3/4" 9/16"
- E 46 3/8 J 4"


SIDE VIEW - SINGLE SIDED



SIDE VIEW - BAY PENINSULA



WALL SURROUND (MQVL48S1)




MQVL48S1

P 8 1/4"


Q 9 3/4"

- **A** 58 1/16" B 18 1/2"
- C 11/2" D 11/2"
- VL48SEP
- A 17 %" **B** 17 1/8"
- C 18 3/8" **D** 18 3/16" E ½"

SIDE EXTENSION PANELS



ENCLOSURE GRILL (VL48EG)



SIDE VL48EG VIEW G 49 3/4" H 4 13/16" 48 1/2" J 24 1/4" K 3 ½"

THE FIREPLACE CHASE MUST BE VENTED BOTH ABOVE AND BELOW APPLIANCE.

Ventilation required above the appliance is 151 sq./inches.

Ventilation required below the appliance is 84 sq./inches.



Unit Illustrated: Model MQVL48NE2 Direct Vent Fireplace – Natural Gas, MQVL48S1BL Surround – Black, MQG5W Glass Media - White (x2), MQVL48RGB Reflective Glass Liner - Back. (Chase must be vented below

and above appliance – consult manual for instructions).

Optional front or side

enclosure grills





TWO SIDES. NO ARGUMENTS.

It's easy to agree on a fireplace when it's
this spectacular! Introducing the multi-sided

GEMINI – it's the perfect solution as a dramatic
room divider or corner focal point in a great
room. Build the hearth of your choice around
this statement fireplace and you'll find yourself
taking sides over which view is the best.

STANDARD FEATURES

- Millivolt or IPI valve system allows operation during a powerfailure with Hi/low heat and flame adjustment
- A triple burner for use with our contemporary rock collection or log set
- · Safety Screen Barrier



SAFETY SCREEN BARRIER

OPTIONAL FEATURES

Designer Clean View Circulating Kit:

No Louvers Required (Available as See-Through only, see manual for framing instructions)

Grills:

Black

Fan Kit:

Heat activated with variable speed control

Brick Refractory Liners:

End Panel, Side Panel

Thermostat*:

Wall Mount or Programmable Thermostat

Remote Control:

On/Off, Thermostat*, Thermostat* / Modulating or Thermostat* / Modulating Fan

Log Set or Contemporary Rock Collection:

MQRSP7 Rock Support Platform required for rock collection







Model	MDV31N	MDV31LP
	MDV31NE	MDV31LPE
Fuel	Natural	Propane
Input Max.	30,000 BTU	30,000 BTU
Input Min.	22,500 BTU	25,000 BTU
Glass Type	Tempered	Tempered
Bedroom Approved	Yes*	Yes*
	00 0 10/ / 00 070/	00 0 10/ / 00 07/


FE (P.4.1-15) 60.94% / 63.27% 60.94% / 63.27%

ACCESSORY OPTIONS


LOG SET OR ROCK COLLECTION (REQUIRED FOR EACH UNIT)



LOGC31 Seven Piece Cast Split Oak Log Set



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set

^{*}Must be installed with listed thermostat in Canada. Check local jurisdiction in USA. *Louvered model only.

TOP FLUE	Height		Front	Width	Depth			
MODEL	Actual	Framing	Actual	Framing	Actual	Framing		
LOUVERS								
Corner	361/8"	37"	381/6"	48 1/2"	21 11/16"	27 1/4"		
Penninsula	361/8"	37"	381/6"	48 1/2"	21 11/16"	20 5/8"		
See-Through	361/8"	37"	481/8"	411/2"	21 11/16"	20 5/8"		
CLEAN VIEW CIRCULATING KIT (CVCK)								
See-Through	41 5/8"	421/2"	381/8"	46 1/8"	26 5/8"	25 5/8"		

Consult Manual for proper framing instructions in order to meet clearances to combustibles.





Unit Illustrated: Model MDVR31N Multi-Sided Direct Vent Fireplace in Natural Gas, LOGC31 Log Set – Seven Piece Cast Split Oak, M30PK Peninsula Kit, MGPKBL Grill Kit – Black, Optional MDV38RLE Refractory Liner.

Unit Illustrated: Model MDVL31N Multi-Sided Direct Vent Gas Fireplace – Natural Gas, M30SK See-Through Kit, MQROCK2 Contemporary Rock Collection, MQRSP7 Rock Support Platform, Z36CVCK Designer Clean View Circulating Kit (x2).



ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

INFINITE POSSIBILITIES

Add a sleek stretch of dancing flames

to any room with the **INFINITE**. Completely

contemporary and endlessly flexible, the

Infinite is available in 35", 42" and 60" glass

or a two-sided option – all available with

Black and Stainless Surrounds.

STANDARD FEATURES

- SIT Valve with Hi/Lo Flame and BTU adjustment
- · Accent Lighting with Decorative (White) Glass Ember Bed
- Proflame II Models include Remote Control Features flame, thermostat, smart thermostat, accent lighting (MQRB4436NE2, MQRB4436LPE2, MQRB5143NE2, MQRB5143LPE2, MQRB6961NE2 and MQRB6961LPE2 Models only)



* Optional Fan Available for Single-Sided Models only

OPTIONAL FEATURES

Choose Gas Control: Choice of Millivolt or IPI electronic ignition system with battery backup

Choose Your View: Single-Sided or See-Through for your viewing pleasure

Choose Surround Trim Kit: Black or Stainless; Available in two sizes – Frame and Edge

Liner: Porcelain Reflective or Fluted

Media Options: Contemporary Rocks, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs

Driftwood Log Sets: Four Piece Driftwood Set with Four Rocks, Three or Five Piece Driftwood Set or Three Piece Large Driftwood Set (5143/6961 Models only)

Fan Kit: Heat activated with variable speed control (for Single-Sided Installation only)

MQRB4436N/NF MQRB4436LP/LPE Model MQRB4436NE2 MQRB4436LPE2 Fuel Natural Propane Milivolt Yes Yes 33.000 BTU Input Max. 33.000 BTU Input Min. 22,000 BTU 26,000 BTU **Glass Window** Ceramic Ceramic 35" W x 15 1/4" H Glass Size Venting 5/7" Kingsman Flex Vent FE (P.4.1-15) 53.19% / 54.87%

53.19% / 54.87%

MORB5143N/NF MQRB5143I P/I PF MQRB5143NE2 MQRB5143LPE2 Natural Propane Natural Yes Yes Yes 62.000 BTU 40.000 BTU 40.000 BTU 28,000 BTU 31,000 BTU 43,000 BTU Ceramic Ceramic Ceramic 42" W x 15 1/4" H 5/7" Kingsman Flex Vent / 5/8" Hard Pipe* 58.71% / 59.94% 58.71% / 59.94% 48.86% / 49.91%

MQRB6961N MQRR6961I P MQRB6961NE2 MQRB6961LPE2 Propane Yes 62.000 BTU 48,500 BTU Ceramic 60" W x 15 1/4" H 7/10" Kingsman Flex Vent

ACCESSORY OPTIONS

DRIFTWOOD LOG SETS



*With Adapter.

MQ46D 3-Piece Large **Driftwood Set** (5143/6961 Models only)



MQRBD1 4-Piece with 4 Rocks



MQRBD3 (5-Piece) or Driftwood Set MQRBD4 (3-Piece) **Driftwood Set**

LINERS



Fluted Liner (Single-Sided Models only)



Porcelain Reflective Liner

WALL SURROUND

48.86% / 49.91%

FRAME & EDGE

Black

MEDIA OPTIONS



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



Multi-Colored Cannonballs

REMOTE CONTROLS

(Millivolt or IPI PF1) - On/Off, Thermostat, Modulating



THERMOSTATS

Wall Mount Thermostat or Programmable Thermostat





Unit Illustrated: MQRB5143N Infinite Linear Direct Vent Fireplace – Natural Gas, MQRB51BK Single Side Kit, MQRB5143PLB Porcelain Back, MQRB5143PLE Porcelain Liner Ends, MQRB5019SSS Surround Trim – Edge Stainless Steel, MQRBD3 Driftwood.



Unit Illustrated: MQRB5143N Infinite Linear Direct Vent Fireplace – Natural Gas, MQRB51SK See-Through Kit, MQRB5143PLE Porcelain Liner Ends, MQRB5019SSS Surround Trim – Edge Stainless Steel, MQG5A Glass Media Cobalt Blue.



MQEMBER Ember Chunks



MQSTONE Decorative Stones



MQROCK2 Natural Rock Set





MQROCK3 Multi-Colored Rock Set




RBCB1







(QRB4436	MG	RB5143	MG	RB6961
	44 1/8"	Α	51 1/8"	Α	69 1/8"
	13 1/4"	В	13 1/4"	В	13 1/4"
	33 1/8"	С	40 1/8"	С	58 1/8"
1	36 1/4"	D	43 1/4"	D	61 1/4"
	39"	E	46"	E	64 1/8"
	34"	F	34"	F	38"
	37 5/8"	G	37 5/8"	G	45 %"
	7 %"	Н	7 %"	Н	7 %"
	1 1/2"	I	1 1/2"	I	1 1/2"
	2 1/2"	J	2 1/2"	J	2 1/2"
	16 ½"	K	16 1/2"	K	20 ½"
	16 ½"	L	16 1/2"	L	20 ½"
ı	8 1/8"	M	8 1/8"	M	12 1/8"
	2"	N	2"	N	2 1/8"
)	35"	0	35"	0	39"







ZERO CLEARANCE OUTDOOR GAS FIREPLACE

LIGHT UP YOUR NIGHTS

AURORA. Designed for your outdoor oasis, this fireplace captures your attention with its Satin Coat Black or Stainless Steel Finish and your choice of a contemporary rock collection or log set. Looks like the stars in the sky now have a little competition.

STANDARD FEATURES

- · Hi/lo Millivolt valve with variable adjustment of flame and BTU
- A flame sensor that constantly monitors the pilot flame and provides 100% gas shut off if pilot is not sensed
- Stainless steel pull screen
- Lava rock

OPTIONAL FEATURES

Surround: Stainless steel

Refractory Liner: Traditional and Herringbone

Decorative Glass: Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White)

Spark Assist: Battery operated pilot burner ignitor

Weather Cover: Stainless steel or black

Remote Control: On/Off



SCREENED PORCH INSTALLATION GUIDELINES

- Porch Area 96 sq. ft.
- Ceiling Height 92"
- A minimum of two walls can be screened but must be open to outside ventilation: Top of screen height – 78" Screen Area – 64 sq. ft

Refer to installation manual for additional details of framing specifications and clearances.

Model

OFP42N-BLACK

OFP42LP-BLACK OFP42NS-STAINLESS OFP42LPS-STAINLESS

Fuel Input Max. Input Min.

Natural

55,000 BTU 38,000 BTU

55,000 BTU 44,000 BTU

Propane

ROCK SET OR LOG SET



LOGF37 Split Oak Log Set



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set

TRIM



Stainless

LINERS



OFP42RLT Traditional **Brick Liner**



OFP42RLH Herringbone **Brick Liner**

GLASS MEDIA



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



MQG5ZG Zircon MQG5A Cobalt Glacier Ice Glass



Ember Glass




MQG5B Black **Ember Glass**





UNIT AND FRAMING SPECIFICATIONS





OUTDOOR GAS FIRE BOWL

BRIGHTEN THE VIEW OUTDOORS

This is the perfect way to enhance the enjoyment of any outdoor space. Ideally suited for use on a wood deck or patio,

BOLA comes complete with lava rock and is fuelled by either natural gas or propane.

Decorate your Bola with your choice of decorative stone, or five different colours of crushed glass media.

THE BOLA

- Concrete Fire Bowl available in your choice of Textured Charcoal and Smooth Grey
- Optional Fire Bowl Covers Grey, Black
- Optional Trim Ring Charcoal
- Liquid Propane Fire Pit comes complete with 5 ft. hose and regulator (LP tank not included)

COLOURS





Textured Charcoal



Smooth Grey

ACCESSORY OPTIONS



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5W Black **Ember Glass**



MLR1410 Lava Rock



LOGC85 4-Piece Oak Log Set



MQSTONE **Decorative Stone**



FPB30 FPB30 Model FP2085N FP2085LP Fuel Natural Propane 65,000 BTUH 65,000 BTUH Input

Height 14" 14" Diameter 30" 30"

OPTIONAL FIRE BOWL COVERS





FROM TOP TO BOTTOM [RIGHT]

- 1. FP2085N Outdoor Fire Pit Natural Gas, MQSTONES Decorative Stones, FPB30TB Textured Charcoal Fire Bowl.
- 2. FP2085LP Outdoor Fire Pit Propane, FPB30TB Textured Charcoal Fire Bowl, MQG10C Bronze Reflective Glass (x 4).
- 3. FP2085N Outdoor Fire Pit Natural Gas, MQSTONES Decorative Stones.
- 4. FP2085N Outdoor Fire Pit Natural Gas, FP20SSR Stainless Steel Ring.









EVOLUTIONARY STYLE.REVOLUTIONARY FLEXIBILITY.

STYLING OPTIONS

Wall Surrounds 6.1

6.3

Flame Displays

Additional Options 6.5

Each fireplace can be customized with our accessories and surrounds to suit your personal style.

Marquis Fireplace.

For a classic look, you may choose a Herringbone Brick Liner and log set. Going modern? Check out our clean and dramatic Wall Surrounds together with our Contemporary Rock Collection or eye-catching decorative glass. With so many options, you can make a unique statement with every

The MARQUIS COLLECTION was created with you in mind.








FLATT

WALL SURROUNDS

SOLARA (MQZDV3318 ONLY)



BLACK




- A 35 5/16"
- B 45 ¹³/₁₆"
- C 28 ³/₈"
- D 17 13/16"
- E 8 3/4"
- F 8 3/4"
- G 8 ³/₄"
- Н
- I 1 3/16"

INFINITE AND SKYLINE SURROUNDS



BLACK




MQRB4436	MQRB5143	MQRB6961	VRB46
----------	----------	----------	-------

Α	49 7/8"	56 ⁷ /8"	74 ⁷ /8"	50 3/8"
В	3 7/8"	3 7/8"	3 7/8"	4 3/8"
С	4 3/8"	4 3/8"	4 3/8"	4 3/8"
D	23 3/4"	23 3/4"	23 3/4"	22 1/2"
E	1"	1"	1"	1"
F	2 ³ / ₈ "	2 3/s"	2 3/s"	1 3/4"







	MQRB4436	MQRB5143	MQRB6961	VRB46	ZCVRB3622
G	44 1/8"	51 ½"	69 1/8"	44 3/8"	36"
Н	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
I	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
J	19 1/8"	19 ½"	19 1/8"	17 3/4"	22 1/2"
K	1"	1"	1"	1"	1"
L	2 3/8"	2 3/8"	2 3/8"	1 3/4"	_

FLAME DISPLAYS











NATURAL ROCK - MQROCK2

DECORATIVE EMBER GLASS – SKYLINE

GLASS & ROCK TRAY SUPPORT PLATFORM (COVE)











SPLIT OAK LOG SET - LOGF36

SPLIT OAK LOG SET - MQLOGC22

SPLIT OAK LOG SET - LOGC31

CANNONBALLS - RBCB1









SPLIT OAK LOG SET MQLOGF46

SPLIT OAK LOG SET - LOGC44

SPLIT OAK LOG SET - LOGF27

SPLIT OAK LOG SET - LOGF35

SPLIT OAK LOG SET - MQLOGF26













5-PIECE - MQRBD3 OR - MQRBD4 3-PIECE DRIFTWOOD SET

CONTEMPORARY ROCK AND DRIFTWOOD - MQRBD1

DRIFTWOOD LOG SET - LOGF453

DRIFTWOOD - MQ46D

SPLIT OAK LOG SET MQLOGF39

		MutheColonie	Natural P.	Colative	Decorative c.	Contemporary B.	Suppose Pock	Multicolour	Oak Log Soc	LOG SET
NAME	MODELS	/ 1/1	/ %	/ ở	/ %	/ 3 %	/ 8 5	/ 💆	/ os	/ 0 /
ATRIUM	MCVP42	•	•	•	•	•	•	•	•	•
AURORA	OFP42	•	•	•	•				•	•
BOLA	FPB30	•	•	•	•				•	
	ZCV39	•	•	•	•	•	•	•	•	•
BENTLEY	ZCV42	•	•	•	•	•	•	•	•	•
BENTLEY ST	MCVST42	•	•	•	•	•	•	•	•	•
	IDV33	•	•	•	•		•		•	•
CAPELLA	IDV43	•	•	•	•		•		•	•
	IDV26	•	•	•	•		•		•	
00)/5	MQZDV3927	•	•	•			•		•	
COVE	MQZDV4634	•	•	•			•		•	
ENCLAYE	MQVL48	•	•	•	•	•		•		•
ENCLAVE	MQVLB48	•	•	•	•	•		•		•
GEMINI	MDV31	•	•				•		•	
	MQRB4436	•	•	•	•	•		•		•
INFINITE	MQRB5143	•	•	•	•	•		•		•
	MQRB6961	•	•	•	•	•		•		•
CIO/I INE	ZCVRB3622	•	•	•	•	•		•		•
SKYLINE	MQRB4236	•	•	•	•	•		•		•
SKYLINE II	ZRB46	•	•	•	•	•		•		•
SOLARA	MQZDV3318	•	•				•		•	•
SOLARA II	ZCV3622	•	•				•		•	•
SOLACE	MQHBZDV3636	•	•				•		•	
	MQHBZDV4236	•	•				•		•	
	MQHBZDV4736	•	•							
SOLACE II	HBZDV3624	•	•				•		•	
	HBZDV4224	•	•				•		•	

KINGSMAN MODELS

HBZDV4228

ADDITIONAL OPTIONS

BRICK LINERS



FLUTED



HERRINGBONE RED



STACKED



TRADITIONAL



HERRINGBONE

DECORATIVE EMBER GLASS



BRONZE 1/2" GLASS MQG5C



COBALT 1/2" GLASS MQG5A



WHITE 1/2" GLASS MQG5W



BLACK 1/2" GLASS MQG5A



ZIRCON GLACIER ICE MQG5ZG

DECORATIVE STONE AND ROCK



DECORATIVE STONE MQSTONE



MULTI-COLORED CANNONBALLS RBCB1



DECORATIVE ROCK MQROCK2



DECORATIVE ROCK MQROCK3



PF1/MV



PF2

PF1/MV

LIMITED LIFETIME WARRANTY

This Limited Lifetime Warranty applies only while the unit remains at the site of the original installation and only if the unit is installed inside the continental United States, Alaska, Hawaii, and Canada. The warranty applies only if the unit is installed and operated in accordance with the printed instructions and in compliance with applicable installation and building codes and good trade practices.

BASIC ONE YEAR WARRANTY

During the first year after installation, we will provide a replacement for any component part of your unit found to be defective in materials or workmanship, including labour costs.

Repair work requires prior approval by Kingsman, labour costs are based on a predetermined rate schedule and any repair work must be done through an authorized Kingsman dealer.

(Excluded Components: Accent Light Bulbs, Gasketing and Paint.)

LIMITED LIFETIME WARRANTY

The heat exchanger, combustion chamber and burner of every Kingsman product excluding the Outdoor Firepit are warranted against materials or workmanship during the period the product is owned by the original owner. The part to be replaced must be returned to our distributor in exchange for the replacement part. Any labor, material, freight and/or handling charges associated with any repair or replacement pursuant to this Limited Lifetime Warranty will not be covered by this warranty.

GENERAL TERMS

In lieu of providing a replacement part, we may, at our option, provide the distributor's component purchase price from us or a credit equal to the distributor's component purchase price from us toward the purchase of any new unit which we distribute. If a credit is given in lieu of a replacement part, the rating plate from the unit being replaced must be submitted on a warranty claim, and the unit being replaced must be made available to our distributor for disposition.

In establishing the date of installation for any purpose, including determination of the starting date for the term of this Limited Lifetime Warranty, reasonable proof of the original installation date must be presented*, otherwise the effective date will be based upon the date of manufacture plus thirty (30) days. We will not be responsible for and you, the user, will pay for:
(a) damages caused by accident, abuse, negligence, misuse, riot, fire, flood, or Acts of God (b) damages caused by operating the unit where there is a corrosive atmosphere containing chlorine, fluorine, or any other damaging chemicals (other than in a normal residential environment) (c) damages caused by any unauthorized alteration or repair of the unit affecting its stability or performance (d) damages caused by improper matching or application of the unit or the unit's components (e) damages caused by failing to provide proper maintenance and service to the unit (f) any expenses incurred for erecting, disconnecting or dismantling the unit (g) parts or supplies used in connection with service or maintenance (h) damage repairs, inoperation or inefficiency resulting from faulty installation or application (i) electricity or fuel costs or any increase in electricity or fuel cost whatsoever including additional or unusual use of supplemental electric heat.

We shall not be liable for any incidental, consequential, or special damages or expenses in connection with any use or failure of this unit. We have not made and do not make any representation or warranty of fitness for a particular use or purpose, and there is no implied condition of fitness for a particular use or purpose. We make no express warranties except as stated in this Limited Lifetime Warranty. No one is authorized to change this Limited Lifetime Warranty or to create for us any other obligation or liability in connections with this unit. Any implied warranties shall last for one year after the original installation. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages or do not allow limitations on how long an implied warranty or condition lasts, so the above limitations or exclusions may not apply to you. The provisions of this limited warranty are in additions to and not a modification of or subtraction from any statutory warranties and other rights and remedies provided by law.





Unit Illustrated: VRB46N Zero Clearance Direct Vent Gas Fireplace – Natural Gas, ZRB46S1SS Surround (Frame) Stainless Steel, RBCB1 Cannonballs x 14, ZRB46PL Porcelain Liners.

Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Printed in Canada B072 – 04/18 Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue Winnipeg, Manitoba, CAN R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960 marquisfireplaces.net



Look for the **EnerGuide** Gas Fireplace Energy Efficiency Rating in this brochure

Based on CSA P.4.1-15