

Dimplex®

CADET 

nectre 

# 2019-2020 Core Comfort Flame | Heat Solutions



# TABLE OF CONTENTS

<b>Dimplex</b>	1	Infrared Heaters	36
Linear Electric Fireplaces		Baseboards	
IgniteXL®	2-4	Linear Convector Heaters	37
PRISM Series	5-7	Proportional Convector Heaters	38
Specifications	8	Fan-forced Heaters	
Opti-V™	9-10	Ceiling-mounted Heater	39
Opti-V™ Aquarium	11	Precision Comfort Heater	40
Opti-V™ Specifications	12	Under Cabinet Heater	41
Built-in Fireboxes		Workshop Heaters	42
Revillusion®	13-15	Thermostats / Controls	43
BF Series	16-17	<b>Cadet</b>	44
Specifications	18	Com-Pak Series	45
Opti-myst®	19	Com-Pak Bath Series	46
Opti-myst® Pro 1500	20	<b>Nectre</b>	47
Opti-myst® Pro 1000	21	N65 Wood Stove	48
Opti-myst® Pro Accessories	22	N350 / N550 Wood-fired Ovens	49
Opti-myst® Cassettes	23-24		
Plug-in Fireboxes			
Multi-Fire XD®	25-26		
PRO Series	27		
Specifications	28		
Logsets	29		
Fireplace Inserts	30		
Mantels			
New for 2019	31		
BuiltRite Series	32		
Fireplace Packages	33-34		
Electric Stoves	35		



Dimplex is the feeling you get when you hit the snooze button and stay under the covers a few minutes longer. It's the comfort found in the moments that matter, like when the kids are down and the feet go up. Our products are the gathering place and focal point that rooms are built around. So whether it's a living room or hotel lobby, bathroom retreat or spa, we can help you design the right comfort solution to create more perfect moments.

We are leaders in design and innovation, continually challenging the status quo on a global scale to create products for the discriminating buyer. Our dozens of patented technologies translate to fireplaces that dazzle the senses and heaters that make spaces more efficient and livable no matter what the need.

Whether residential or commercial space, we design fireplaces that make a style statement. You will appreciate the energy efficiency and treading a little lighter with your eco-footprint, but at the end of the day it's the deep breath that comes naturally when you relax in front of a fireplace.

**IgniteXL**<sup>®</sup>



IgniteXL<sup>®</sup> is our premium linear electric fireplace. Incredibly lifelike and visually stunning, IgniteXL transforms the look and feel of any room. Patented flame and heat technology, a simple, flexible installation, and flawless panoramic views ignite the senses from any angle!

**IgniteXL®**

**Less Frame, More Flame**

Clean front face with minimal trim makes the dazzling flames the focal point.

**Multi-Fire XD® Flame Effect**

Vivid flames that are brighter and more lifelike, day or night.

**ComfortSaver® Heating System**

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



**XLF50 - IgniteXL 50"**

**Product Dimensions (WxHxD)**  
51-1/4" x 16-1/2" x 5-7/8"  
130.6 cm x 41.9 cm x 14.7 cm

**Carton Dimensions (WxHxD)**  
56-3/8" x 21-1/4" x 12"  
143.2 cm x 54.0 cm x 30.5 cm

**Gross Weight**  
73.4 lbs / 33.3 kg

**UPC**  
781052 098725



**XLF74 - IgniteXL 74"**

**Product Dimensions (WxHxD)**  
75-1/2" x 16-1/2" x 5-7/8"  
191.6 cm x 41.9 cm x 14.7 cm

**Carton Dimensions (WxHxD)**  
80-3/8" x 21-1/4" x 12"  
204.2 cm x 54.0 cm x 30.5 cm

**Gross Weight**  
121.9 lbs / 55.3 kg

**UPC**  
781052 098756



**XLF60 - IgniteXL 60"**

**Product Dimensions (WxHxD)**  
60-1/4" x 16-1/2" x 5-7/8"  
155.5 cm x 41.9 cm x 14.7 cm

**Carton Dimensions (WxHxD)**  
68-3/8" x 21-1/4" x 15"  
173.7 cm x 61.6 cm x 38.1 cm

**Gross Weight**  
86.8 lbs / 39.4 kg

**UPC**  
781052 118478



**XLF100 - IgniteXL 100"**

**Product Dimensions (WxHxD)**  
101-3/8" x 16-1/2" x 5-7/8"  
257.6 cm x 39.6 cm x 14.7 cm

**Carton Dimensions (WxHxD)**  
106-3/8" x 21-1/4" x 12"  
270.2 cm x 54.0 cm x 30.5 cm

**Gross Weight**  
170.4 lbs / 77.4 kg

**UPC**  
781052 104594

**IgniteXL**<sup>®</sup>




**Color Themes**



**Touch Controls**



**Remote Control**



**Accessories**



**Driftwood & River Rock Accessory Kit**

Fireplace	Model #
XLF50	- LF50DWS-KIT
XLF60	- LF74DWS-KIT
XLF74	- LF74DWS-KIT
XLF100	- LF100DWS-KIT



**Metal Trim Kit**

Allows for installation into 2' x 4' wall construction

Fireplace	Model #
XLF50	- XLFTRIM50
XLF60	- XLFTRIM60
XLF74	- XLFTRIM74
XLF100	- XLFTRIM100

**PRISM Series**



Named after its Prism flame effect, this line of linear electric fireplaces sparkles with intensity in a full spectrum of red, green and blue colors which illuminates the diamond-like acrylic ice ember bed in a show-stopping effect. Complete with a powerful and efficient fan-forced heater, Prism adds comfort and ambiance to any space. Plugged in or hardwired, hung on the wall or built-in, Prism fireplaces are beautifully versatile.

## PRISM Series

### Customizable Color Themes


Choose from seven brilliant color themes or cycle through a range of colors using the prism mode, freezing on the hue of your choice.

### LED Flame Technology

A blend of technology, artistry and craftsmanship that sets the standard for realism.

### Flexible Installation

Choose partially-recessed, fully-recessed or surface mounted (plug-in) installation.



**BLF3451 - PRISM 34"**

**Product Dimensions (WxHxD)**  
34-1/4" x 19-1/2" x 7-1/4"  
86.7 cm x 49.5 cm x 18.1 cm

**Carton Dimensions (WxHxD)**  
39" x 23-1/4" x 13"  
99.1 cm x 58.9 cm x 33.0 cm

**Gross Weight    UPC**  
60 lbs / 27.2 kg    781052 098763



**BLF5051 - PRISM 50"**

**Product Dimensions (WxHxD)**  
50-3/8" x 19-1/2" x 7-3/8"  
127.5 cm x 49.4 cm x 18.5 cm

**Carton Dimensions (WxHxD)**  
55" x 23-1/4" x 12-7/8"  
139.7 cm x 58.9 cm x 32.7 cm

**Gross Weight    UPC**  
75 lbs / 34.1 kg    781052 098787



**BLF7451 - PRISM 74"**

**Product Dimensions (WxHxD)**  
74-1/4" x 19-1/2" x 7-1/4"  
188.3 cm x 49.3 cm x 18.3 cm

**Carton Dimensions (WxHxD)**  
77-1/2" x 22-1/2" x 14-7/8"  
196.9 cm x 57.2 cm x 37.5 cm

**Gross Weight    UPC**  
136 lbs / 61.7 kg    781052 098794



**PRISM Series**



**Eight Color Themes**



**Accessories**



**Driftwood & River Rock Accessory Kit**


Fireplace	Model #
BLF3451	- LF34DWS-KIT
BLF5051	- LF50DWS-KIT
BLF7451	- LF74DWS-KIT



**Plug Kit - BLF7451 Only**

BLF7451-PLUG-KIT

**Remote Control**



## Specifications

Fireplace Series	Prism Series			IgniteXL® Series			
Model	BLF3451	BLF5051	BLF7451	XLF50	XLF60	XLF74	XLF100
Size	34"	50"	74"	50"	60"	74"	100"
Ember Bed	Acrylic Ice			Acrylic Ice			
Flame Only Mode	Yes			Yes			
Heater Only Mode	Yes			Yes			
Heater Element	Steel Sheathed			Ceramic			
Technology	Original Dimplex Flame Effect™			Multi-Fire XD®			
Installation	Wall-mounted, partially or fully recessed	Wall-mounted, partially or fully recessed	Wall-mounted or fully recessed	Partially or fully recessed			
Volts	120	120	120/240	120/240			
Wattage	1220	1230	1230/2430	1500/2500			
BTU's	4163	4197	4197/8291	5118/8530			
Wiring	Direct wire or Plug-in			Direct wire - includes plug kit			
Heating Range	Up to 1,000 sq. ft.			Up to 1,000 sq. ft.			
Display/Controls	Floating on-screen display shows temperatures and feature setting at a glance			Built-in display and touch controls			
Flame Operation Energy Savings	Low energy LED's that require zero maintenance			Low energy LED's that require zero maintenance			
Heat Operation Energy Savings	Fan-forced			ComfortSaver® heating system			
Timer	Yes			Yes			
Interior Surround	Mirror			Mirror			
Adjustable Flame Speed	No			No			
Brightness Control	Flame Brightness			Flame Brightness			
Color Settings	Natural, Blue, Green, Purple, Red			Natural, Blue, Green, Purple, Red			
Heat Disable	Controls			Controls & Hard Disconnect			
Remote Features	Multi-function			Multi-function			
Warranty	2-year limited			5-year limited			
Accessories	LF34DWS-KIT	LF50DWS-KIT DT1267BLK	LF74DWS-KIT BLF7451-PLUG-KIT	XLFRIM50, LF50DWS-KIT	XLFRIM60, LF74DWS-KIT	XLFRIM74, LF74DWS-KIT	XLFRIM100, LF100WS-KIT
Dimensions (WxHxD)	34-1/2" x 19-1/2" x 7-1/4" 86.7 cm x 49.4 cm x 18.1 cm	50-3/8" x 19-1/2" x 7-3/8" 127.5 cm x 49.4 cm x 18.5 cm	74-1/4" x 19-1/2" x 7-1/4" 188.3 cm x 49.3 cm x 18.3 cm	51-1/2" x 16-1/2" x 5-7/8" 130.6 cm x 41.9 cm x 14.7 cm	60-1/4" x 16-1/2" x 5-7/8" 155.5 cm x 41.9 cm x 14.7 cm	75-1/2" x 16-1/2" x 5-7/8" 191.6 cm x 41.9 cm x 14.7 cm	101-3/8" x 16-1/2" x 5-7/8" 257.6 cm x 41.9 cm x 14.7 cm

**Opti-V**<sup>™</sup>



Opti-V<sup>™</sup> blends 3D technology with magic and innovation to create a virtual experience like no other. Choose between the linear electric fireplace with flickering flames and glowing logs or the Opti-V<sup>™</sup> Aquarium with bubbling water and 3D fish.

**Opti-V™**

**Opti-V™ Flame Effect**


High definition video and a patented three-dimensional illusion creates dazzling flames that flicker between the logs.

**Heat-free Operation**

Designed with the sole purpose of providing a stunning visual flame feature.

**Sight and Sound Remote**

Turn on the flames and crackling sound effects at the touch of a button.



**VF2927L - Opti-V Solo**

**Product Dimensions (WxHxD)**  
30" x 17-3/4" x 14"  
76.0 cm x 45.0 cm x 35.5 cm

**Gross Weight**  
63 lbs / 28.6 kg

**Carton Dimensions (WxHxD)**  
33-7/8" x 22-1/8" x 17-3/4"  
86.0 cm x 56.0 cm x 45.0 cm

**UPC**  
781052 092877



**VF5452L - Opti-V Duet**


**Product Dimensions (WxHxD)**  
54-3/8" x 17-3/4" x 14"  
138.0 cm x 45.0 cm x 35.5 cm

**Gross Weight**  
115.5 lbs / 52.4 kg


**Carton Dimensions (WxHxD)**  
62-1/4" x 22-1/8" x 17-3/4"  
158.0 cm x 56.0 cm x 45.0 cm

**UPC**  
781052 092853

**Remote Control**



**Accessories**



**OT1957-BLACK - Trim Kit**

**Product Dimensions (WxHxD)**  
41-1/8" x 23-5/8" x 1-7/8"  
104.5 cm x 60.0 cm x 4.8 cm

**Gross Weight**  
38.7 lbs / 17.6 kg

**Carton Dimensions (WxHxD)**  
44-7/8" x 27-5/8" x 5-1/2"  
114.0 cm x 70.0 cm x 14.0cm

**UPC**  
781052 126282

# Opti-V™ Aquarium

## Virtual Fish


High definition video and a patented three-dimensional illusion creates the soothing effect of a living aquarium.

## Maintenance-free Operation

Eliminates the time and cost required to feed fish and clean the tank.

## Reduces Liability

Ideal for public spaces in commercial installations; meets the strictest building codes.



**VFA2927 - Opti-V Aquarium**

**Product Dimensions (WxHxD)**  
30" x 17-3/4" x 14"  
76.0 cm x 45.0 cm x 35.5 cm

**Gross Weight**  
63 lbs / 28.6 kg

**Carton Dimensions (WxHxD)**  
33-7/8" x 22-1/8" x 17-3/4"  
86.0 cm x 56.0 cm x 45.0 cm

**UPC**  
781052 092877

**VFA2927P - Opti-V Aquarium (Plug-in)**

### Accessories



**OT1957-BLUE - Trim Kit**  
**Product Dimensions (WxHxD)**  
41-1/8" x 23-5/8" x 1-7/8"  
104.5 cm x 60.0 cm x 4.8 cm  
**Carton Dimensions (WxHxD)**  
44-7/8" x 27-5/8" x 5-1/2"  
114.0 cm x 70.0 cm x 14.0cm

**Gross Weight**  
38.7 lbs / 17.6 kg

**UPC**  
781052 123885



**GOSA-1957B - Opti-V Aquarium Kit**

**Product Dimensions (WxHxD)**  
41-1/8" x 62-1/2" x 15-1/2"  
104.5 cm x 158.6 cm x 39.5 cm

**Carton Dimensions (WxHxD)**  
44-7/8" x 64-7/8" x 19-3/8"  
114.0 cm x 164.5 cm x 49.0 cm

**Gross Weight**      **UPC**  
187 lbs / 85.0 kg      781052 123885

**OMA-1957B - Case only**

**Remote Control**



# Specifications

Fireplace Series	Opti-V™		Opti-V™ Aquarium	
Model	VF2927L	VF5452L	VFA2927	VFA2927P
Size	30"	54"	30"	
Ember Bed	Opti-V Flame - High Definition Video		Opti-V Flame - High Definition Video	
Flame Only Mode	Yes		N/A	
Heater Only Mode	N/A		N/A	
Heater Element	N/A		N/A	
Technology	Opti-V Flame		Opti-V Virtual Fish	
Installation	Recessed		Recessed	
Volts	120/240		120/240	
Wattage	32/64		32/64	
BTU's	N/A		N/A	
Wiring	Direct wire		Direct wire	Plug-in
Heating Range	N/A		N/A	
Display/Controls	No		No	
Operation Energy Savings	Low energy LED's that require zero maintenance		Low energy LED's that require zero maintenance	
Heat Operation Energy Savings	N/A		N/A	
Timer	No		No	
Interior Surround	Authentic brick-look interior		Aqua Scaping	
Adjustable Flame Speed	N/A		N/A	
Light Settings	Screen brightness control		Screen brightness control	
Color Settings	N/A		N/A	
Heat Disable	N/A		N/A	
Other Features	Crackling sound effect		Bubbling sound effect	
Remote Features	Sight and sound remote		Sight and sound remote	
Warranty	2-year limited		2-year limited	
Optional Media	N/A		N/A	
Accessories	OT1957-BLACK	N/A	OT1957-BLUE OT1957-BLACK	
Dimensions (WxHxD)	30" x 17-3/4" x 14" 76.0 cm x 45.0 cm x 35.5 cm	54-3/8" x 17-3/4" x 14" 138.0 cm x 45.0 cm x 36.5 cm	30" x 17-3/4" x 14" 76.0 cm x 45.0 cm x 35.5 cm	

**Revillusion**<sup>®</sup>



Revillusion<sup>®</sup> is a completely new way of looking at fireplaces, and elevates the standard for electric. Using patented ThruView<sup>™</sup> technology, Revillusion lets you look through the lifelike flames to the full depth of the brick interior - a first of its kind among electric fireplaces. The technology is impressive, and the ambiance serene. Enjoy the look of a fireplace cut straight from the pages of a magazine with Revillusion, clearly a better fireplace.

**Revillusion®**

**Revillusion® Flame Technology**

Flames are large, bright and more random, appearing from within the logs.

**ThruView™ Full-depth Design**

See clear through the flames to the back of the firebox for a more authentic experience.

**Ambient Light Sensor**

Automatically adjusts firebox light to suit the room day to night.



**RBF24DLXWC**  
24" Electric Firebox

Product Dimensions (WxHxD)  
25-1/4" x 22-7/8" x 12-1/8"  
64.0 cm x 58.1 cm x 30.7 cm

Carton Dimensions (WxHxD)  
29-3/8" x 28-1/8" x 16-3/8"  
74.4 cm x 71.2 cm x 41.6 cm

Gross Weight  
58.2 lbs / 26.4 kg

UPC  
781052 120655



**RBF30WC**  
30" Electric Firebox

Product Dimensions (WxHxD)  
31-1/4" x 26-5/8" x 12-1/8"  
79.2 cm x 67.6 cm x 30.7 cm

Carton Dimensions (WxHxD)  
35-1/4" x 31-5/8" x 15"  
89.8 cm x 80.4 cm x 38.2 cm

Gross Weight  
67.7 lbs / 30.7 kg

UPC  
781052 104747



**RBF36WC**  
36" Electric Firebox

Product Dimensions (WxHxD)  
37-1/4" x 26-5/8" x 12-1/8"  
94.4 cm x 67.6 cm x 30.7 cm

Carton Dimensions (WxHxD)  
41-1/4" x 31-7/8" x 15-1/4"  
104.6 cm x 81.0 cm x 38.7 cm

Gross Weight  
74.9 lbs / 34.0 kg

UPC  
781052 104723



**RBF36PWC**  
36" Electric Firebox - Portrait

Product Dimensions (WxHxD)  
37-1/4" x 31" x 12-1/8"  
94.4 cm x 78.7 x 30.7 cm

Carton Dimensions (WxHxD)  
41-1/4" x 35-7/8" x 15-1/4"  
104.6 cm x 91.2 cm x 38.7 cm

Gross Weight  
81.1 lbs / 36.8 kg

UPC  
781052 129863



**RBF42WC**  
42" Electric Firebox

Product Dimensions (WxHxD)  
43-1/4" x 31" x 12-1/8"  
109.8 cm x 78.8 cm x 30.7 cm

Carton Dimensions (WxHxD)  
47-1/2" x 35-7/8" x 15"  
120.6 cm x 91.2 cm x 38.2 cm

Gross Weight  
88.6 lbs / 40.2 kg

UPC  
781052 104716

**Also available in Herringbone**  
RBF24DLX - 24" Electric Firebox  
RBF30 - 30" Electric Firebox

RBF36 - 36" Electric Firebox  
RBF36P - 36" Electric Firebox  
RBF42 - 42" Electric Firebox





**Revillusion®**



**Accessories**



**Glass Door**

Fireplace	Model #
RBF30	- RBFDOOR30
RBF36	- RBFDOOR36
RBF36P	- RBFDOOR36P
RBF42	- RBFDOOR42



**Glass Pane**

Fireplace	Model #
RBF30	- RBFGLASS30
RBF36	- RBFGLASS36
RBF36P	- RBFGLASS36P
RBF42	- RBFGLASS42

(Included with RBF24DLX)



**Birch Log Set**


Fireplace	Model #
RBF24	- RBFL24BR
RBF30	- RBFL30BR
RBF36	- RBFL42BR
RBF36P	- RBFL42BR
RBF42	- RBFL42BR



**Fresh Cut Log Set**

Fireplace	Model #
RBF24	- RBFL24FC
RBF30	- RBFL30FC
RBF36	- RBFL42FC
RBF36P	- RBFL42FC
RBF42	- RBFL42FC

**Remote Control**



**Installation Trims**

RBF24 - 36" Installation Trim RBF24TRIM36	RBF30 - 38" Installation Trim RBF30TRIM38
RBF24 - 40" Installation Trim RBF24TRIM40	RBF30 - 44" Installation Trim RBF30TRIM44



**Plug Kit**

RBFPLUG

(Included with RBF24DLX)

## BF Series

### Energy-efficient LED Flames

Our patented technology creates a truly realistic fireplace that you will only find with Dimplex®.

### Primary Heating

Connect to a 240 volt supply for up to 9,200 BTU, which is powerful enough to use for primary heating in large spaces.

### Ease of Installation

Simply frame, wire and finish with the material of your choice for a custom fireplace that is also cost-effective.



**BFSL33**  
33" Slim Line Electric Firebox

**Product Dimensions (WxHxD)**  
33" x 28-1/4" x 9-1/2"  
83.3 cm x 71.9 cm x 24.1 cm

**Carton Dimensions (WxHxD)**  
38-1/8" x 29-3/4" x 13-3/8"  
96.8 cm x 75.4 cm x 33.8 cm

**Gross Weight**  
68 lbs / 30.9 kg

**UPC**  
781052 064478



**BF33DXP**  
33" Deluxe Electric Firebox

**Product Dimensions (WxHxD)**  
32-3/4" x 28-1/2" x 14-1/4"  
83.2 cm x 73.5 cm x 36.3 cm

**Carton Dimensions (WxHxD)**  
34-3/4" x 31-1/8" x 16-1/2"  
88 cm x 79 cm x 42 cm

**Gross Weight**  
80 lbs / 36.4 kg

**UPC**  
781052 045781



**BF39STP**  
39" Electric Firebox

**Product Dimensions (WxHxD)**  
38-3/4" x 32-3/4" x 15-1/4"  
98.3 cm x 83.0 cm x 38.9 cm

**Carton Dimensions (WxHxD)**  
39" x 34-1/2" x 17-1/2"  
99.1 cm x 87.6 cm x 44.5 cm

**Gross Weight**  
87 lbs / 39.5 kg

**UPC**  
781052 045798



**BF39DXP**  
39" Deluxe Electric Firebox

**Product Dimensions (WxHxD)**  
38-3/4" x 32-3/4" x 15-1/4"  
98.4 cm x 83.3 cm x 38.9 cm

**Carton Dimensions (WxHxD)**  
39" x 34-1/2" x 17-1/2"  
99.1 cm x 87.6 cm x 44.5 cm

**Gross Weight**  
87 lbs / 39.5 kg

**UPC**  
781052 045804



**BF45DXP**  
45" Deluxe Electric Firebox

**Product Dimensions (WxHxD)**  
44-3/4" x 32-3/4" x 15-1/4"  
113.7 cm x 83.3 cm x 38.9 cm

**Carton Dimensions (WxHxD)**  
45-3/4" x 35-1/2" x 17-1/2"  
116.3 cm x 90.3 cm x 44.5 cm

**Gross Weight**  
110 lbs / 50 kg

**UPC**  
781052 052390

**BF Series**



**Accessories**




**Bi-fold Look Glass Door**

Fireplace	Model #
BF33DXP	- BFDOOR33BLKSM
BF39DXP	- BFDOOR39BLKSM
BF39STP	- BFDOOR39BLKSM
BF45DXP	- BFDOOR45BLKSM




**Glass Door**

Fireplace	Model #
BFSL33	- BFSL33DOOR
BF33DXP	- BFGLASS33BLK
BF39DXP	- BFGLASS39BLK
BF39STP	- BFGLASS39BLK
BF45DXP	- BFGLASS45BLK



**Swing Glass Door**

Fireplace	Model #
BF33DXP	- BFSDOOR33BLK
BF39DXP	- BFSDOOR39BLK
BF39STP	- BFSDOOR39BLK



**Black Trim**

Fireplace	Model #
BF33DXP	- BF4TRIM33
BF39DXP	- BF4TRIM39
BF39STP	- BF4TRIM39
BF45DXP	- BF4TRIM45



**Plug Kit**

BFPLUGE

Compatible with all BF Series fireboxes



**Wall Remote**

WRCPF-KIT

Compatible with all BF Series fireboxes



**Remote Kit**

BFRC-KIT

Compatible with BFF33DXP, BFF39DXP, BF39STP and BFF45DXP

## Specifications

Fireplace Series	Revillusion® (Premium)					BF Series (Value)				
Model	RBF24DLX/ RBF24DLXWC	RBF30/ RBF30WC	RBF36/ RBF36WC	RBF36P/ RBF36PWC	RBF42/ RBF42WC	BFSL33	BF33DXP	BF39STP	BF39DXP	BF45DXP
Size	24"	30"	36"		42"	33"		39"		45"
Ember Bed	Realogs® Plus					Inner Glow Logs		Hand Finished	Inner Glow Logs	
Flame Only Mode	Yes					Yes				
Heater Only Mode	Yes					Yes - when connected to a switch or thermostat				
Heater Element	Ceramic	Steel Sheathed				Steel Sheathed				
Technology	Revillusion® Flame					Original Dimplex Flame Effect™				
Installation	Built-in					Built-in				
Volts	120	120/208/240				120/208/240				
Wattage	1500	1375/1975/2575				1223/1823/2423	1440/2100/2700			
BTU's	5118	4400/6745/8794				4173/6220/8268	5000/7200/9212			
Wiring	Plug-in	Direct wire / Plug-in				Direct wire / Plug-in				
Heating Range	Up to 1,000 sq. ft.					Up to 1,000 sq. ft.				
Display/Controls	Capacitive touch built-in controls					On Front - Inside				
Flame Operation Energy Savings	Low energy LED's that require zero maintenance					LED	N/A			
Heat Operation Energy Savings	ComfortSaver® heating system	Primary-Heat - Option to use 240V supply for up to 8794 BTU				Primary-Heat - Option to use 240V supply for up to 9212 BTU				
Timer	Yes					No				
Interior Surround	Full-brick surround or Weathered concrete (WC) interior					Black	Authentic brick-look interior	Black	Authentic brick-look interior	
Adjustable Flame Speed	N/A					N/A				
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor					N/A				
Color Settings	Adjust flame base color from red to blue					N/A				
Heat Disable	Controls & Hardware Disconnect					Hardware Disconnect Only				
Other Features	Mirage™ Flame Panel, ThruView™ Full-Depth Design	Mirage™ Flame Panel, ThruView™ Full-Depth Design, Optional plug kit available				Optional plug kit available				
Remote Features	Mood-maker Remote					Three-stage remote	Optional three-stage remote available			
Warranty	2-year limited					2-year limited				
Optional Media	Fresh Cut Logs & Birch Logs - Coming Soon					No				
Accessories	RBF24TRIM36, RBF24TRIM40	RBF30TRIM38, RBF30TRIM44, RBFPLUG, RBFGLASS30, RBFDOOR30	RBFPLUG, RBFGLASS36, RBFDOOR36	RBFPLUG, RBFGLASS36P, RBFDOOR36P	RBFPLUG, RBFGLASS42, RBFDOOR42	BFPLUGE, BFSL33DOOR	BFPLUGE, BFGLOSS33BLK, BFDOOR33BLKSM, BF4TRIM33, BFRC-KIT, WRCPF-KIT, TS521W	BFPLUGE, BFGLOSS39BLK, BFDOOR39BLKSM, BF4TRIM39, BFRC-KIT, WRCPF-KIT, TS521W	BFPLUGE, BFGLOSS45BLK, BFDOOR45BLKSM, BF4TRIM45, BFRC-KIT, WRCPF-KIT, TS521W	
Dimensions (WxHxD)	25-1/4" x 22-7/8" x 12-1/8" 64.0 cm x 58.1 cm x 30.7 cm	31-1/4" x 26-5/8" x 12-1/8" 79.2 cm x 67.6 cm x 30.7 cm	37-1/4" x 26-5/8" x 12-1/8" 94.4 cm x 67.6 cm x 30.7 cm	37-1/4" x 31" x 12-1/8" 94.4 cm x 78.7 cm x 30.7 cm	43-1/4" x 31" x 12-1/8" 109.8 cm x 78.8 cm x 30.7 cm	33" x 28-1/4" x 9-1/2" 83.3 cm x 71.9 cm x 24.1 cm	32-3/4" x 28-1/2" x 14-1/4" 83.2 cm x 73.5 cm x 36.3 cm	38-3/4" x 32-3/4" x 15-1/4" 98.4 cm x 83.3 cm x 38.9 cm		44-3/4" x 32-3/4" x 15-1/4" 113.7 cm x 83.3 cm x 38.9 cm

Opti-myst<sup>®</sup>



Enjoy a lifelike flame and smoke effect created by revolutionary ultrasonic technology using water mist, not steam, making for the world's safest fireplace. The result is an appearance so authentic it will be mistaken for a traditional wood-burning fireplace.

# Opti-myst® Pro 1500

## Opti-myst® Flame Effect


Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.

## Supplemental Heat

Includes an effective fan-forced heater to warm up to 400 sq. ft.

## Single or Double-sided

Includes removable high-gloss backer panel for easy conversion.



### GBF1500-PRO 60" Built-In Electric Firebox Kit

Includes the following:

(Ships in 4 cartons)



#### CDFI-BX1500 Opti-myst® Pro 1500 Firebox

Product Dimensions (WxHxD)  
65" x 31-3/4" x 16-1/4"  
165.0 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)  
68-3/4" x 36-3/4" x 18-1/8"  
174.5 cm x 93.5 cm x 46.0 cm

Gross Weight  
111.5 lbs / 50.6 kg

UPC  
781052 133709



#### CDFI1000-PRO Opti-myst® Pro 1000 Cassette

Product Dimensions (WxHxD)  
40-1/8" x 9-1/2" x 12"  
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
44-1/2" x 13-3/8" x 18-1/8"  
113.0 cm x 34.0 cm x 46.0 cm

Gross Weight  
35 lbs / 15.87 kg

UPC  
781052 112612




#### CDFI500-PRO Opti-myst® Pro 500 Cassette

Product Dimensions (WxHxD)  
20" x 9-1/2" x 12"  
50.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
24-3/8" x 13-7/8" x 17-3/4"  
62.0 cm x 34.0 cm x 45.0 cm

Gross Weight  
24.2 lbs / 10.9 kg

UPC  
781052 113053



#### FG1500 Front Glass Kit

Product Dimensions (WxHxD)  
60-3/4" x 15-1/4" x 1-5/8"  
154.4 cm x 38.8 cm x 4.1 cm

Carton Dimensions (WxHxD)  
71-3/8" x 21-5/8" x 5-1/4"  
181.5 cm x 55.0 cm x 13.5 cm

Gross Weight  
28.4 lbs / 12.88 kg

UPC  
781052 133716

#### Remote Control



# Opti-myst® Pro 1000

## Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.

## Supplemental Heat

Includes an effective fan-forced heater to warm up to 400 sq. ft.

## Single or Double-sided

Includes removable high-gloss backer panel for easy conversion.



### GBF1000-PRO 40" Built-in Electric Firebox Kit

Includes the following:  
(Ships in 3 cartons)



#### CDFI-BX1000 Opti-myst® Pro 1000 Firebox

Product Dimensions (WxHxD)  
46 -5/8" x 31-3/4" x 16-1/4"  
118.4 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)  
48-1/2" x 37" x 18-1/8"  
123.0 cm x 94.0 cm x 46.0 cm

Gross Weight  
37 lbs / 81.4 kg

UPC  
781052 110618




#### CDFI1000-PRO Opti-myst® Pro 1000 Cassette

Product Dimensions (WxHxD)  
40-1/8" x 9-1/2" x 12"  
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
44-1/2" x 13-3/8" x 18-1/8"  
113.0 cm x 34.0 cm x 46.0 cm

Gross Weight  
35 lbs / 15.87 kg

UPC  
781052 112612



#### FG1000 Front Glass Kit

Product Dimensions (WxHxD)  
40-5/8" x 14-1/2" x 1-5/8"  
103.0 cm x 36.8 cm x 4.1 cm

Carton Dimensions (WxHxD)  
50-5/8" x 20-7/8" x 5-1/8"  
128.5 cm x 53.0 cm x 13.0 cm

Gross Weight  
19.6 lbs / 8.9 kg

UPC  
781052 118379


### Remote Control



**Opti-myst® Pro Accessories**



**Accessories**



**Rear Glass Pane**

GBF1000-GLASS  
GBF1500-GLASS

Allows for see-through installations



**Media Tray**

CDFI1000-TRAY  
CDFI1500-TRAY

Displays optional media options



**Pro 1000 Log Kit (2 log sets)  
Pro 1500 Log Kit (3 log sets)**

CDFILOG-KIT



**Black Rock Media**

CDFI1000-BLKRCK  
CDFI1500-BLKRCK



**River Rock Media**

CDFI1000-RVRCK  
CDFI1500-RVRCK



**Direct Plumbing Kit**

CDFIPLUMB-KIT



**Driftwood Media**

CDFI1000-DWSKIT  
CDFI1500-DWSKIT



**Opti-myst®**

**Opti-myst® Flame Effect**

Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.

**Modular Design**

Cassettes can be combined in series to achieve the desired length for dramatic linear installations impossible to achieve with gas fires.

**Continuous Water Supply**

Optional plumbed water supply kit provides continuous operation without refilling water tanks.



**DFI400CH**  
Opti-myst® Cassette

Product Dimensions (WxHxD)  
16" x 13" x 8-1/2"  
40.5 cm x 33.0 cm x 21.6 cm

Carton Dimensions (WxHxD)  
20-1/5" x 23-1/4" x 13-3/8"  
51.3 cm x 59.1 cm x 34.0 cm

Gross Weight  
27 lbs / 12.3 kg

UPC  
781052 096516



**DFI400LH**  
Opti-myst® Cassette - Logs

Product Dimensions (WxHxD)  
16" x 13" x 8-1/2"  
40.5 cm x 33.0 cm x 21.6 cm

Carton Dimensions (WxHxD)  
20-1/5" x 23-1/4" x 13-3/8"  
51.3 cm x 59.1 cm x 34.0 cm

Gross Weight  
23 lbs / 10.5 kg

UPC  
781052 096516



**CDFI500-PRO**  
Opti-myst® Pro 500 Cassette

Product Dimensions (WxHxD)  
20" x 9-1/2" x 12"  
50.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
24-3/8" x 13-7/8" x 17-3/4"  
62.0 cm x 34.0 cm x 45.0 cm

Gross Weight  
24.2 lbs / 10.9 kg

UPC  
781052 113053



**CDFI1000-PRO**  
Opti-myst® Pro 1000 Cassette

Product Dimensions (WxHxD)  
40-1/8" x 9-1/2" x 12"  
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
44-1/5" x 13-3/8" x 18-1/8"  
113.0 cm x 34.0 cm x 46.0 cm

Gross Weight  
35 lbs / 15.87 kg

UPC  
781052 112612

**Opti-myst®**



**Accessories**



**Log Set**

CDFI1000-PRO - CDFILOG-KIT  
CDFI500-PRO - CDFILOG



**Media Tray**

CDFI1000-PRO - CDFI1000-TRAY  
CDFI500-PRO - CDFI500-TRAY



**Plug Kit**

CDFI-PLUGKIT



**Direct-wire Heater Accessory**

CDFI-TMHEAT



**Black Rock Media**

CDFI1000-PRO - CDFI1000-BLKRCK  
CDFI500-PRO - CDFI500-BLKRCK



**River Rock Media**

CDFI1000-PRO - CDFI1000-RVRCK  
CDFI500-PRO - CDFI500-RVRCK



**Driftwood Media**

CDFI1000-PRO - CDFI1000-DWSKIT  
CDFI500-PRO - CDFI500-DWSKIT

## Multi-Fire XD<sup>®</sup>

### Multi-Fire XD™ Flame Effect


Vivid flames that are brighter and more lifelike compared to our previous firebox.

### Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode.

### ComfortSaver<sup>®</sup> Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



**PF2325HG**  
25" Electric Firebox  
Acrylic Ice

Product Dimensions (WxHxD)  
25-7/8" x 18-7/8" x 9-1/4"  
65.7 cm x 47.9 cm x 23.6 cm

Carton Dimensions (WxHxD)  
29-1/4" x 13-3/8" x 21-1/2"  
74.2 cm x 34.0 cm x 54.6 cm

Gross Weight  
40 lbs / 18.2 kg

UPC  
781052 095014



**PF2325CG**  
25" Electric Firebox  
Curved Glass Front

Product Dimensions (WxHxD)  
25-7/8" x 18-7/8" x 10-5/8"  
65.7 cm x 47.9 cm x 27.0 cm

Carton Dimensions (WxHxD)  
28-3/4" x 13-3/8" x 25"  
73.0 cm x 34.0 cm x 63.6 cm

Gross Weight  
41 lbs / 18.6 kg

UPC  
781052 095007



**PF2325HL**  
25" Electric Firebox  
Realogs<sup>®</sup>

Product Dimensions (WxHxD)  
25-7/8" x 18-7/8" x 9-1/4"  
65.7 cm x 47.9 cm x 23.6 cm

Carton Dimensions (WxHxD)  
29-1/4" x 13-3/8" x 21-1/2"  
74.2 cm x 34.0 cm x 54.6 cm

Gross Weight  
40 lbs / 18.2 kg

UPC  
781052 095021



**PF3033HG**  
33" Electric Firebox  
Acrylic Ice

Product Dimensions (WxHxD)  
32-7/8" x 23-3/8" x 9-3/8"  
83.5 cm x 59.3 cm x 23.8 cm

Carton Dimensions (WxHxD)  
38-1/4" x 17" x 29-1/8"  
97.0 cm x 43.2 cm x 74.0 cm

Gross Weight  
60 lbs / 27.2 kg

UPC  
781052 095038



**PF3033HL**  
33" Electric Firebox  
Realogs<sup>®</sup>

Product Dimensions (WxHxD)  
32-7/8" x 23-3/8" x 9-3/8"  
83.5 cm x 59.3 cm x 23.8 cm

Carton Dimensions (WxHxD)  
38-1/4" x 17" x 29-1/8"  
97.0 cm x 43.2 cm x 74.0 cm

Gross Weight  
60 lbs / 27.2 kg

UPC  
781052 094857

**Multi-Fire XD**<sup>®</sup>



**Color Themes**

Acrylic Ice



Realogs<sup>®</sup>



**Floating Display**



**Remote Control**



**PRO Series**

**Multi-Fire XHD™ Flame Effect**


High-contrast flames feature improved brightness and character for a dazzling, lifelike effect.

**Customizable Flame**

The multi-flame technology allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.

**Powerful Heating**

Powerful fan-forced heater features a safe, ceramic element that provides on-demand heat for up to 1,000 square feet.



**DF26DWC-PRO**  
26" Electric Firebox  
Crystals plus Driftwood & River Rock

Product Dimensions (WxHxD)  
26" x 18-7/8" x 7-1/2"  
66.0 cm x 47.9 cm x 18.9 cm

Carton Dimensions (WxHxD)  
28-3/4" x 22-1/2" x 10-3/4"  
73.0 cm x 57.0 cm x 27.0 cm

Gross Weight  
34.2 lbs / 15.5 kg

UPC  
781052 110816



**DF26L-PRO**  
26" Electric Firebox  
Realogs<sup>®</sup>

Product Dimensions (WxHxD)  
26" x 18-7/8" x 7-1/2"  
66.0 cm x 47.9 cm x 18.9 cm

Carton Dimensions (WxHxD)  
28-3/4" x 22-1/2" x 10-3/4"  
73.0 cm x 57.0 cm x 27.0 cm

Gross Weight  
29.8 lbs / 13.5 kg

UPC  
781052 110823



**DF28DWC-PRO**  
28" Electric Firebox  
Crystals plus Driftwood & River Rock

Product Dimensions (WxHxD)  
27-3/8" x 23-1/2" x 7-1/2"  
69.5 cm x 59.7 cm x 18.9 cm

Carton Dimensions (WxHxD)  
30" x 26-7/8" x 11-1/8"  
76.0 cm x 68.0 cm x 28.0 cm

Gross Weight  
42.1 lbs / 19.1 kg

UPC  
781052 117907



**DF28L-PRO**  
28" Electric Firebox  
Realogs<sup>®</sup>

Product Dimensions (WxHxD)  
27-3/8" x 23-1/2" x 7-1/2"  
69.5 cm x 59.7 cm x 18.9 cm

Carton Dimensions (WxHxD)  
30" x 26-7/8" x 11-1/8"  
76.0 cm x 68.0 cm x 28.0 cm

Gross Weight  
36.5 lbs / 19.1 kg

UPC  
781052 110847

## Specifications

Fireplace Series	Multi-Fire XD®					Pro Series			
Model	PF2325CG (Curved Glass)	PF2325HG	PF2325HL	PF3033HG	PF3033HL	DF26L-PRO	DF26DWC-PRO	DF28L-PRO	DF28DWC-PRO
Size	25"			33"		26"		28"	
Ember Bed	Acrylic Ice	Realogs®		Acrylic Ice	Realogs®	Realogs®	Crystals <i>plus</i> Driftwood & River Rock	Realogs®	Crystals <i>plus</i> Driftwood & River Rock
Flame Only Mode	Yes					Yes			
Heater Only Mode	Yes					Yes			
Heater Element	Ceramic					Ceramic			
Technology	Multi-Fire Flame Effect XD					Multi-Fire Flame Effect XHD			
Installation	Frame					Frame			
Volts	120					120			
Wattage	1500					1500			
BTU's	5118					5118			
Wiring	Plug-in					Plug-in			
Heating Range	Up to 1,000 sq. ft.					Up to 1,000 sq. ft.			
Display/Controls	Floating on-screen display shows temperature and feature setting at a glance					Built-in display with capacitive touch controls shows temperature and feature settings at a glance			
Flame Operation Energy Savings	Low energy LED's that require zero maintenance					Low energy LED's that require zero maintenance			
Heat Operation Energy Savings	ComfortSaver® heating system					N/A			
Timer	Yes					Yes			
Interior Surround	Black/3D Mirror					Black			
Adjustable Flame Speed	N/A					Yes			
Light Settings	Adjustable interior brightness					Adjustable interior brightness			
Color Settings	Natural, Blue, Green, Purple, Red, Prism, Kaleidoscope					Red, Blue, Natural	Red, Blue, Green, Purple, Natural	Red, Blue, Natural	Red, Blue, Green, Purple, Natural
Heat Disable	Heat Disable with Controls					Heat Disable with Controls			
Other Features	gWave® gesture recognition technology, electronic thermostat keeps the room temperature at a precise set temperature for perfect comfort					Electronic Thermostat			
Remote Features	Multi-function					Multi-function			
Warranty	1-year limited parts					2-year limited parts			
Optional Media	N/A					No	Crystals/Driftwood & River Rock	No	Crystals/Driftwood & River Rock
Accessories	N/A					N/A			
Dimensions (WxHxD)	25-7/8" x 18-7/8" x 10-5/8" 65.7 cm x 47.9 cm x 27.0 cm	25-7/8" x 18-7/8" x 9-1/4" 65.7 cm x 47.9 cm x 23.6 cm		32-7/8" x 23-3/8" x 9-3/8" 83.5 cm x 59.3 cm x 23.8 cm		26" x 18-7/8" x 7-1/2" 66.0 cm x 47.9 cm x 18.9 cm		27-3/8" x 23-1/2" x 7-1/2" 69.5 cm x 59.7 cm x 18.9 cm	



**RLG20**  
20" Revillusion  
Log Set

Shown with  
optional ash mat  
(not included)  
REM-KIT



**RLG20BR**  
20" Revillusion  
Log Set  
Birch Logs



**RLG20FC**  
20" Revillusion  
Log Set  
Fresh Cut Logs



**RLG25**  
25" Revillusion  
Log Set



**RLG25BR**  
25" Revillusion  
Log Set  
Birch Logs



**RLG25FC**  
25" Revillusion  
Log Set  
Fresh Cut Logs



**RBF24DLXWC**  
24" Revillusion®  
Fireplace Insert  
Shown in  
Weathered Concrete

Also available in  
Herringbone  
RBF24DLX

Trim sold separately, includes front glass



**RBF30**  
30" Revillusion®  
Fireplace Insert  
Shown in  
Herringbone


Also available in  
Weathered Concrete  
RBF30WC

Trim sold separately



**DFI2310**  
23" Electric  
Fireplace Insert

**Accessories**



**Installation Trims**

RBF24 - 36" Installation Trim  
RBF24TRIM36  
- 40" Installation Trim  
RBF24TRIM40

RBF30 - 38" Installation Trim  
RBF30TRIM38  
44" Installation Trim  
RBF30TRIM44



**RBFGLASS30**  
Front Glass Pane  
for RBF30



**DFI23TRIMX**  
Trim Kit for  
DFI2310



**NEW for 2019**



**DM28-1942WL**  
Anthony Fireplace Mantel

Product Dimensions (WxHxD)  
48-3/8" x 38-5/8" x 11-7/8"  
123.0 cm x 98.0 cm x 30.0 cm

Carton Dimensions (WxHxD)  
51-5/8" x 15-5/8" x 14-7/8"  
131.0 cm x 39.5 cm x 37.5 cm

Gross Weight  
78.9 lbs / 94.1 kg

UPC  
781052 118218

Compatible with DF28L-PRO or  
DF28DWC-PRO Firebox  
(sold separately)



**DM28-1944W**  
Crystal Fireplace Mantel

Product Dimensions (WxHxD)  
57-7/8" x 44-1/2" x 13-3/4"  
147.0 cm 113.0 cm x 35.0 cm

Carton Dimensions (WxHxD)  
61" x 47-1/4" x 16-7/8"  
155.0 cm x 120.0 cm x 43.0 cm

Gross Weight  
133.1 lbs / 60.5 kg

UPC  
781052 118225

Compatible with DF28L-PRO or  
DF28DWC-PRO Firebox  
(sold separately)



**DM28-1941WE**  
Heather Fireplace Mantel

Product Dimensions (WxHxD)  
49-5/8" x 46" x 13"  
126.0 cm 116.8 cm x 33.1 cm

Carton Dimensions (WxHxD)  
52-3/4" x 19-3/4" x 18-3/8"  
134.0 cm x 50.0 cm x 46.5 cm

Gross Weight  
106 lbs / 48.2 kg

UPC  
781052 118409

Compatible with DF28L-PRO or  
DF28DWC-PRO Firebox  
(sold separately)



**DM28-1968SG**  
Madison Fireplace Mantel

Product Dimensions (WxHxD)  
58" x 44" x 13"  
147.3 cm 111.8 cm x 33.0 cm

Carton Dimensions (WxHxD)  
61" x 18-1/8" x 17-1/2"  
155.0 cm x 46.0 cm x 44.5 cm

Gross Weight  
106.7 lbs / 48.5 kg

UPC  
781052 118485

Compatible with DF28L-PRO or  
DF28DWC-PRO Firebox  
(sold separately)

## BuiltRite Series

### Modular Design

Install as a cabinet in front of the wall or flush-mount for built-in installations.

### Quick Assembly

Sets up in minutes with step-by-step assembly instructions allowing you more time to enjoy your fireplace.

### Choice of Fireboxes

Includes two sets of trim pieces that allow the use of Revillusion® RBF30 or BFSL33 fireboxes.



**GDS30RBF-1801W**  
BuiltRite Fireplace - White

Product Dimensions (WxHxD) - Mantel only  
56-7/8" x 50-7/8" x 18-1/8" (6-5/8" Built-in)  
144.6 cm x 129.2 cm x 46.0 cm (16.8 cm Built-in)

Carton Dimensions (WxHxD) - Mantel only  
60-1/2" x 20-1/2" x 21-3/8"  
135.5 cm x 34.0 cm x 54.6 cm

**Includes:**  
BM3033-1801W - Mantel  
RBF30 - 30" Revillusion Firebox  
RBFGLASS30 - Front Glass Pane  
RBFPLUG - Plug Kit

Mantel available on its own:  
**BM3033-1801W**

Can be paired with a BFSL33 or RBF30 firebox (sold separately)

**GDS30RBF-1801BW**  
BuiltRite Fireplace - Burnished Walnut

Product Dimensions (WxHxD) - Mantel only  
56-7/8" x 50-7/8" x 18-1/8" (6-5/8" Built-in)  
144.6 cm x 129.2 cm x 46.0 cm (16.8 cm Built-in)

Carton Dimensions (WxHxD) - Mantel only  
60-1/2" x 20-1/2" x 21-3/8"  
135.5 cm x 34.0 cm x 54.6 cm

**Includes:**  
BM3033-1801BW - Mantel  
RBF30 - 30" Revillusion Firebox  
RBFGLASS30 - Front Glass Pane  
RBFPLUG - Plug Kit  
BMT-1801TR - Travertine Surround

Mantel available on its own:  
**BM3033-1801BW**

Can be paired with a BFSL33 or RBF30 firebox (sold separately)

**GDS30RBF-1801RO**  
BuiltRite Fireplace - Rift Oak

Product Dimensions (WxHxD) - Mantel only  
56-7/8" x 50-7/8" x 18-1/8" (6-5/8" Built-in)  
144.6 cm x 129.2 cm x 46.0 cm (16.8 cm Built-in)

Carton Dimensions (WxHxD) - Mantel only  
60-1/2" x 20-1/2" x 21-3/8"  
135.5 cm x 34.0 cm x 54.6 cm

**Includes:**  
BM3033-1801RO - Mantel  
RBF30 - 30" Revillusion Firebox  
RBFGLASS30 - Front Glass Pane  
RBFPLUG - Plug Kit  
BMT-1801BG - Black Granite Surround

Mantel available on its own:  
**BM3033-1801RO**

Can be paired with a BFSL33 or RBF30 firebox (sold separately)

**Fireplace Packages**



**GDS33HG-1310RG**  
**Linwood Fireplace Mantel**  
**- Acrylic Ice**

Product Dimensions (WxHxD)  
 65-1/2" x 50" x 10-3/4"  
 166.2 cm x 127.0 cm x 27.6 cm

Carton Dimensions (WxHxD)  
 68-1/2" x 52-1/2" x 13-7/8"  
 174.0 cm x 133.0 cm x 35.0 cm

Gross Weight  
 125.4 lbs / 57 kg

Includes:  
 PF3033HG - 33" Multi-Fire XD Firebox



**GDS33HL-1310RG**  
**Linwood Fireplace Mantel**  
**- Realogs®**

Product Dimensions (WxHxD)  
 65-1/2" x 50" x 10-3/4"  
 166.2 cm x 127.0 cm x 27.6 cm

Carton Dimensions (WxHxD)  
 68-1/2" x 52-1/2" x 13-7/8"  
 174.0 cm x 133.0 cm x 35.0 cm

Gross Weight  
 125.4 lbs / 57 kg

Includes:  
 PF3033HL - 33" Multi-Fire XD Firebox



**GDS33-1310RG**  
**Linwood Fireplace Mantel**  
**- Logs**

Product Dimensions (WxHxD)  
 65-1/2" x 50" x 10-3/4"  
 166.2 cm x 127.0 cm x 27.6 cm

Carton Dimensions (WxHxD)  
 68-1/2" x 52-1/2" x 13-7/8"  
 174.0 cm x 133.0 cm x 35.0 cm

Gross Weight  
 125.4 lbs / 57 kg

Includes:  
 DF3033ST - 33" Firebox

# Fireplace Packages



**GDS26L5-1152LR**  
Featherston Fireplace Mantel

Product Dimensions (WxHxD) - Mantel only  
61" x 44" x 15-5/8"  
155.0 cm x 111.7 cm x 39.5 cm

Carton Dimensions (WxHxD) - Mantel only  
63-7/8" x 15-1/8" x 24-1/8"  
162.3 cm x 38.4 cm x 61.2 cm

Gross Weight  
222 lbs / 101 kg

Includes:  
DFR2651L - 26" Firebox



**GDS26L5-904ST**  
Fieldstone Fireplace Mantel

Product Dimensions (WxHxD) - Mantel only  
54-5/8" x 42-5/8" x 12-7/8"  
138.8 cm x 108.3 cm x 32.7 cm

Carton Dimensions (WxHxD) - Mantel only  
22-5/8" x 14-7/8" x 58-1/8"  
57.5 cm x 37.5 cm x 147.5 cm

Gross Weight  
176 lbs / 80.0 kg

Includes:  
DFR2651L - 26" Firebox



**GDS30L3-1086W**  
Essex Fireplace Mantel

Product Dimensions (WxHxD) - Mantel only  
54-7/8" x 48-1/8" x 18-1/8"  
139.4 cm x 122.1 cm x 45.9 cm

Carton Dimensions (WxHxD) - Mantel only  
22-5/8" x 14" x 58"  
57.5 cm x 35.6 cm x 147.3 cm

Gross Weight  
143 lbs / 65.0 kg

Includes:  
DFR3015 - 30" Firebox



**DFP26-1109W**  
Winston Fireplace Mantel

Product Dimensions (WxHxD)  
52-3/8" x 42-1/4" x 15"  
133.0 cm x 107.4 cm x 37.9 cm

Carton Dimensions (WxHxD)  
55-1/4" x 33-1/2" x 18-1/2"  
140.0 cm x 84.8 cm x 46.7 cm

Gross Weight  
155 lbs / 70.3 kg



**OS2527GB**  
Stockbridge Opti-myst® Stove

Product Dimensions (WxHxD)  
24-3/8" x 26" x 15-3/8"  
62.0 cm x 66.0 cm x 39.1 cm

Carton Dimensions (WxHxD)  
29-3/4" x 29-3/4" x 19-3/8"  
75.4 cm x 75.4 cm x 49.3 cm

Gross Weight  
75 lbs / 34.1 kg

UPC  
781052 098732



**TDS8515TB**  
Celeste Electric Stove - Black

Product Dimensions (WxHxD)  
29-5/8" x 27" x 17-5/8"  
75.2 cm x 68.6 cm x 44.0 cm

Carton Dimensions (WxHxD)  
31-3/8" x 29-1/2" x 19-3/8"  
79.4 cm x 74.9 cm x 48.9 cm

Gross Weight  
78 lbs / 35.5 kg

UPC  
781052 042339

Also available in Cream  
TDS8515TC



**CS33116A**  
Compact Electric Stove

Product Dimensions (WxHxD)  
20" x 32-1/8" x 11-5/16"  
50.8 cm x 58.7 cm x 28.7 cm

Carton Dimensions (WxHxD)  
22-1/4" x 26-1/4" x 13-7/8"  
56.5 cm x 66.5 cm x 35.4 cm

Gross Weight  
37 lbs / 16.6 kg

UPC  
781052 037434



**CS-12056A**  
Tristan Electric Stove

Product Dimensions (WxHxD)  
17-3/4" x 21-7/8" x 12"  
45.1 cm x 55.2 cm x 30.5 cm

Carton Dimensions (WxHxD)  
20.3" x 23.8" x 14.6"  
51.6 cm x 60.5 cm x 37.1 cm

Gross Weight  
29.3 lbs / 13.3 kg

UPC  
781052 042070



**DMCS13R**  
Mini Cube Electric Stove

Product Dimensions (WxHxD)  
13" x 14-1/2" x 8"  
33.0 cm x 36.8 cm x 20.3 cm

Carton Dimensions (WxHxD)  
14-1/2" x 17" x 9-1/2"  
36.8 cm x 43.2 cm x 24.1 cm

Gross Weight  
16 lbs / 7.3 kg

UPC  
781052 061125

## Indoor/Outdoor Heater

### Nextrema® Schott

Nextrema Schott glass ensures even heat distribution and minimizes light emissions.

### Ease of Operation

Programmable timer with remote control, features safety shutoff after 8 hours of continuous operation.

### Outdoor Rated

Water/dust tight IP65 rating for outdoor applications.



Model	Watts	Volts	Length (in/cm)	Weight (lbs./kg)
DIR15A10GR	1500	120	35.5 / 90.1	13.4 / 6.1
DIR18A10GR	1800	240	35.5 / 90.1	13.4 / 6.1
DIR22A10GR	2200	240	35.5 / 90.1	13.4 / 6.1

Height x Depth  
6-3/4" x 3"  
17.1 cm x 7.6 cm

# Linear Convector Heaters

## Compact Size


Up to 42% smaller in length than conventional baseboards.

## Construction

Shark-fin heating element blade design improves heat transfer, provides quiet operation and extends product life.

## Flexibility

Discreet styling, reduced length and added versatility of placement provide more options when designing a room.



Model	Watts	Volts	BTU	Length (in/cm)	Weight (lbs./kg)
LC2005W31	500 / 375	240 / 208	1706 / 1280	20 / 50.8	3.75 / 1.7
LC2507W31	750 / 563	240 / 208	2559 / 1919	25 / 63.5	4.4 / 2.0
LC3010W31	1000 / 750	240 / 208	3412 / 2559	30 / 76.2	5 / 2.3
LC3512W31	1250 / 938	240 / 208	4265 / 3199	35 / 88.9	6.65 / 3
LC4015W31	1500 / 1125	240 / 208	5118 / 3839	40 / 101.6	7.5 / 3.2
LC5020W31	2000 / 1500	240 / 208	6824 / 5120	50 / 127.0	8.2 / 3.7
LC6025W31	2500 / 1875	240 / 208	8530 / 6398	60 / 152.4	9.7 / 4.4

Height x Depth  
6-5/8" x 2-3/8"  
16.9 cm x 5.9 cm



**DWT Wall Electronic Thermostat**

DWT431W-P



**Built-in Electronic Thermostat**

DTK-SP (Single Pole)  
DTK-DP (Double Pole)

# Proportional Convector Heaters

## Compact Size

Up to 42% smaller in length than conventional baseboards.

## Economical

Built-in electronic thermostat uses up to 33% less energy than conventional baseboards and thermostats.

## Thermostat

Built-in CONNEX receiver allows wireless temperature control with optional wall-mounted CONNEX controller.



CX-MPC



CX-WIFI



DPCRWS

For more information see Thermostats page

Model	Watts	Volts	BTU	Length (in/cm)	Weight (lbs./kg)
PC2005W31	500 / 375	240 / 208	1706 / 1280	20 / 50.8	4 / 1.8
PC2507W31	750 / 563	240 / 208	2559 / 1919	25 / 63.5	4.65 / 2.1
PC3010W31	1000 / 750	240 / 208	3412 / 2559	30 / 76.2	5.25 / 2.4
PC3512W31	1250 / 938	240 / 208	4265 / 3199	35 / 88.9	6.65 / 3
PC4015W31	1500 / 1125	240 / 208	5118 / 3839	40 / 101.6	7.75 / 3.5
PC5020W31	2000 / 1500	240 / 208	6824 / 5120	50 / 127.0	8.45 / 3.8
PC6025W31	2500 / 1875	240 / 208	8530 / 6398	60 / 152.4	9.95 / 4.5

Height x Depth  
6-5/8" x 2-3/8"  
16.9 cm x 5.9 cm



## Ceiling-mounted Heater



### Ease of Installation

Ceiling installation reduces potential for damage.

### Economical

Efficiently circulates air and directs heat downward.


### Thermostat

Built-in thermostat included.



Product Dimensions (WxHxD)  
16" x 5-1/4" x 16"  
40.6 cm x 13.3 cm x 40.6 cm

Model	Watts	Volts	CFM	Weight (lbs./kg)
RCH5031CXW	5000	240	150	11 / 5.1



CX-MPC



CX-WIFI



DPCRWS

### Wireless Control Options

Model	Description
DPCRWS	Single-zone CONNEX Controller
CX-MPC	Multi-zone Programmable CONNEX Controller
CX-WIFI	Wi-Fi Multi-zone Programmable CONNEX Controller

For more information see Thermostats page

# Precision Comfort Heater

## Quiet Operation

Sound tests show that the PCH operates at a whisper-quiet 43dB, making it one of the quietest fan heaters on the market.

## Patented Heating Technology

Automatically and quietly adjusts the fan speed and wattage for perfect comfort.

## Thermostat

Built-in electronic thermostat maintains room temperature to within an incredible 0.1°C (0.2°F) for maximum comfort and up to 29% energy savings\*.



Model	Watts	Volts	BTU	Weight (lbs./kg)
PCH2000TCW	2000 / 1900	240 / 208	6824	9.5 / 4.3

Product Dimensions (WxHxD)  
 10-3/8" x 15-3/8" x 5-1/8"  
 26.5 cm x 38.9 cm x 13.0 cm

### Accessories

Surface Mount Box  
 PCHSBW



CX-MPC



DPCRWS



CX-WIFI



For more information see Thermostats page



\*Compared to TWH series with TS321W thermostat

## Under Cabinet Heater

### Ease of Installation


Provides floor warming without major renovations.

### Flexible Wattage

Adjust the heater voltage and wattage to provide the right amount of heat for any space.

### Quality

Superior enclosed element provides long life and safety.



Customize with your choice of three included grille colors.

Model	Watts	Volts	BTU	Weight (lbs./kg)
RKHA20D31MC	450	120	1535	9.5 / 4.3
	900	120	3071	
	1350	120	4606	
	1800	120	6142	
	900 / 675	240 / 208	3071 / 2303	
	1800 / 1350	240 / 208	6142 / 4606	

Product Dimensions (WxHxD)  
 23-3/8" x 3-3/8" x 9-1/2"  
 59.4 cm x 8.6 cm x 24.1 cm

### Accessories

Double Pole Thermostat Kit  
 CKHATD23


## Workshop Heaters

### CUH

- Powerful heat output up to 5000W (240V)
- Adjustable louvers direct warm air where needed
- Built-in single-pole thermostat for accurate temperature control
- Thermal overheat protection stops heater from running if it gets too hot

### DGWH & DCH

- 300 CFM delivers powerful heat output
- Thermal overheat protection stops heater from running if it gets too hot
- Includes 6 foot cord with NEMA standard plug (6-30P)
- Stainless steel tubular element



**DCH4831LG**  
Portable Construction Heater

Product Dimensions (WxHxD)  
9" x 12-1/2" x 7-1/2"  
22.9 cm x 31.5 cm x 19.1 cm

<b>Watts</b>	<b>Volts</b>
4800	240

<b>BTU</b>	<b>CFM</b>
16377	300

**Weight**  
10.9 lbs / 4.95 kg



**DGWH4031G**  
Garage/Workshop Heater

Product Dimensions (WxHxD)  
9" x 11" x 7-1/2"  
22.9 cm x 27.9 cm x 19.1 cm

<b>Watts</b>	<b>Volts</b>
4000	240

<b>BTU</b>	<b>CFM</b>
13648	300

**Weight**  
10 lbs / 4.5 kg



**CUH05B31TG**  
Compact Unit Heater



Product Dimensions (WxHxD)  
9" x 11" x 9"  
22.9 cm x 27.9 cm x 22.9 cm

<b>Watts</b>	<b>Volts</b>
5000 / 3750	240 / 208

<b>BTU</b>
17060 / 12795

**Weight**  
10 lbs / 4.5 kg

Controls



**CONNEX® Multi-zone Programmable Controller**  
CX-MPC



**CONNEX® Multi-zone Wi-Fi Programmable Controller**  
CX-WIFI



**CONNEX® Single-zone Controller**  
DPCRWS



**Non-Programmable Thermostat**  
DWT431W



**Programmable Thermostat**  
DWT431W-P



**Non-Programmable Thermostat**  
HTC531W



**Programmable Thermostat**  
HTC621W-P



**Single Pole Thermostat**  
TS321W

**Double Pole Thermostat**  
TD322W



Cadet delivers sensible design and efficiency to help you create a comfortable and inviting home environment at a value all can appreciate. We are known for our trusted products that are made in America and built to last.

Cadet offers both primary heating sources and complementary products that support a central heating system, letting you easily add warmth and temperature control to any space. Our heaters are perfect for warming those stubborn chilly rooms, like the finished basement, garage, winter cabin or sunroom.

Whether your next project is a replacement heater, remodel, new addition or newly built home, Cadet heating solutions are perfect for keeping you and your family warm, safe and comfortable.

## Com-Pak Series

### Thermostat

Available with or without built-in thermostat.

### Built-in Overheat Protection

Includes high temperature safety shutoff for complete peace-of-mind.

### Quality

All metal surfaces are powder-coated paint to remove sharp edges and provide a durable, corrosion-resistant finish.



Product Dimensions (WxHxD)  
9" x 12" x 1"  
22.9 cm x 30.5 cm x 2.5 cm

All units come complete with wall can and grille.

Model	Watts	Volts	BTU	Weight (lbs./kg)
CSC101W*	1000	120	3415	7 / 3.17
CSC102W*	1000 / 750	240 / 208	3415 / 2560	7 / 3.17
CSC102TW	1000 / 750	240 / 208	3415 / 2560	7 / 3.17
CSC151W*	1500	120	5120	7 / 3.17
CSC152W*	1500 / 1125	240 / 208	5120 / 3840	7 / 3.17
CSC152TW	1500 / 1125	240 / 208	5120 / 3840	7 / 3.17
CSC202W*	2000 / 1500	240 / 208	6825 / 5120	7 / 3.17
CSC202TW	2000 / 1500	240 / 208	6825 / 5120	7 / 3.17

\*Units do not have a built-in thermostat

### Accessories

Model	Description
C1TKW	2" x 3" wall construction trim kit
C4TKW	Surface trim kit
CTT1W	Single pole built-in thermostat kit
CTT2W	Double pole built-in thermostat kit

## Com-Pak Bath Series

### Thermostat


Available with or without built-in thermostat.

### Built-in Overheat Protection

Includes high temperature safety shutoff for complete peace-of-mind.

### Quality

All metal surfaces are powder-coated paint to remove sharp edges and provide a durable finish.



Product Dimensions (WxHxD)  
9" x 12" x 5/8"  
22.9 cm x 30.5 cm x 1.6 cm

All units come complete with wall can and grille.

Model	Watts	Volts	BTU	Weight (lbs./kg)
CBC103TW	1000	120 / 240	3415	8 / 3.6
CBC132TW	500 / 800 1300 / 375 600 / 975	240 / 208	1710 / 2730 4440 / 1280 2050 / 3300	8 / 3.6





Proudly Australian, Nectre wood-fired ovens are designed and manufactured with more than 40 years of knowledge and expertise in the wood heating business. We take pride in the quality and integrity of our products and continue to find new production techniques to produce the best technology and design.

At Nectre, we develop the next generation of efficient, low emission wood heaters. We keep steadily improving our stove designs as well as production techniques with steel - now laser cut and manufactured with state-of-the-art robotic welding technology. The result is products that are built to perform at the highest standards, yet ultimately meet the most important criteria: providing people with warmth and home comfort.

## N65 Wood Stove

### Stylish and Powerful


High heat output and European design make the N65 the perfect blend of form and function.

### EPA Certified

Meets EPA 2020 New Source Performance Standards.

### Quality

Steel baffle with steel brick retainer and firebrick lining to improve thermal mass.



### N65 Wood Stove

**Product Dimensions (WxHxD)**  
22-7/8" x 40-7/8" x 19-1/4"  
58.1 cm x 103.7 cm x 48.5 cm

**BTU**  
68,500

**Weight**  
419 lbs / 190 kg

**67%**  
EFFICIENCY

**2.03g**  
EMISSIONS

**68,500 BTU**  
(19.8kW)  
PEAK OUTPUT

**UP-TO 8hr**  
BURN TIME

**12.6"**  
(320mm)  
MAX LOG

**UP-TO 1,900** sq. ft.  
(up to 180m<sup>2</sup>)  
COVERAGE

**1/4"**  
(6mm)  
CONSTRUCTION

**1.55** cu. ft.  
(.044m<sup>3</sup>)  
FIREBOX SIZE

## N350 / N550 Wood-fired Oven

### Convection Cooking

Close the flue bypass dampener to create convection-like heating that improves cooking performance.

### Construction

Cast iron doors and ceramic glass.

### Thermometer

Oven temperatures supplied with both a °F and °C thermometer.



**N350  
Wood-fire Oven**

Product Dimensions (WxHxD)  
21-5/8" x 34" x 21"  
54.9 cm x 86.4 cm x 53.3 cm

BTU  
30,000

Weight  
265 lbs / 120.2 kg

**N350W  
Wood-fire Oven  
(with water jacket)**



**N550  
Wood-fire Oven**

Product Dimensions (WxHxD)  
26-5/8" x 33" x 19-5/8"  
67.6 cm x 83.8 cm x 49.7 cm

BTU  
65,000

Weight  
465 lbs / 210.9 kg

**N550W  
Wood-fire Oven  
(with water jacket)**

# Glen Dimplex<sup>®</sup> AMERICAS

Enhancing the moments that matter in life

**Dimplex<sup>®</sup>**

[www.dimplex.com](http://www.dimplex.com)



**CADET** 

[www.cadetheat.com](http://www.cadetheat.com)



**nectre**

[www.nectreusa.com](http://www.nectreusa.com)

